



27" 1080P 240HZ 1MS GAMING MONITOR WITH AMD FREESYNC AND NVIDIA G-SYNC COMPATIBILITY | VX2779

Key Features

- **REACT FASTER AT 240HZ:** A blazing 240Hz refresh rate and 1ms (MPRT) response time keep gameplay fluid and your reactions instant.
- **TEAR-FREE GAMEPLAY:** AMD FreeSync™ and NVIDIA G-SYNC® Compatibility synchronize your GPU and monitor to eliminate screen tearing and stutter.
- **SHARP, DETAILED FULL HD VISUALS:** Full HD 1080p resolution delivers crisp, detailed visuals across every scene and frame.
- **CONNECT YOUR WHOLE SETUP:** Two HDMI ports, one DisplayPort and audio out give you flexible connectivity for every device in your rig.
- **PLAY FOR LONGER WITH REDUCED STRAIN:** Flicker-Free technology and a blue light filter reduce eye fatigue so you can stay in the game longer.



27"
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description

The 27" VX2779 gaming monitor gives you the size to see more of the game and the speed to stay ahead of it. A 240Hz refresh rate and 1ms (MPRT) response time make sure that bigger view never holds you back, keeping fast-action scenes fluid and responsive when the pressure peaks. AMD FreeSync™ and NVIDIA G-SYNC® Compatibility build on that foundation, keeping your GPU and monitor in sync to wipe out tearing and stutter. HDR10 takes it further still, drawing richer contrast and deeper color out of every scene on that larger screen. The 3-sided frameless design makes multi-monitor setups look as sharp as they perform, with two HDMI ports and one DisplayPort ready for every device in your rig.

Specifications

[More Information](#)

UPC	766907041071
Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	6 bit+FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	2ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	240Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio Out	1
HDMI 1.4 In	2
DisplayPort	1
Eco Mode (Conserve)	24W
Eco Mode (optimized)	28W
Consumption (typical)	30W
Consumption (max)	34W
Voltage	DC 12v
Stand-by	0.5W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%

VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI, DisplayPort: 30 ~ 268 KHz
Frequency Vertical	HDMI, DisplayPort: 48 ~ 240 Hz
Tilt (Forward/Back)	5° / 20°
Regulations	cTUVus, FCC-B, ICES003, NRCan, NOM, Mexico Energy
Net (lbs)	9.0
Net Without Stand (lbs)	8.0
Gross (lbs)	12.1
Net (kg)	4.1
Net Without Stand (kg)	3.7
Gross (kg)	5.5
Packaging (in.)	26.8 x 18.1 x 5.3
Physical (in.)	24.21 x 17.87x 7.15
Physical Without Stand (in.)	24.21 x 17.87 x 7.15
Packaging (mm)	680.0 x 460.0 x 135.0
Physical (mm)	615.0 x 453.8 x 181.5
Physical Without Stand (mm)	615.0 x 363.8 x 46.0
Package Contents	VX2779 Display, Power Cable, AC/DC Adapter, DisplayPort Cable, Quick Start Guide
Warranty	Three-year limited warranty on parts, labor and backlight
UPC: 766907041071	



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com