



27" COLORPRO® 2K QHD IPS MONITOR WITH 90W USB-C, 100% SRGB AND 120HZ | VP2766-2K

Key Features


- **BUILT FOR CREATORS:** 27" 2K QHD (2560 x 1440) IPS monitor with thin bezels and a 120Hz refresh rate for smooth, fast-moving visuals
- **MAC-TO-MONITOR CONTROL:** Adjust brightness and volume from your Mac's function keys, or use the on-screen menu to personalize ViewMode™ and other settings
- **SINGLE-CABLE USB-C CONNECTIVITY:** One USB-C cable handles video, data and up to 90W of power
- **TRUE-TO-LIFE COLOR ACCURACY:** Pantone® validated display with factory hardware calibration and 100% sRGB coverage for colors that look exactly as intended
- **WORK IN GREATER COMFORT:** A sleek ergonomic stand offers full tilt, swivel, pivot and height adjustment so you can adjust the monitor to your ideal preference



27"
DISPLAY



IPS
PANEL



2560 x 1440
RESOLUTION



Product Description

The 27" ViewSonic® VP2766-2K QHD monitor brings stunning precision and outstanding color to modern creative workflows. Built for video editing, graphic design and animation, this 2K monitor features a 120Hz refresh rate for clear, stutter-free motion. Creators can rely on a Pantone® validated display with 100% sRGB coverage for true-to-life color reproduction. Cable management is simple too, since a single USB-C cable handles video, data and up to 90W of power delivery while an HDMI port adds greater flexibility. To keep you comfortable during longer sessions, a sleek ergonomic stand lets you easily adjust the tilt, swivel, pivot and height. Built-in flicker-free technology and a low blue light solution can help reduce eye fatigue when you're working long hours. Whether you're editing, designing or even gaming, the VP2766-2K delivers gorgeous visuals that bring your creative vision to life.

Specifications

	More Information
UPC	766907037937
Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	2560 x 1440
Display Resolution	QHD (2560x1440)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	20,000,000:1
Light Source	LED
Brightness	350 cd/m2
Colors	16.7M
Color Space Support	8 bit (6 bit + Hi-FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	120Hz
PC Resolution (max)	2560 x 1440
Mac® Resolution (max)	2560 x 1440
USB Type A	1
USB Type C	4
3.5mm Audio Out	1
HDMI 2.1 In	1
Internal Speakers	3W (x2)
Eco Mode (Conserve)	16W
Eco Mode (optimized)	18W
Consumption (typical)	20W
Consumption (max)	27W
Voltage	DC 24V
Stand-by	0.5W
Power Supply	External
Cable Organization	No

Kensington Lock Slot	1
Physical Controls	Key 1, Key 2, Key 3, Key 4, Key 5, Key 6 (power)
On Screen Display	Input Select, Color Mode, ViewMode, Audio Adjust, Setup Menu
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI 2.1, USB Type C: 15 ~ 190 KHz
Frequency Vertical	HDMI 2.1, USB Type C: 48 ~ 120 Hz
Height Adjust	130 mm / 5.1 in
Swivel	90°
Pivot (Right/Left)	90° / 90°
Tilt (Forward/Back)	5° / 20°
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC
Net (lbs)	12.0
Net Without Stand (lbs)	8.2
Gross (lbs)	20.5
Net (kg)	12.1
Net Without Stand (kg)	3.7
Gross (kg)	9.3
Packaging (in.)	29.8 x 20.7 x 5.4
Physical (in.)	24.15 x 16.09~21.21 x 8.15
Physical Without Stand (in.)	24.15 x 14.35 x 1.45
Packaging (mm)	758.0 x 527.0 x 136.0
Physical (mm)	613.34 x 408.8~538.8 x 207.0
Physical Without Stand (mm)	613.34 x 364.46 x 36.71
Package Contents	VP2766-2K Display, Power Cable, HDMI Cable, USB-C Cable, USB-C to USB-A Cable, AC/DC Adapter, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907037937



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com