


VIEWSONIC 27" 1080P 1MS 120HZ (OC) IPS GAMING MONITOR WITH USB-C | VX2716A

Key Features


- See The Difference: 27 Inch Full HD (1920x1080p) IPS gaming monitor with thin bezels
- Maximized Gameplay: 120Hz refresh rate and 1ms (MPRT) response time for ultimate gaming experience
- Ultra-Smooth Gaming: Variable Refresh Rate technology enables fluid and tear-free gameplay
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Flexible Connectivity: The VX2716A supports laptops, PCs, Macs and more with HDMI 14, USB C and DisplayPort inputs



27"
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



- 2x 2-watt Integrated Speakers
- x1 HDMI
- x1 DisplayPort Input
- x1 USB Type-C (signal only)
- x1 Audio (Out)

FUTURE-PROOF INPUTS
For Flexible Connectivity Options

Product Description

Whether you're a weekend warrior or a casual competitor, the 27" ViewSonic® VX2716a is the perfect gaming monitor for players looking to switch up the way they play. Fully immerse yourself in virtual worlds with features like stunning Full HD resolution, a rapid-fire 120Hz overclock (OC) refresh rate and 1ms response time. Enveloping dual-integrated stereo speakers help level up gaming from a hobby to an experience, while versatile connectivity options such as HDMI, DisplayPort and USB-C (signal only) make the VX2716a the ideal display for both work and play.

Specifications

[More Information](#)

UPC

766907027440

Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,300:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED
Brightness	300 cd/m2
Colors	16.7M
Color Space Support	6 bit + FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Response Time (MPRT)	1ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	120Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
USB Type C	1
3.5mm Audio Out	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	16W
Eco Mode (optimized)	19W
Consumption (typical)	26W
Consumption (max)	30W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	30 ~ 138 KHz
Frequency Vertical	48 ~ 120 Hz
Tilt (Forward/Back)	5° / 22°
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy, CB
Net (lbs)	10.5
Net Without Stand (lbs)	9.7
Gross (lbs)	13.7
Net (kg)	4.8
Net Without Stand (kg)	4.4
Gross (kg)	6.2
Packaging (in.)	27.1 " (W) x 18.2 " (H) x 4.9 " (D)
Physical (in.)	24.1 " (W) x 17.1 " (H) x 8.9 " (D)
Physical Without Stand (in.)	24.1 " (W) x 14.4 " (H) x 1.9 " (D)
Packaging (mm)	688 mm (W) x 463 mm (H) x 125 mm (D)
Physical (mm)	611.5 mm (W) x 434.4 mm (H) x 226.1 mm (D)
Physical Without Stand (mm)	611.5 mm (W) x 365.76 mm (H) x 47.6 mm (D)
Package Contents	LCD Display, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907027440



**FHD (1920 x 1080p)
RESOLUTION**

Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com