




M2E - 1080P PROJECTOR WITH 1000 LED LUMENS, BLUETOOTH SPEAKERS, USB C AND WI-FI

Key Features



100"
DISPLAY



PANEL



1920x1080
RESOLUTION



PREMIUM AUDIO

POWERED BY
harman/kardon 


Product Description

Enjoy instant entertainment in any room with the ViewSonic® M2e portable smart LED projector. Simply power on the projector and its advanced instant auto focus and auto keystone features deliver a perfectly proportioned picture within seconds. Full HD resolution and 125% Rec.709 color accuracy deliver incredibly vivid and lifelike images, while Harman Kardon speakers provide immersive stereo sound. Smart connectivity options include WiFi for wireless screen mirroring from smart devices, Bluetooth for versatile audio, and USB-C for direct streaming from Switch gaming consoles. Compact and lightweight, the M2e delivers big-screen entertainment in the living room, kids' room or in the backyard, or it can be used as a business projector and carried from office-to-office, or slipped into a briefcase or backpack and taken on the road.

Specifications

	More Information
UPC	766907014655
Light Source	LED
Display Resolution	Full HD (1920x1080)
Display Resolution	1920 x 1080
Brightness (Lumens)	1,000 LED
Screen Size	100"
Throw Distance	0.65m-2.68m (80"@2.14m)
Throw Ratio	1.21
Keystone	Vertical (+/- 40º) / Horizontal (+/- 40º)
Lens	Fixed Zoom
Light Source (watt)	RGBB LED
Light Source Life, Normal (hours)	30000
Color Depth	1.07B Color (R/G/B 10bit)
Dynamic Contrast Ratio	3,000,000:1
Aspect Ratio	16:9
Input Lag	37ms
Frequency Horizontal	15K-102KHz
Frequency Vertical	23-120Hz
PC Resolution (max)	1920x1080
PC Resolution (min)	640 x 480
Mac® Resolution (max)	1920x1080
Mac® Resolution (min)	640 x 480
USB 2.0 Type A	1
USB 3.1 Type C	1
Card Reader	Micro SD
3.5mm Audio Out	1
HDMI 1.4 (with HDCP 1.4)	1
Wifi	5Gn
Bluetooth Audio-in	1 (BT4.2)
Bluetooth Audio-out	1 (BT4.2)
Internal Speakers	3W (x2)
Voltage	Input: 100~240V Output: 19VDC / 4.74A
Consumption (typical)	75W

Stand-by	0.5W
Physical Controls	Power, keystone/arrow keys, left/blank, menu/exit, right/panel key lock, mode/enter, auto, source
On Screen Display	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	0-90%
Kensington Lock Slot	1
Net (lbs)	2.2
Gross (lbs)	6.4
Net (kg)	1.0
Gross (kg)	2.9
Packaging (in.)	10.1 x 10.0 x 6.6
Physical (in.)	7.2 x 7.2 x 2.1
Packaging (mm)	258.0 x 255.0 x 167.0
Physical (mm)	184.0 x 184.0 x 54.0
Regulations	FCC, cTUVus, ROHS
Package Contents	M2e projector, carrying case, power cable, remote control, Quick Start Guide
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Portability	Portable
UPC: 766907014655	



FULL HD 1080P
PORTABLE LED PROJECTOR



 CINEMATIC COLORS
125% Rec. 709

Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com