

VX2768-2KP-MHD - 27" OMNI 1440P 1MS 144HZ IPS GAMING MONITOR WITH FREESYNC PREMIUM

Key Features

- Wide Quad HD Resolution
- 144Hz Refresh Rate
- Ultra-Fast Response Time
- AMD FreeSync™ Premium
- SuperClear IPS Technology




WHAT'S IN THE BOX



27"
DISPLAY



IPS
PANEL



2560 x 1440
RESOLUTION



VX2768-2KP-MHD Monitor

*Power Cable varies by region



Power Cable*



HDMI Cable



QuickStart Guide

Product Description

The ViewSonic® VX2768-2KP-MHD is a 27" WQHD IPS gaming monitor built for gaming and entertainment. Featuring a 144Hz refresh rate and AMD FreeSync Premium technology, this monitor virtually eliminates screen tearing and stuttering for fluid game play during fast-paced action scenes. An ultra-fast 1ms (MPRT) response time also provides smooth screen performance free from blurring or ghosting. For a game-winning competitive edge, Game Mode hot keys optimize gameplay for FPS, RTS and MOBA game genres. With a sleek frameless design, the VX2768-2KP-MHD provides a seamless viewing experience for multi-monitor gaming setups. Flexible connectivity options such as DisplayPort and HDMI allow you to connect to your dedicated graphics card and gaming console. The VX2768-2KP-MHD features all the perks needed to dominate your gaming and entertainment quests.

Specifications

	More Information
UPC	766907010534
Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	2560 x 1440
Display Resolution	WQHD (2560x1440)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80,000,000:1
Brightness	350 cd/m2
Colors	1.07B
Color Space Support	10 bit (8 bit + FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	3ms
Response Time (MPRT)	1ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	144Hz
Adaptive Sync	AMD FreeSync™ Premium
PC Resolution (max)	2560 x 1440
Mac® Resolution (max)	2560 x 1440
3.5mm Audio Out	1
HDMI 2.0 In	2
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	25W
Eco Mode (optimized)	32W
Consumption (typical)	38W
Consumption (max)	55W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No

Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5, Key 6 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	15 ~ 255 KHz
Frequency Vertical	48 ~ 144 Hz
Tilt (Forward/Back)	3° / 21°
Regulations	cTUVus, FCC-B, ICES003, CEC, MX-CoC, Mexico Energy
Net (lbs)	11.5
Net Without Stand (lbs)	9.7
Gross (lbs)	15.2
Net (kg)	5.2
Net Without Stand (kg)	4.4
Gross (kg)	6.9
Packaging (in.)	26.7 x 20.5 x 6.0
Physical (in.)	24.1 x 17.7 x 7.9
Physical Without Stand (in.)	24.1 x 14.5 x 2.2
Packaging (mm)	677.0 x 520.0 x 152.0
Physical (mm)	613.0 x 451.0 x 200.0
Physical Without Stand (mm)	613.0 x 368.0 x 55.0
Package Contents	VX2768-2KP-MHD, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907010534



Contact Sales
ViewSonic.com
 888.881.8781
 email:
salesinfo@viewsonic.com