

# VIEWSONIC 27" CURVED 1080P 1MS 200HZ GAMING MONITOR WITH FREESYNC PREMIUM | VX2718-PC-MHD

## Key Features

- Curved Design: 27 Inch Full HD (1920x1080p) 1500R curved gaming monitor with thin bezels
- Maximized Gameplay: 180Hz refresh rate and 1ms MPRT response time (with DisplayPort) for ultimate gaming experience
- Ultra-Smooth Gaming: FreeSync Premium technology enables fluid and tear-free gameplay
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Game On: An arsenal of pre-set customizable visual modes keeps you ready for any FPS, RTS, or MOBA games
- Flexible Connectivity: The VX2718-PC-MHD supports laptops, PCs and Macs with HDMI and DisplayPort inputs



27  
DISPLAY



MVA  
PANEL



1920x1080  
RESOLUTION



## Product Description

With an immersive 1500R curved screen and Full HD 1080p resolution, the ViewSonic® VX2718-PC-MHD monitor provides an incredible viewing experience for work or play. With features including a high 200Hz refresh rate, 1ms (MPRT) response time and FreeSync Premium technology, this monitor virtually eliminates screen tearing and stuttering for a fluid gaming experience. The VX2718-PC-MHD also comes equipped with ViewSonic exclusive ViewMode™ presets, which offer optimized screen performance for different home entertainment applications such as watching movies, editing files, or playing video games. Two HDMI (v1.4) inputs, and one DisplayPort (v1.4) input offers flexible connectivity for both general use and entertainment.

## Specifications

### More Information

|                              |                     |
|------------------------------|---------------------|
| <b>UPC</b>                   | 766907007299        |
| <b>Monitor Series</b>        | OMNI Gaming         |
| <b>Screen Size</b>           | 27                  |
| <b>Viewable Area (in.)</b>   | 27                  |
| <b>Panel Type</b>            | MVA                 |
| <b>Display Resolution</b>    | 1920 x 1080         |
| <b>Display Resolution</b>    | Full HD (1920x1080) |
| <b>Static Contrast Ratio</b> | 4,000:1             |

|                                    |   |
|------------------------------------|---|
| <b>Dynamic Contrast Ratio</b>      | 80,000,000:1  |
| <b>Light Source</b>                | LED   |
| <b>Brightness</b>                  | 250 cd/m2   |
| <b>Colors</b>                      | 16.7M   |
| <b>Color Space Support</b>         | 6 bit+FRC   |
| <b>Aspect Ratio</b>                | 16:9  |
| <b>Response Time (Typical GTG)</b> | 5ms   |
| <b>Response Time (MPRT)</b>        | 1ms   |
| <b>Viewing Angles</b>              | 178° horizontal, 178° vertical  |
| <b>Panel Surface</b>               | Anti-Glare type, Hard-coating (3H), Haze 25%  |
| <b>Curvature</b>                   | 1500R   |
| <b>Refresh Rate</b>                | 200Hz   |
| <b>PC Resolution (max)</b>         | 1920x1080   |
| <b>Mac® Resolution (max)</b>       | 1920x1080   |
| <b>3.5mm Audio Out</b>             | 1   |
| <b>HDMI 1.4 In</b>                 | 2   |
| <b>DisplayPort</b>                 | 1   |
| <b>Internal Speakers</b>           | 2W (x2)   |
| <b>Eco Mode (Conserve)</b>         | 17W   |
| <b>Eco Mode (optimized)</b>        | 21W   |
| <b>Consumption (typical)</b>       | 27W   |
| <b>Consumption (max)</b>           | 30W   |
| <b>Voltage</b>                     | AC 100-240V (universal), 50-60Hz  |
| <b>Stand-by</b>                    | 0.5W  |
| <b>Power Supply</b>                | External  |
| <b>Cable Organization</b>          | No  |
| <b>Kensington Lock Slot</b>        | 1   |
| <b>Physical Controls</b>           | Key 1 (power), Key 2, Key 3, Key 4, Key 5 (favorite)                                |
| <b>On Screen Display</b>           | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| <b>Temperature</b>                 | 32-104° F (0 - 40° C)   |
| <b>Humidity (non-condensing)</b>   | 20-90%  |
| <b>VESA Compatible</b>             | 75 x 75 mm  |
| <b>Frequency Horizontal</b>        | HDMI (v1.4): 30 ~ 215 KHz, DisplayPort (v1.4): 30 ~ 215 KHz                         |
| <b>Frequency Vertical</b>          | HDMI (v1.4): 30 ~ 215 KHz, DisplayPort (v1.4): 30 ~ 215 KHz                         |
| <b>Digital Sync</b>                | TMDS for HDMI (v1.4), PCI-E for DisplayPort (v1.4)                                  |
| <b>Tilt (Forward/Back)</b>         | 5° / 20°  |

|                                     |   |
|-------------------------------------|---|
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy                                 |
| <b>Net (lbs)</b>                    | 8.6   |
| <b>Net Without Stand (lbs)</b>      | 7.3   |
| <b>Gross (lbs)</b>                  | 12.1  |
| <b>Net (kg)</b>                     | 3.9   |
| <b>Net Without Stand (kg)</b>       | 3.3   |
| <b>Gross (kg)</b>                   | 5.5   |
| <b>Packaging (in.)</b>              | 27.0 x 17.4 x 6.1   |
| <b>Physical (in.)</b>               | 24.0 x 18.7 x 8.8   |
| <b>Physical Without Stand (in.)</b> | 24.0 x 14.3 x 2.9   |
| <b>Packaging (mm)</b>               | 687.0 x 443.0 x 156.0   |
| <b>Physical (mm)</b>                | 611.0 x 475.0 x 225.0   |
| <b>Physical Without Stand (mm)</b>  | 611.0 x 363.0 x 75.0  |
| <b>Package Contents</b>             | VX2718-PC-MHD, Power Cable, AC/DC Adapter, DisplayPort Cable, Quick Start Guide |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.              |
| <b>Warranty</b>                     | Three-year limited warranty on parts, labor and backlight                       |

UPC: 766907007299



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)