



VA2715-H

Key Features


- Frameless Design
- HDMI Cable in Every Box
- Incredible Screen Performance
- Adaptive Sync



27"
DISPLAY



MVA
PANEL



1920x1080
RESOLUTION

Product Description

With flexible connectivity, wide-angle viewing, and amazing screen performance, the ViewSonic® VA2715-H delivers solid multimedia features and a sleek design at a great value. Featuring frameless MVA panel technology, the VA2715-H delivers stunning brightness and contrast at nearly any viewing angle. A minimalistic design, edge-to-edge screen, and frameless bezel make this an ideal monitor for nearly seamless multi-screen setups. Whether for working at the office, or enjoying entertainment at home, the VA2715-H features an HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. A three-year limited warranty, along with one of the industry’s best pixel performance policies, makes the VA2715-H a great overall value choice.

Specifications

More Information	
UPC	766907014198
Screen Size	27"
Viewable Area (in.)	27

Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	4,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Aspect Ratio	16:9
Response Time (GTG w/OD)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Refresh Rate	75Hz
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
3.5mm Audio In	1
VGA	1
HDMI 1.4 In	1
Eco Mode (Conserve)	16W
Eco Mode (optimized)	20W
Consumption (typical)	25W
Consumption (max)	28W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	U, R, D, L, EN (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	24 ~ 86KHz
Frequency Vertical	48 ~ 75Hz
Tilt (Forward/Back)	5º / 20º

Regulations	RoHS, WEEE, BSMI
Net (lbs)	7.9
Net Without Stand (lbs)	6.8
Gross (lbs)	11.0
Net (kg)	3.6
Net Without Stand (kg)	3.1
Gross (kg)	5.0
Packaging (in.)	27.1 x 17.6 x 5.0
Physical (in.)	24.1 x 18.0 x 8.1
Physical Without Stand (in.)	24.1 x 14.2 x 1.6
Packaging (mm)	688.0 x 448.0 x 128.0
Physical (mm)	613.0 x 456.0 x 205.0
Physical Without Stand (mm)	613.0 x 361.0 x 40.0
Package Contents	VA2715-H x1, HDMI Cable (v1.4; Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
UPC: 766907014198	

Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 