VA2215-H

# Key **Features**

- Frameless Design
- HDMI Cable in Every Box
- Incredible Screen Performance
- Adaptive Sync




22"
**DISPLAY**

MVA
**PANEL**

1920x1080
**RESOLUTION**

# Product **Description**

With flexible connectivity, wide-angle viewing, and amazing screen performance, the ViewSonic® VA2215-h delivers solid multimedia features and a sleek design at a great value. Featuring frameless MVA panel technology, the VA2215-h delivers stunning brightness and contrast at nearly any viewing angle. A minimalist design, edge-to-edge screen, and frameless bezel make this an ideal monitor for nearly seamless multi-screen setups. Whether for working at the office, or enjoying entertainment at home, the VA2215-h features an HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. A three-year limited warranty, along with one of the industry's best pixel performance policies, makes the VA2215-h a great overall value choice.

# Specifications

More Information

| | |
|---|---|
| **UPC** | 766907014150 |
| **Screen Size** | 22" |
| **Viewable Area (in.)** | 21.5 |

| | |
|---|---|
| **Panel Type** | MVA |
| **Display Resolution** | 1920 x 1080 |
| **Display Resolution** | Full HD (1920x1080) |
| **Static Contrast Ratio** | 3,000:1 |
| **Dynamic Contrast Ratio** | 50,000,000:1 |
| **Light Source** | LED |
| **Brightness** | 250 cd/m2 |
| **Colors** | 16.7M |
| **Color Space Support** | 8 bit true |
| **Aspect Ratio** | 16:9 |
| **Response Time (GTG w/OD)** | 5ms |
| **Viewing Angles** | 178º horizontal, 178º vertical |
| **Backlight Life (Hours)** | 30,000 |
| **Panel Surface** | Anti-glare, Hard coating (3H) |
| **Refresh Rate** | 75Hz |
| **PC Resolution (max)** | 1920x1080 |
| **Mac® Resolution (max)** | 1920x1080 |
| **3.5mm Audio Out** | 1 |
| **VGA** | 1 |
| **HDMI 1.4 In** | 1 |
| **Eco Mode (Conserve)** | 13W |
| **Eco Mode (optimized)** | 15W |
| **Consumption (typical)** | 20W |
| **Consumption (max)** | 21W |
| **Voltage** | 100-240 VAC, 50-60Hz |
| **Stand-by** | 0.5W |
| **Power Supply** | External |
| **Cable Organization** | No |
| **Kensington Lock Slot** | 1 |
| **Physical Controls** | U, R, D, L, EN (power) |
| **On Screen Display** | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| **Temperature** | 32-104º F (0 - 40º C) |
| **Humidity (non-condensing)** | 20-90% |
| **VESA Compatible** | 75 x 75 mm |
| **Frequency Horizontal** | 24 ~ 86KHz |
| **Frequency Vertical** | 48 ~ 75Hz |

| | |
|---|---|
| **Tilt (Forward/Back)** | 5º / 20º |
| **Regulations** | RoHS, WEEE, BSMI, VCCI, PSE |
| **Net (lbs)** | 5.3 |
| **Net Without Stand (lbs)** | 4.4 |
| **Gross (lbs)** | 7.7 |
| **Net (kg)** | 2.4 |
| **Net Without Stand (kg)** | 2.0 |
| **Gross (kg)** | 3.5 |
| **Packaging (in.)** | 22.4 x 15.1 x 4.6 |
| **Physical (in.)** | 19.4 x 14.8 x 7.4 |
| **Physical Without Stand (in.)** | 19.4 x 11.1 x 1.5 |
| **Packaging (mm)** | 570.0 x 383.0 x 118.0 |
| **Physical (mm)** | 492.0 x 377.0 x 188.0 |
| **Physical Without Stand (mm)** | 492.0 x 282.0 x 38.0 |
| **Package Contents** | VA2215-H x1, HDMI Cable (v1.4; Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1 |
| **Recycle/Disposal** | Please dispose of in accordance with local, state or federal laws. |

UPC: 766907014150


## Contact Sales

**ViewSonic.com**

888.881.8781

email: salesinfo@viewsonic.com