


# VIEWSONIC IFP6552-C1 - 65" VIEWBOARD® INTERACTIVE FLAT PANEL BUNDLE WITH CHROMEBOX

## Key Features

---


- 65" ViewBoard IFP6552 4K interactive flat panel
- VB-WIFI-001 WiFi and Bluetooth adapter
- NMP760 Chromebox
- WMK-047 wall mount



65  
DISPLAY



PANEL



RESOLUTION

## Product Description

---

Ideal for education environments, this all-in-one ViewBoard Bundle includes a 65" ViewBoard IFP6552 4K interactive flat panel, a VB-WIFI-001 WiFi and Bluetooth adapter, a NMP760 Chromebox, and a WMK-047 wall mount.

## Specifications

---

### More Information

<b>OS</b>	ViewBoard OS based on Android 9.0
<b>GPU</b>	ARM Mali-G52
<b>CPU</b>	ARM Quad Core Cortex A73
<b>CPU Processor Speed</b>	1.8GHz
<b>Memory</b>	4GB
<b>Storage</b>	32GB
<b>Internal Speakers</b>	15W (x2)
<b>Subwoofer</b>	15W (x1)
<b>HDMI 2.0 In</b>	3
<b>HDMI Out</b>	1
<b>VGA</b>	1
<b>DisplayPort</b>	1

<b>3.5mm Audio In</b>	1
<b>3.5mm Audio Out</b>	1
<b>SPDIF</b>	1
<b>USB 3.0</b>	4
<b>USB 2.0</b>	1
<b>USB 2.0 Type B</b>	2
<b>USB 3.1 Type C</b>	1
<b>OPS PC Slot</b>	1
<b>RS232</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>WIFI Module Slot</b>	1
<b>Voltage</b>	100-240 VAC
<b>Consumption With Slot-In PC (typical)</b>	380W
<b>Stand-by</b>	<0.5W
<b>On Screen Display</b>	Input, Volume, Backlight, Audio, Screen, Display, Adjust
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-80%
<b>Touch Technology</b>	Infrared
<b>Touch Points</b>	Windows: 33, Android: 20
<b>Tip Detection</b>	Dual tips, 2.5mm and 8mm
<b>Net (lbs)</b>	96.78
<b>Gross (lbs)</b>	122.14
<b>Net (kg)</b>	43.90
<b>Gross (kg)</b>	55.40
<b>Packaging (in.)</b>	65.35 x 41.14 x 9.65
<b>Physical (in.)</b>	59.41 x 37.61 x 4.69
<b>Packaging (mm)</b>	1660 x 1045 x 245
<b>Physical (mm)</b>	1509.1 x 955.4 x 119.1
<b>VESA Compatible</b>	600 x 400 mm
<b>Warranty</b>	3-year limited warranty on parts, labor and backlight, onsite warranty
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Package Contents</b>	IFP6552 display, Power cable, Remote control, USB Type-C cable, USB Touch cable, Touch pen x 2, Quick Start Guide, RS232 adapter, Clamp x 5, Camera Plate, Screw x 8, HDMI cable, Eraser, AAA Battery x 2
<b>Regulations</b>	cTUVus, FCC, ENERGY STAR 7.0, Mexico Energy, CE, CB, RoHS, ErP, WEEE
<b>Battery Chemistry</b>	Lithium
<b>Ethernet LAN</b>	(10/100/1000M) (USB Type-C 10/100, Android & PC 10/100/1000)

<b>Wifi</b>	Wi-Fi 6 (802.11ax (a/b/g/n/ac/ax))
<b>Bluetooth</b>	Bluetooth 5.0
<b>Display Type</b>	LCD
<b>Screen Size</b>	65
<b>Viewable Area (in.)</b>	65
<b>Orientation</b>	Landscape
<b>Light Source</b>	LED
<b>Display Resolution</b>	3840 x 2160
<b>Refresh Rate</b>	60Hz
<b>Aspect Ratio</b>	16:9
<b>Static Contrast Ratio</b>	1,200:1
<b>Backlight Life (Hours)</b>	50,000
<b>Brightness</b>	400 nits (without cover glass)
<b>Response Time (Typical GTG)</b>	8ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Panel Surface</b>	Anti-glare 7H tempered glass

## Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)