

# VIEWSONIC 24" 1080P IPS 10-POINT TOUCH SCREEN MONITOR WITH ADVANCED ERGONOMICS | TD2465

## Key Features

---

- Versatile Touch Monitor: 24 Inch Full HD (1920x1080p) IPS touch monitor with thin bezels and 60Hz refresh rate
- Advanced Touch Screen: Robust 10-point Projected Capacitive (PCAP) technology provides a smooth and responsive experience with every tap, pinch, and swipe
- Durable Versatility: Use Pen Touch Mode, Glove Touch Mode or Wet Hand Mode for interactivity in any environment
- Flexible Stand Options: Freestanding tablet design with muted black finish, stable adjustable stand, and 7H scratch resistant surface Also comes with a traditional stand
- Multi-Touch For Mac: MacOS users can access touch and gesture controls on touch displays connected to their Apple devices using ViewSonic's vTouch driver Not available for iPhone and iPad
- Flexible Connectivity: The TD2465 supports laptops, PCs, Macs and POS Systems with USB, HDMI, DisplayPort and VGA inputs



24"  
**DISPLAY**



MVA  
**PANEL**



1920 X 1080  
**RESOLUTION**



**3 MODES FOR STREAMLINED EFFICIENCY**  
Pen, Glove and Water-Resistant Touch Mode\*  
\*Only one mode can be used at a time

## Product Description

---

With responsive in-cell touch technology and an advanced ergonomic design, the ViewSonic® TD2465 touch display delivers hands-on control for industrial applications, office workspaces and classrooms. This 24" (23.8" viewable) Full HD display offers optimized screen performance and 10-point touch tracking that functions effectively whether you're wearing gloves or in a humid climate. From industrial solutions to classroom podiums, the TD2465 puts productivity and interactivity within reach.


## Specifications

---

|                                    |                                  |
|------------------------------------|----------------------------------|
| <b>UPC</b>                         | 766907017885                     |
| <b>Screen Size</b>                 | 24"                              |
| <b>Viewable Area (in.)</b>         | 23.8                             |
| <b>Panel Type</b>                  | MVA                              |
| <b>Display Resolution</b>          | 1920 x 1080                      |
| <b>Display Resolution</b>          | Full HD (1920x1080)              |
| <b>Static Contrast Ratio</b>       | 3,000:1                          |
| <b>Dynamic Contrast Ratio</b>      | 20M:1                            |
| <b>Light Source</b>                | LED                              |
| <b>Brightness</b>                  | 250 cd/m2                        |
| <b>Colors</b>                      | 16.7M                            |
| <b>Color Space Support</b>         | 8 bit (6 bit + Hi-FRC)           |
| <b>Aspect Ratio</b>                | 16:9                             |
| <b>Response Time (Typical GTG)</b> | 7ms                              |
| <b>Viewing Angles</b>              | 178° horizontal, 178° vertical   |
| <b>Backlight Life (Hours)</b>      | 30,000                           |
| <b>Panel Surface</b>               | Glossy, Hardness 7H              |
| <b>PC Resolution (max)</b>         | 1920 X 1080                      |
| <b>Mac® Resolution (max)</b>       | 1920 X 1080                      |
| <b>USB Type A</b>                  | 2                                |
| <b>USB 2.0 Type B</b>              | 1                                |
| <b>3.5mm Audio In</b>              | 1                                |
| <b>3.5mm Audio Out</b>             | 1                                |
| <b>VGA</b>                         | 1                                |
| <b>HDMI 1.4 In</b>                 | 1                                |
| <b>DisplayPort</b>                 | 1                                |
| <b>Touch Technology</b>            | Projective Capacitive            |
| <b>Touch Points</b>                | 10-Point Touch                   |
| <b>Internal Speakers</b>           | 2W (x2)                          |
| <b>Eco Mode (Conserve)</b>         | 20                               |
| <b>Eco Mode (optimized)</b>        | 22                               |
| <b>Consumption (typical)</b>       | 24                               |
| <b>Consumption (max)</b>           | 26                               |
| <b>Voltage</b>                     | AC 100-240V (universal), 50-60Hz |
| <b>Stand-by</b>                    | 0.5                              |
| <b>Power Supply</b>                | Internal                         |

|                                     |   |
|-------------------------------------|---|
| <b>Cable Organization</b>           | No  |
| <b>Headphone Hook</b>               | No  |
| <b>Physical Controls</b>            | 1, 2, Up, Down, Power   |
| <b>On Screen Display</b>            | Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall |
| <b>Temperature</b>                  | 32-104° F (0 - 40° C)   |
| <b>Humidity (non-condensing)</b>    | 20-90%  |
| <b>VESA Compatible</b>              | 100 x 100 mm  |
| <b>Frequency Horizontal</b>         | 24 ~ 82 KHz   |
| <b>Frequency Vertical</b>           | 50 ~ 75 Hz  |
| <b>Tilt (Forward/Back)</b>          | 5° / 20°  |
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, Energy Star, EPEAT, CEC, NOM, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, EAC, UkrSEPRO, UKCA, RCM         |
| <b>Net (lbs)</b>                    | 12.5  |
| <b>Net Without Stand (lbs)</b>      | 10.4  |
| <b>Gross (lbs)</b>                  | 15.8  |
| <b>Net (kg)</b>                     | 5.7   |
| <b>Net Without Stand (kg)</b>       | 4.7   |
| <b>Gross (kg)</b>                   | 7.2   |
| <b>Packaging (in.)</b>              | 25.5 " (W) x 16.8 " (H) x 5.4 " (D)   |
| <b>Physical (in.)</b>               | 21.6 " (W) x 15.82 " (H) x 7.8 " (D)  |
| <b>Physical Without Stand (in.)</b> | 21.6 " (W) x 12.8" (H) x 1.9 " (D)  |
| <b>Packaging (mm)</b>               | 647 mm (W) x 426 mm (H) x 138 mm (D)  |
| <b>Physical (mm)</b>                | 550 mm (W) x 401 mm (H) x 198 mm (D)  |
| <b>Physical Without Stand (mm)</b>  | 550 mm (W) x 326 mm (H) x 49 mm (D)   |
| <b>Package Contents</b>             | TD2465 x1, 3-pin Plug x1, HDMI Cable (v1.4; Male-Male) x1, USB A/B Cable (v3.2; Male-Male) x1, Quick Start Guide x1                           |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.  |
| <b>Warranty</b>                     | Three-year limited warranty on parts, labor and backlight   |

UPC: 766907017885



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)

888.881.8781  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)