



## VIEWSONIC 27" SWITCHABLE REFRESH RATE GAMING MONITOR WITH 320HZ AT FHD AND 160HZ AT 4K | XG275D-4K

## Key Features

- 320Hz at FHD, 160Hz at 4K resolution
- 27" screen with 24.5" esports OSD setting
- Ultimate gaming hub with DisplayPort, HDMI, and USB-C with 65W power delivery
- Ultra-fast 0.5ms (MPRT) response time
- Ergonomically designed for gamers
- AMD FreeSync Premium technology

27  
DISPLAYIPS  
PANEL3840x2160  
RESOLUTION

## Product Description

One monitor. Two worlds. The ViewSonic® XG275D-4K is a versatile 27" display designed for serious professionals who are equally committed to gaming. Switchable refresh rate technology allows you to choose between a lightning-fast 320Hz refresh rate and 1ms response time at Full HD for competitive gaming, or stunning 160Hz at 4K resolution for immersive visuals. As the ultimate gaming hub, this monitor allows you to connect your console via HDMI for lag-free gameplay, or connect your PC through DisplayPort to enjoy breathtaking visuals in incredible 4K detail. Additionally, you can connect your laptop for work, or explore new worlds on your Switch, all while keeping your devices charged with 65W power delivery.

## Specifications

### More Information

<b>UPC</b>	766907031690
<b>Monitor Series</b>	ELITE Gaming
<b>Screen Size</b>	27
<b>Viewable Area (in.)</b>	27
<b>Panel Type</b>	IPS
<b>Display Resolution</b>	Switchable: 1920 x 1080 or 3840 x 2160
<b>Display Resolution</b>	Switchable: 1920 x 1080 or 3840 x 2160
<b>Static Contrast Ratio</b>	1,000:1

<b>Dynamic Contrast Ratio</b>	80,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	300 cd/m2
<b>Colors</b>	1.07B
<b>Color Space Support</b>	8 bit + FRC
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	2ms
<b>Response Time (MPRT)</b>	0.5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-Glare type, Hard-coating (3H), Haze 25%
<b>Refresh Rate</b>	Switchable: 160Hz or 320Hz
<b>PC Resolution (max)</b>	3840x2160
<b>Mac® Resolution (max)</b>	3840x2160
<b>USB Type C</b>	65W x 1
<b>3.5mm Audio Out</b>	1
<b>HDMI 2.1 In</b>	1
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	2W (x2)
<b>Eco Mode (Conserve)</b>	33w
<b>Eco Mode (optimized)</b>	39w
<b>Consumption (typical)</b>	47w
<b>Consumption (max)</b>	48w
<b>Voltage</b>	100-240 VAC
<b>Stand-by</b>	.5w
<b>Power Supply</b>	External
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	Joystick key: Up, Right, Down, Left, Center (Power); Dual-Mode
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	75 x 75 mm
<b>Frequency Horizontal</b>	HDMI = 30 ~ 351 KHz / DisplayPort & USB-C = 30 ~ 350 KHz
<b>Frequency Vertical</b>	48 ~ 160 Hz
<b>Height Adjust</b>	130 mm / 5.1 in

<b>Swivel</b>	90°
<b>Pivot (Right/Left)</b>	90° / 90°
<b>Tilt (Forward/Back)</b>	3° / 20°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, CEC
<b>Net (lbs)</b>	13.9
<b>Net Without Stand (lbs)</b>	9.7
<b>Gross (lbs)</b>	21.2
<b>Net (kg)</b>	6.3
<b>Net Without Stand (kg)</b>	4.4
<b>Gross (kg)</b>	9.6
<b>Packaging (in.)</b>	35.7 " (W) x 20" (H) x 7 " (D)
<b>Physical (in.)</b>	24.2 " (W) x 17.4~22.5" (H) x 9.6 " (D)
<b>Physical Without Stand (in.)</b>	24.2 " (W) x 14.4" (H) x 2.6 " (D)
<b>Packaging (mm)</b>	908 mm (W) x 508 mm (H) x 177 mm (D)
<b>Physical (mm)</b>	614.1 mm (W) x 441.6~571.6 mm (H) x 243.1 mm (D)
<b>Physical Without Stand (mm)</b>	614.1 mm (W) x 365.7 mm (H) x 66.5 mm (D)
<b>Package Contents</b>	LCD Display, HDMI Cable, DisplayPort Cable, USB-C Cable, AC/DC Adapter, Power Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907031690



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)