




VA2456A-MHD - 24" 1080P IPS MONITOR WITH ADAPTIVE SYNC, HDMI, DISPLAYPORT, AND VGA

Key Features




24"
DISPLAY



IPS
PANEL



1920x1080
RESOLUTION



**FULL HD (1920X1080P)
RESOLUTION**

Product Description


With future-proof connectivity, the ViewSonic® VA2456a-MHD is a productivity-boosting monitor perfect for business applications. Designed with SuperClear® IPS panel technology for wide-angle viewing and incredibly vivid colors, this monitor also features a 3-sided frameless design for a seamless viewing experience in multi-monitor setups. Extensive connectivity options include VGA, HDMI, and DisplayPort so that you can connect to a variety of HD and analog devices – today and tomorrow. In addition, Flicker-Free technology and a Blue Light Filter help to minimize eye strain from extended viewing periods. With ViewSonic's industry-leading 3-year limited warranty, this monitor is a solid long-term investment for enterprise and home applications.

Specifications

| | More Information |
|------------------------------------|--|
| UPC | 766907032871 |
| Screen Size | 24" |
| Viewable Area (in.) | 23.8 |
| Panel Type | IPS |
| Display Resolution | 1920 x 1080 |
| Display Resolution | Full HD (1920x1080) |
| Static Contrast Ratio | 1,500:1 |
| Dynamic Contrast Ratio | 50,000,000:1 |
| Light Source | LED |
| Brightness | 250 cd/m2 |
| Colors | 16.7M |
| Color Space Support | 6 bit + FRC |
| Aspect Ratio | 16:9 |
| Response Time (Typical GTG) | 4ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-Glare type, Hard-coating (3H), Haze 25% |
| Refresh Rate | 120Hz |
| PC Resolution (max) | 1920x1080 |
| Mac® Resolution (max) | 1920x1080 |
| 3.5mm Audio In | 1 |
| 3.5mm Audio Out | 1 |
| VGA | 1 |
| HDMI 1.4 In | 1 |
| DisplayPort | 1 |
| Internal Speakers | 2W (x2) |
| Eco Mode (Conserve) | 14.5w |
| Eco Mode (optimized) | 17.5w |
| Consumption (typical) | 19.5w |
| Consumption (max) | 19.5w |
| Voltage | 100-240 VAC |
| Stand-by | .3w |
| Power Supply | Internal |

| | |
|-------------------------------------|--|
| Cable Organization | No |
| Kensington Lock Slot | 1 |
| Physical Controls | U, R, D, L, EN (power) |
| On Screen Display | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | miniHDMI (v2.0) = 24 ~ 165 KHz / USB-C = 165 ~ 165 KHz |
| Frequency Vertical | 48 ~ 144 Hz |
| Tilt (Forward/Back) | 4° / 20° |
| Regulations | cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, RoHS, WEEE |
| Net (lbs) | 6.8 |
| Net Without Stand (lbs) | 6 |
| Gross (lbs) | 9 |
| Net (kg) | 3.1 |
| Net Without Stand (kg) | 2.7 |
| Gross (kg) | 4.1 |
| Packaging (in.) | 24 " (W) x 16.5 " (H) x 5.3 " (D) |
| Physical (in.) | 21.2 " (W) x 15.4 " (H) x 7.8 " (D) |
| Physical Without Stand (in.) | 21.2 " (W) x 12.4 " (H) x 2 " (D) |
| Packaging (mm) | 610 mm (W) x 418 mm (H) x 135 mm (D) |
| Physical (mm) | 539.2 mm (W) x 390.1 mm (H) x 198.4 mm (D) |
| Physical Without Stand (mm) | 539.2 mm (W) x 314.6 mm (H) x 49.9 mm (D) |
| Package Contents | LCD Display, HDMI Cable, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor. |

UPC: 766907032871



Contact Sales
ViewSonic.com

888.881.8781
 email:
salesinfo@viewsonic.com