

## 163" ALL-IN-ONE DIRECT VIEW LED DISPLAY | LDP163-091C

### Key Features

---

- **STUNNING 4K UHD RESOLUTION:** 4K clarity, vibrant colors, and sharp visuals in any lighting environment.
- **DURABLE COB TECHNOLOGY:** Tight pixel pitch, IP54 dust/moisture resistance, and IK08 impact protection.
- **ALL IN ONE INTEGRATION:** Built in power, control, and image systems for quick, simple installation.
- **FLEXIBLE CONTROL BAR PLACEMENT:** Detachable control bar can be mounted separately (up to 30 ft away) or hidden behind the dvLED with optional accessory kits.
- **EASY FRONT SERVICEABILITY:** Front serviceable LED modules allow for fast maintenance with included suction tool.



163"  
**DISPLAY**



**PANEL**



3840x2160  
**RESOLUTION**



### Product Description

---

Part of the ViewSonic® LDP Performance Series, the ViewSonic® LDP163-091C all-in-one Direct View LED display delivers the same easy installation and accessibility found in our acclaimed LDM series, but takes visuals to the next level with breathtaking 4K Ultra HD resolution and advanced Chip-on-Board (COB) technology. Built to be a stunning centerpiece in any high-end lobby, boardroom, or auditorium, this 163" Direct View LED display delivers stunning, larger-than-life images. As a true all-in-one solution, the LDP163-091C includes the display, controller, and all components in a single part number, making specification, purchasing, and setup incredibly simple. With a high brightness of 600 nits, an incredible 10,000:1 contrast ratio, and powerful dual 30W speakers, this display provides vibrant, high-impact visuals and immersive sound for an exceptional viewing experience.


### Specifications

---

<b>UPC</b>	766907033168
<b>OS</b>	Android 9.0
<b>GPU</b>	ARM Mali-T860MP4
<b>CPU</b>	RK3399
<b>Memory</b>	4GB DDR4
<b>Storage</b>	Total 32GB (26GB available storage)
<b>Operating System</b>	Android 9.0
<b>CPU</b>	RK3399
<b>GPU</b>	ARM Mali-T860MP4
<b>Memory</b>	4GB
<b>Storage</b>	Total 32GB (26GB available storage)
<b>Internal Speakers</b>	30W x 2
<b>PC Resolution (max)</b>	3840x2160
<b>Mac® Resolution (max)</b>	3840x2160
<b>HDMI 2.0 (with HDCP 2.2)</b>	4
<b>HDMI 2.0 Out</b>	1
<b>3.5mm Audio Out</b>	2
<b>SPDIF</b>	1
<b>USB 3.0</b>	1
<b>USB 2.0</b>	2
<b>USB Type C</b>	1
<b>RS232</b>	1
<b>Ethernet LAN (RJ45)</b>	2
<b>IR in</b>	1
<b>Voltage</b>	100-120V/30A~ 50/60Hz or 220-240V/15A~ 50Hz(vary by country)
<b>Consumption (max)</b>	2154W
<b>Consumption (typical)</b>	647W
<b>Stand-by</b>	<0.5W
<b>On Screen Display</b>	Yes
<b>Remote Control</b>	Yes
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-80%
<b>Net (lbs)</b>	511
<b>Gross (lbs)</b>	796
<b>Net (kg)</b>	232
<b>Gross (kg)</b>	361

<b>Packaging (in.)</b>	89.76x42.52x47.24
<b>Physical (in.)</b>	142.2x85.51x1.61
<b>Physical with Wall Mount (in.)</b>	142.2x85.51x2.35
<b>Packaging (mm)</b>	2280x1080x1200
<b>Physical (mm)</b>	3612x2171x41
<b>Physical with Wall Mount (mm)</b>	3612x2172x59.8
<b>Warranty</b>	3-year limited warranty on parts and labor, on-site service
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Package Contents</b>	Power Cord, LAN Cable, IR Extender Cable, Remote Control, Installation Guide, Wall Mount, LD-MK-004, LD-MK-006
<b>Regulations</b>	cTUVus, FCC, RoHS
<b>Display Type</b>	Direct View LED
<b>Screen Size</b>	163"
<b>LED Pitch Size (mm)</b>	0.93
<b>LED Grayscale</b>	13 bits
<b>Display Resolution</b>	3840 x 2160
<b>Refresh Rate</b>	3,840Hz
<b>Aspect Ratio</b>	16:9
<b>Static Contrast Ratio</b>	10,000:1
<b>Backlight Life (Hours)</b>	100,000
<b>Brightness</b>	600-nit
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Impact Protection Rating</b>	IK08 (Front)

UPC: 766907033168



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
 888.881.8781  
 email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)