



75" OS-FREE COMMERCIAL DISPLAY, 3840 X 2160 RESOLUTION, 500 CD/M2 HIGH BRIGHTNESS, 24/7 OPERATION RATING, HDMIX3, USB-C, 3.5MM AUDIO IN/OUT, AV CONTROL SYSTEM INTEROPERABILITY, LANDSCAPE AND PORTRAIT MODE

Key Features


- OPTIMIZED FOR VIDEOCONFERENCING: Clear 4K visuals and reliable performance for smooth, professional meetings.
- FAST STARTUP: Boots in seconds so meetings start on time, every time.
- SIMPLE CONNECTIVITY: One USB-C cable plus HDMI for quick, easy laptop connections.
- SEAMLESS AV INTEGRATION: Certified for Q-SYS, compatible with Crestron, Extron, and AMX.
- FLEXIBLE INSTALLATION: Supports portrait or landscape mounting to fit any space.



75
DISPLAY



VA
PANEL



RESOLUTION



Product Description

The ViewSonic® CDE75G3 is a 75" commercial display designed to make meetings, trainings, and videoconferences fast, simple, and professional. Its 4K UHD resolution ensures crisp visuals for presentations and video calls, while 24/7 commercial-grade reliability keeps it running smoothly in huddle rooms, conference rooms, and executive offices. Booting in as fast as 8 seconds, the CDE75G3 gets your meetings started on time without delays. A single USB-C cable plus HDMI lets you easily connect laptops, share content, and power devices, making setup quick and effortless. Q-SYS certified and compatible with Crestron, Extron, and AMX, it integrates seamlessly into existing AV systems. With no operating system to manage, this OS-free display reduces security risks and IT complexity, giving your team a safer, low-maintenance solution. The versatile 75" size fits perfectly in a variety of meeting spaces while delivering big-screen impact.

Specifications

More Information

| | |
|--------------------------|---|
| UPC | 766907035674 |
| Media Player Type | Yes |
| CPU | MTK 3683 |
| Photo | JPEG, PNG |
| Video | VP9, HEVC, H.265, MPEG1/2, MPEG4, H.263, H.264, VC1, MJPEG, VP6 |
| Music | WMA, MP3, WAV, MPEG, AC3, DTS, PCM, OGG, FLAC |
| HDMI 2.1 | 480i, 480p, 720p, 1080i, 1080p, 4K@60Hz |

| | |
|----------------------------------|---|
| USB-C | 480p, 576p, 720p, 1080p, 4K@60Hz |
| Internal Speakers | 10W (x2) |
| Speaker Position | Side |
| HDMI 2.1 In | 3 |
| VGA | 1 |
| 3.5mm Audio In | 1 |
| 3.5mm Audio Out | 1 |
| SPDIF Audio Out | 1 |
| SPDIF | 1 |
| USB 2.0 | 2 |
| USB Type C | 1 |
| RS232 | 1 |
| Ethernet LAN (RJ45) | 1 |
| Voltage | 100-240 VAC +/- 10% Wide Range, 50-60Hz +/-3 Hz |
| Consumption (max) | 179.2W |
| Consumption (typical) | 119.6W |
| Stand-by | <0.5W |
| Temperature | 32-104° F (0 - 40° C) |
| Humidity (non-condensing) | 20-80% |
| Net (lbs) | 69.98 |
| Gross (lbs) | 92.8 |
| Net (kg) | 31.8 |
| Gross (kg) | 42.1 |
| Packaging (in.) | 72.54 x 42.32 x 7.22 |
| Physical (in.) | 66.47 x 38.03 3.14 |
| Packaging (mm) | 1860.0 x 1085.0 x 185.0 |
| Physical (mm) | 1688.4 x 966.02 x 79.7 |
| VESA Compatible | 600 x 400 mm |
| Screw Size | M8 |
| AV Control | AMX Certified, Extron Certified, Crestron Connected |
| Warranty | Three-year limited warranty on parts, labor and backlight |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Package Contents | CDE75G3 Commercial Display, Remote control with batteries, Quick Start Guide, Power cable (3m), HDMI Cable (3m), Wall Mount Screws (x4) and RS232 adapter |
| Regulations | cTUs, FCC, Energy Star 8.0, RoHS, Mexico NOM, Mexico Energy |
| Screen Size | 75 |

| | |
|------------------------------------|--|
| Viewable Area (in.) | 74.6 |
| Orientation | Landscape / Portrait |
| Colors | 1.07B |
| Color Space Support | 100% sRGB (8 bit + FRC) |
| Light Source | DLED |
| Display Resolution | 3840 x 2160 |
| Refresh Rate | 60Hz |
| Panel Type | VA |
| Aspect Ratio | 16:9 |
| Static Contrast Ratio | 5,500:1 |
| Backlight Life (Hours) | 50,000 |
| Brightness | 500 cd/m2 |
| Response Time (Typical GTG) | 6.5ms |
| Bezel Width (in.) | 0.625 |
| Bezel Width (mm) | 15.9 |
| Viewing Angles | 178° horizontal, 178° vertical |
| Panel Surface | Anti-Glare type, Hard-coating (3H), Haze 25% |
| Operation Rating | 24/7 |

UPC: 766907035674



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com