



38" WQHD+ 21:9 IPS CURVED MONITOR WITH 96W USB-C | VG3820C

Key Features


- **SIMPLIFY YOUR CONNECTION:** One USB-C cable delivers pass through of power, audio and video.
 - **IMMERSIVE CURVED DESIGN:** A 2300R curve brings work closer and reduces eye strain.
 - **WQHD+ RESOLUTION:** Get 35% more screen space than a 16:9 monitor of the same size.
 - **INTEGRATED KVM CONTROL:** Manage two computers with one keyboard, mouse and display.
 - **VERSATILE CONNECTIVITY:** Easily connect your devices using USB-C, HDMI or DisplayPort.
 - **ERGONOMIC STAND:** Tilt, swivel and raise your screen for all-day comfort.
-



38"
DISPLAY



IPS
PANEL



3840 × 1600
RESOLUTION



Product Description

Maximize your workspace with the ViewSonic® VG3820C. This single 38" curved ultrawide monitor replaces the need for dual monitors. The massive screen gives you a seamless digital workspace, making it a breeze to view your documents, dashboards and apps side by side. A single USB-C cable connects your laptop and keeps it fully charged all day. Plus, the monitor features easy ergonomic adjustments and smart energy savings. The VG3820C makes multitasking simple. Get the clean and organized setup you need for long work sessions, clear thinking and confident decisions.

Specifications

More Information

UPC	766907032147
Screen Size	38"
Viewable Area (in.)	37.5
Panel Type	IPS
Display Resolution	3840 x 1600
Display Resolution	WQHD+ (3840 x 1600)
Static Contrast Ratio	2,000:1

Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	300 cd/m ²
Colors	1.07B
Color Space Support	10 bit (8 bit + FRC)
Aspect Ratio	21:9
Response Time (Typical GTG)	5ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Curvature	2300R
Refresh Rate	75Hz
PC Resolution (max)	3840 × 1600
Mac® Resolution (max)	3840 × 1600
USB Type A	2
USB Type B	1
USB Type C	96W x 1
3.5mm Audio Out	1
HDMI 2.0 In	2
DisplayPort	1
Internal Speakers	2.5W (x2)
Eco Mode (Conserve)	27W
Eco Mode (optimized)	30W
Consumption (typical)	34W
Consumption (max)	43W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	M, Right, Left, E, Power
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI 2.0: 15-222 kHz, DisplayPort and USB Type C: 15-222 kHz

Frequency Vertical	HDMI 2.0: 30-75 Hz, DisplayPort and USB Type C: 48-75 Hz
Height Adjust	130 mm / 5.1 in
Swivel	60°
Tilt (Forward/Back)	5° / 15°
Regulations	cTUVus, FCC-B, ICES003, Energy Star
Net (lbs)	20.7
Net Without Stand (lbs)	15.9
Gross (lbs)	29.3
Net (kg)	9.4
Net Without Stand (kg)	7.2
Gross (kg)	13.3
Packaging (in.)	45.3 × 20.7 × 7.5
Physical (in.)	35.33 × 14.85~19.96 × 9.36
Physical Without Stand (in.)	35.33 × 15.69 × 4.17
Packaging (mm)	1150.0 × 525.0 × 190.0
Physical (mm)	897.5 × 377.2~507.2 × 237.8
Physical Without Stand (mm)	897.5 × 398.5 × 105.9
Package Contents	VG3820C, 3-pin power cable HDMI cable, DisplayPort cable, USB-C cable, USB A/B cable, AC/DC adapter, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907032147



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com