





VA2256-MHD\_H2 - 22" 1080P IPS DUAL PACK HEAD-ONLY MONITORS WITH FREESYNC, HDMI AND VGA

## Key Features


---



22"  
**DISPLAY**



IPS  
**PANEL**



1920x1080  
**RESOLUTION**



## Product Description


---

The ViewSonic® VA2256-mhd\_H2 dual monitor pack delivers an efficient end-to-end enterprise experience. From easy installation, to recycling, to long-term reliability, this dual monitor solution reduces the total cost of ownership beyond the initial purchase price. Sold as a dual pack of monitors without monitor stands, the VA2256-mhd\_H2 ships in biodegradable packaging to minimize recycling costs and waste. Standard VESA-compatible mounting offers easy dual-screen installation, while a 3-sided thin bezel design provides a seamless viewing experience for multi-monitor setups. SuperClear® IPS panel technology delivers wide-angle viewing and incredibly vivid colors. Extensive connectivity options include VGA, HDMI, and DisplayPort so that you can connect to a variety of HD and analog devices – today and tomorrow.

# Specifications

| More Information            |                                                                                     |
|-----------------------------|-------------------------------------------------------------------------------------|
| UPC                         | 766907011449                                                                        |
| Screen Size                 | 22"                                                                                 |
| Viewable Area (in.)         | 21.5                                                                                |
| Panel Type                  | IPS                                                                                 |
| Display Resolution          | 1920 x 1080                                                                         |
| Display Resolution          | Full HD (1920x1080)                                                                 |
| Static Contrast Ratio       | 1,000:1                                                                             |
| Dynamic Contrast Ratio      | 50,000,000:1                                                                        |
| Light Source                | LED                                                                                 |
| Brightness                  | 250 cd/m2                                                                           |
| Colors                      | 16.7M                                                                               |
| Aspect Ratio                | 16:9                                                                                |
| Response Time (Typical GTG) | 5ms                                                                                 |
| Viewing Angles              | 178º horizontal, 178º vertical                                                      |
| Backlight Life (Hours)      | 30,000                                                                              |
| Panel Surface               | Anti-glare                                                                          |
| PC Resolution (max)         | 1920x1080                                                                           |
| Mac® Resolution (max)       | 1920x1080                                                                           |
| 3.5mm Audio In              | 1                                                                                   |
| 3.5mm Audio Out             | 1                                                                                   |
| HDMI In                     | 1                                                                                   |
| VGA                         | 1                                                                                   |
| Internal Speakers           | 2W (x2)                                                                             |
| Eco Mode (Conserve)         | 18W                                                                                 |
| Eco Mode (optimized)        | 22W                                                                                 |
| Consumption (typical)       | 23W                                                                                 |
| Consumption (max)           | 31W                                                                                 |
| Voltage                     | 100-240 VAC, 50-60Hz                                                                |
| Stand-by                    | 0.5W                                                                                |
| Power Supply                | Internal                                                                            |
| Cable Organization          | No                                                                                  |
| Physical Controls           | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5, Key 6 (power)                         |
| On Screen Display           | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |

|                                     |                                                                                                                                                 |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Temperature</b>                  | 32-104º F (0 - 40º C)                                                                                                                           |
| <b>Humidity (non-condensing)</b>    | 20-90%                                                                                                                                          |
| <b>VESA Compatible</b>              | 100 x 100 mm                                                                                                                                    |
| <b>Regulations</b>                  | cULus FCC-B, ICES003, Energy Star Certified, EPEAT Certified, MX-CoC, Mexico Energy                                                             |
| <b>Net Without Stand (lbs)</b>      | 12.8                                                                                                                                            |
| <b>Gross (lbs)</b>                  | 18.5                                                                                                                                            |
| <b>Net Without Stand (kg)</b>       | 5.8                                                                                                                                             |
| <b>Gross (kg)</b>                   | 8.4                                                                                                                                             |
| <b>Packaging (in.)</b>              | 21.4 x 15.7 x 7.1                                                                                                                               |
| <b>Physical Without Stand (in.)</b> | 19.3 x 11.7 x 1.9                                                                                                                               |
| <b>Packaging (mm)</b>               | 544.0 x 400.0 x 180.0                                                                                                                           |
| <b>Physical Without Stand (mm)</b>  | 490.0 x 297.0 x 48.0                                                                                                                            |
| <b>Package Contents</b>             | VA2256-MHD_H x2, 3-pin Plug (IEC C13 / CEE22) x2, HDMI Cable (v1.4; Male-Male) x1, DisplayPort Cable (v1.2; Male-Male) x1, Quick Start Guide x2 |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                                                                              |
| <b>Warranty</b>                     | *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.                                              |
| UPC: 766907011449                   |                                                                                                                                                 |



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)