



## TD1656-2K - 16" PORTABLE WQXGA IPS TOUCH MONITOR WITH 65W USB C AND SMART COVER DESIGN

### Key Features


---



16"  
DISPLAY



IPS  
PANEL



2560 x 1600  
RESOLUTION



**2-WAY POWERED USB TYPE-C**  
One cable solution

### Product Description

---

TD1656-2K is a portable 16" 16:10 monitor designed for optimal productivity on the go. Weighing less than 2lbs and under 0.5" thick, with an intuitive smart cover to both provide versatile viewing options and protect the screen in transit, this portable is optimized to take on the road. 10-point capacitive touch allows for intuitive screen control while 2K resolution offers vivid details for crispy and clear imagery. The two way power USB-C connectors provide a one-cable solution for multimedia transfer and 65W power charging, either receiving power from a laptop or power bank, or being able to pass through power to the connected device, when the portable is connected to a power source.


### Specifications

---


|                                    |                                                                      |
|------------------------------------|----------------------------------------------------------------------|
| <b>UPC</b>                         | 766907030334                                                         |
| <b>Screen Size</b>                 | 16"                                                                  |
| <b>Viewable Area (in.)</b>         | 16"                                                                  |
| <b>Panel Type</b>                  | IPS                                                                  |
| <b>Display Resolution</b>          | 2560 x 1600                                                          |
| <b>Display Resolution</b>          | WQXGA (2560x1600)                                                    |
| <b>Static Contrast Ratio</b>       | 1,500:1                                                              |
| <b>Dynamic Contrast Ratio</b>      | 50,000,000:1                                                         |
| <b>Light Source</b>                | LED                                                                  |
| <b>Brightness</b>                  | 330 cd/m2                                                            |
| <b>Colors</b>                      | 16.7M                                                                |
| <b>Color Space Support</b>         | 8 bit true                                                           |
| <b>Aspect Ratio</b>                | 16:10                                                                |
| <b>Response Time (Typical GTG)</b> | 11.6ms                                                               |
| <b>Viewing Angles</b>              | 178º horizontal, 178º vertical                                       |
| <b>Backlight Life (Hours)</b>      | 15,000                                                               |
| <b>Panel Surface</b>               | Anti-Glare type, Hardness ≥6H, Haze 25%                              |
| <b>Refresh Rate</b>                | 60Hz                                                                 |
| <b>PC Resolution (max)</b>         | 2560 x 1600                                                          |
| <b>Mac® Resolution (max)</b>       | 2560 x 1600                                                          |
| <b>USB Type C</b>                  | 65W x 2                                                              |
| <b>Touch Technology</b>            | Projective Capacitive                                                |
| <b>Touch Points</b>                | 10-Point Touch                                                       |
| <b>Internal Speakers</b>           | 2W (x2)                                                              |
| <b>Consumption (typical)</b>       | 8.8                                                                  |
| <b>Consumption (max)</b>           | 11.8                                                                 |
| <b>Voltage</b>                     | DC 5V/9V/12V/15V/20V                                                 |
| <b>Stand-by</b>                    | 0.5                                                                  |
| <b>Power Supply</b>                | External                                                             |
| <b>Cable Organization</b>          | No                                                                   |
| <b>Headphone Hook</b>              | No                                                                   |
| <b>Physical Controls</b>           | Up; Down, Power                                                      |
| <b>On Screen Display</b>           | Contrast, Brightness, Volume, Audio Mode, Information, Memory Recall |
| <b>Temperature</b>                 | 32-104º F (0 - 40º C)                                                |
| <b>Humidity (non-condensing)</b>   | 20-90%                                                               |
| <b>Frequency Horizontal</b>        | 15 ~ 100 KHz                                                         |

|                                     |                                                                                                    |
|-------------------------------------|----------------------------------------------------------------------------------------------------|
| <b>Frequency Vertical</b>           | 50 ~ 75 Hz                                                                                         |
| <b>Height Adjust</b>                | 50mm (with smart cover)                                                                            |
| <b>Pivot (Right/Left)</b>           | 0° / 90° (with smart cover)                                                                        |
| <b>Tilt (Forward/Back)</b>          | 20° - 70° (with smart cover)                                                                       |
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, Energy Star, EPEAT, CEC, NOM, Mexico Energy                                |
| <b>Net (lbs)</b>                    | 2.8                                                                                                |
| <b>Net Without Stand (lbs)</b>      | 1.8                                                                                                |
| <b>Gross (lbs)</b>                  | 4                                                                                                  |
| <b>Net (kg)</b>                     | 1.3                                                                                                |
| <b>Net Without Stand (kg)</b>       | 0.8                                                                                                |
| <b>Gross (kg)</b>                   | 1.8                                                                                                |
| <b>Packaging (in.)</b>              | 17.2 x 11.8 x 2.4                                                                                  |
| <b>Physical (in.)</b>               | 14.04 x 9.25 x 0.39                                                                                |
| <b>Physical Without Stand (in.)</b> | 14.04 x 9.25 x 0.39                                                                                |
| <b>Packaging (mm)</b>               | 438 x 300 x 61                                                                                     |
| <b>Physical (mm)</b>                | 357 x 235 x 9.9                                                                                    |
| <b>Physical Without Stand (mm)</b>  | 357 x 235 x 9.9                                                                                    |
| <b>Package Contents</b>             | LCD Display, USB-C Cable, Smart Cover, Passive Touch Stylus, Quick Start Guide                     |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                                 |
| <b>Warranty</b>                     | *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor. |

UPC: 766907030334



**ULTRA-PORTABLE DESIGN**  
Work and entertainment on-the-go



**10-POINT MULTI-TOUCH**  
For smooth and responsive touch capabilities

**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)