


## VA2715-2K-MHD - 27" 1440P LED MONITOR WITH HDMI, DISPLAYPORT AND ADAPTIVE SYNC

### Key Features


---




27"  
**DISPLAY**



MVA  
**PANEL**



2560x1440  
**RESOLUTION**



**WQHD (2560x1440p) RESOLUTION**

### Product Description

---

The ViewSonic® VA2715-2K-MHD is a 27" QHD monitor that delivers solid multimedia features at a great value with flexible connectivity, wide-angle viewing, and amazing screen performance. Featuring 2560 x 1440 resolution and a frameless design, this monitor provides a near-seamless viewing experience ideal for multi-monitor setups. Whether for working at the office, or enjoying entertainment at home, the VA2715-2K-MHD also features DisplayPort and HDMI ports for flexible connectivity to PCs, laptops, and other multimedia devices. In addition, a 3-year limited warranty, along with one of the industry's best pixel performance policies, makes the VA2715-2K-MHD a great overall value choice.


### Specifications

---

<b>UPC</b>	766907018295
<b>Screen Size</b>	27"
<b>Viewable Area (in.)</b>	27
<b>Panel Type</b>	MVA
<b>Display Resolution</b>	2560 x 1440
<b>Display Resolution</b>	WQHD (2560x1440)
<b>Static Contrast Ratio</b>	4,000:1
<b>Dynamic Contrast Ratio</b>	50,000,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m2
<b>Colors</b>	16.7M
<b>Aspect Ratio</b>	16:9
<b>Response Time (GTG w/OD)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating (3H)
<b>Refresh Rate</b>	75Hz
<b>PC Resolution (max)</b>	2560x1440
<b>Mac® Resolution (max)</b>	2560x1440
<b>3.5mm Audio Out</b>	1
<b>HDMI 1.4 In</b>	2
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	2W (x2)
<b>Eco Mode (Conserve)</b>	19W
<b>Eco Mode (optimized)</b>	24W
<b>Consumption (typical)</b>	29W
<b>Consumption (max)</b>	31W
<b>Voltage</b>	100-240 VAC, 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	External
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	U, R, D, L, EN (power)
<b>On Screen Display</b>	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%

<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	15 ~ 120KHz
<b>Frequency Vertical</b>	24 ~ 75Hz
<b>Tilt (Forward/Back)</b>	5° / 20°
<b>Regulations</b>	RoHS, WEEE, BSMI, RCM, VCCI, PSE
<b>Net (lbs)</b>	7.9
<b>Net Without Stand (lbs)</b>	6.8
<b>Gross (lbs)</b>	11.0
<b>Net (kg)</b>	3.6
<b>Net Without Stand (kg)</b>	3.1
<b>Gross (kg)</b>	5.0
<b>Packaging (in.)</b>	27.1 x 17.6 x 5.0
<b>Physical (in.)</b>	24.1 x 18.0 x 8.1
<b>Physical Without Stand (in.)</b>	24.1 x 14.2 x 1.6
<b>Packaging (mm)</b>	688.0 x 448.0 x 128.0
<b>Physical (mm)</b>	613.0 x 456.0 x 205.0
<b>Physical Without Stand (mm)</b>	613.0 x 361.0 x 40.0
<b>Package Contents</b>	VA2715-2K-MHD x1, HDMI Cable (v1.4; Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.

UPC: 766907018295



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)