





VIEWSONIC 24" 1080P IPS DUAL PACK HEAD-ONLY MONITORS WITH 120HZ, VARIABLE REFRESH RATE, HDMI, DP, AND VGA | VA2456A-MHD_H2

Key Features


- Versatile Monitors: 24 Inch Full HD (1920x1080p) IPS monitor with thin bezels and 120Hz refresh rate
- Two Monitors: Sold as a dual pack without monitor stands for easy dual-screen installation
- Accurate From All Angles: Enjoy accurate and vivid colors with consistent levels of brightness with SuperClear IPS technology
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Optimized View Settings: Offers "Game," "Movie," "Web," "Text," and "Mono" presets
- Flexible Connectivity: The VA2456A-MHD_H2 supports laptops, PCs, Macs and more with HDMI, DisplayPort and VGA inputs



24"
DISPLAY



IPS
PANEL



1920x1080
RESOLUTION



ENHANCED VIEWING COMFORT
Reduce headaches and eye strain

Product Description



Skyrocket productivity and optimize your workflow with the ViewSonic® VA2456-MHD_H2 dual monitor pack. Featuring hassle-free installation and long-term reliability, this dual 24" monitor solution substantially lowers your total cost of ownership. And with biodegradable packaging and VESA-compatible mounting, you can easily cut down on waste and do your part to contribute to a greener planet. Featuring a 3-sided ultra-thin bezel, the VA2456-MHD_H2 provides a seamless multi-monitor viewing experience that dramatically increases visual clarity and helps to reduce eye strain.

And with SuperClear® IPS panel technology, you can enjoy wide-angle viewing and vibrant, true-to-life colors. Connect your favorite devices with ease using the HDMI, DisplayPort, and VGA inputs. Upgrade your setup and enhance productivity with the ViewSonic VA2456-MHD_H2 dual monitor pack today.

Specifications

	More Information
UPC	766907029628
Screen Size	24"
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	6 bit + FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	120Hz
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	14.5w
Eco Mode (optimized)	17.5w
Consumption (typical)	19.5w
Consumption (max)	27w
Voltage	100-240 VAC
Stand-by	.3w

Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	U, R, D, L, EN (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	VGA = 24 ~ 86 KHz / HDMI & DisplayPort = 30 ~ 135 KHz
Frequency Vertical	VGA = 48 ~ 75 Hz / HDMI & DisplayPort = 48 ~ 120 Hz
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, RoHS, WEEE
Net Without Stand (lbs)	11.9
Gross (lbs)	18.3
Net Without Stand (kg)	5.4
Gross (kg)	8.3
Packaging (in.)	24.1 " (W) x 16.3 " (H) x 7.8 " (D)
Physical Without Stand (in.)	21.2 " (W) x 12.4 " (H) x 2 " (D)
Packaging (mm)	611 mm (W) x 414 mm (H) x 199 mm (D)
Physical Without Stand (mm)	539.2 mm (W) x 314.6 mm (H) x 49.9 mm (D)
Package Contents	LCD Display x2, Power Cable x2, HDMI Cable, DisplayPort Cable, Quick Start Guide x2
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
UPC: 766907029628	



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com