




VA2259-SMH - 22" 1080P IPS MONITOR WITH HDMI AND VGA INPUTS

Key Features


- 22 Inch Full HD (1920x1080p) IPS monitor with 60Hz refresh rate
- Optimized view settings offer "Game," "Movie," "Web," "Text," and "Mono" presets
- The VA2259-SMH supports laptops, PCs, Macs and more with HDMI, and VGA inputs



22"
DISPLAY



IPS
PANEL



Up to 1920x1080 non-interlaced
RESOLUTION

What's in the box.



VA2259-SMH Monitor



*Power Cable varies by region



Product Description

The ViewSonic® VA2259-smh is a 22" (21.5" viewable) Full HD LED monitor designed for both office and home use. With SuperClear® IPS Panel technology, this monitor offers best-in-class screen performance with ultra-wide viewing angles. Vivid 1920x1080 resolution and dual speakers, combined with a sleek edge-to-edge frameless design, deliver an immersive viewing experience for home entertainment and multimedia applications. What's more, the minimalistic design of this monitor makes it perfect for nearly seamless multi-screen setups. HDMI and VGA inputs deliver flexible connectivity options for both computing and gaming environments, while ViewSonic's exclusive ViewMode feature provides intuitive presets for optimized screen performance in different applications. In addition, Flicker-Free technology and a Blue Light Filter help to minimize eyestrain from extended viewing periods. With ViewSonic's industry-leading 3-year limited warranty, this monitor is a solid long-term investment for enterprise and home applications.

Specifications

	More Information
UPC	766907836530
Screen Size	22"
Viewable Area (in.)	21.5
Panel Type	IPS
Display Resolution	1920 x 1080
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Response Time (Typical GTG)	14ms
Response Time (GTG w/OD)	7ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, hard-coating (3H)
PC Resolution (max)	Up to 1920x1080 non-interlaced
Mac® Resolution (max)	Up to 1920x1080
3.5mm Audio In	1
3.5mm Audio Out	1
HDMI In	1
VGA	1
Power in	3-pin plug (CEE22)
Internal Speakers	2-watt (x2)
Eco Mode (Conserve)	14W
Eco Mode (optimized)	18W
Consumption (typical)	22W
Consumption (max)	27W
Voltage	AC 100-240V (universal), 50-60Hz
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	1, 2, Down, Up, Power
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)

Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	24~82kHz
Frequency Vertical	50~75Hz
Analog Sync	Separate Sync, Composite Sync, Sync on Green, TMDS
Regulations	CE, REACH, WEEE, cULus, FCC-B, ICES003, ENERGY STAR, Mexico CoC, Mexico Energy
Net (lbs)	6.3
Net Without Stand (lbs)	5.5
Gross (lbs)	9.5
Net (kg)	2.8
Net Without Stand (kg)	2.5
Gross (kg)	4.3
Packaging (in.)	22.1 x 17.4 x 6.1
Physical (in.)	19.7 x 14.8 x 7.9
Physical Without Stand (in.)	19.7 x 11.9 x 1.8
Packaging (mm)	562 x 443 x 155
Physical (mm)	499.7 x 375.1 x 200
Physical Without Stand (mm)	499.7 x 301.9 x 45.5
Package Contents	VA2259-smh monitor, Power cable, HDMI to HDMI (1.5m), Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
UPC: 766907836530	



Contact Sales
ViewSonic.com
888.881.8781
email:
salesinfo@viewsonic.com