

VA2718-SH

Key Features

- Full HD 1080p Resolution
- Accurate from All Angles: SuperClear IPS Technology
- The Power of HDMI ®
- Slim Bezel Design
- Optimized View Settings



27"
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description

The ViewSonic® VA2718-sh is a 27" Full HD LED monitor with SuperClear® IPS panel technology. Stunning 1080p resolution delivers sharp color and screen performance, while wide viewing angles and a slim-bezel design provides an exceptional viewing experience. Flicker-free technology and a Blue Light Filter help to eliminate eyestrain from extended viewing over long periods of time. ViewSonic's exclusive ViewMode™ feature provides intuitive presets to deliver optimized screen performance in different applications. In addition, an energy-saving Eco-mode enables users to reduce their energy consumption. Lastly, built-in HDMI and VGA inputs offer more flexible and reliable connectivity for both home and office use.

Specifications

[More Information](#)

UPC

766907007169

Screen Size	27"
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	300 cd/m2
Colors	16.7M
Color Space Support	8 bit (6 bit + Hi-FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	14ms
Response Time (GTG w/OD)	5ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Eco Mode (Conserve)	18W
Eco Mode (optimized)	23W
Consumption (typical)	28W
Consumption (max)	30W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.3W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	1, 2, 3, 4, 5 (Power)
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%

Frequency Horizontal	24 ~ 86 KHz
Frequency Vertical	48 ~ 75 Hz
Digital Sync	TMDS
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, CEC, MX-CoC, Mexico Energy
Net (lbs)	11.0
Net Without Stand (lbs)	9.9
Gross (lbs)	14.3
Net (kg)	5.0
Net Without Stand (kg)	4.5
Gross (kg)	6.5
Packaging (in.)	27.4 x 18.5 x 5.4
Physical (in.)	24.4 x 17.5 x 9.4
Physical Without Stand (in.)	24.4 x 14.3 x 1.8
Packaging (mm)	695.0 x 470.0 x 136.0
Physical (mm)	620.0 x 445.0 x 238.0
Physical Without Stand (mm)	620.0 x 362.0 x 45.0
Package Contents	VA2718-sh Display, Power Cable, VGA Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907007169



Contact Sales
ViewSonic.com

888.881.8781 
email:
salesinfo@viewsonic.com