


# VIEWSONIC 22" 1080P 10-POINT MULTI IR TOUCH MONITOR WITH HDMI, VGA, AND DVI | TD2223

## Key Features


- 22 Inch Full HD (1920x1080p) LED touch monitor with 75Hz refresh rate
- Robust 10-point (infrared) IR touch technology feature for a natural touchscreen experience
- Freestanding tablet design with muted black finish, stable adjustable stand, and 7H scratch resistant surface
- Enjoy less eye strain and fatigue with flicker-free technology and a built-in blue light filter
- MacOS users can access touch and gesture controls on touch displays connected to their Apple devices using ViewSonic's vTouch driver. Not available for iPhone and iPad
- The TD2223 supports laptops, PCs, Macs and POS Systems with USB, HDMI, DVI-D and VGA inputs



22  
**DISPLAY**



TN  
**PANEL**



1920x1080  
**RESOLUTION**



## Product Description

Great for public kiosks, POS displays, and other retail and commercial applications, the ViewSonic® TD2223 is a 22" touch display with 10-point IR touch technology that lets users pinch, zoom and swipe for fast and intuitive navigation. With Full HD 1920x1080 resolution, 1000:1 static contrast ratio and 7H screen hardness, the TD2223 delivers sharp and bright images combined with durability for high-traffic applications. Flexible connectivity options include HDMI, VGA, DVI, and a USB hub to connect your peripherals and accessories. VESA-mount compatibility offers additional convenience and flexibility for 3rd party stands and mounts. What's more, ViewSonic's exclusive ViewMode feature provides intuitive presets that deliver optimized screen performance in different applications. In addition, Flicker-Free technology and a Blue Light Filter help to eliminate eyestrain from extended viewing periods for improved productivity. Whether in retail or deployed in a high-traffic commercial setting, its scratch-resistant surface stands up to heavy use and safeguards its high quality touch experience. Combine this display with ViewSonic's Android and Windows media players for a perfect kiosk solution.

## Specifications

### More Information

<b>UPC</b>	766907008647
<b>Screen Size</b>	22
<b>Viewable Area (in.)</b>	22
<b>Panel Type</b>	TN
<b>Display Resolution</b>	1920 x 1080
<b>Display Resolution</b>	Full HD (1920x1080)

<b>Static Contrast Ratio</b>	1,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m2
<b>Colors</b>	16.7M
<b>Color Space Support</b>	8 bits
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	5ms
<b>Viewing Angles</b>	170° horizontal, 160° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-glare, Hard coating 7H
<b>PC Resolution (max)</b>	1920x1080
<b>Mac® Resolution (max)</b>	1920x1080
<b>USB Type A</b>	2
<b>USB Type B</b>	1
<b>3.5mm Audio In</b>	1
<b>3.5mm Audio Out</b>	1
<b>VGA</b>	1
<b>DVI-D</b>	1
<b>HDMI 1.4 In</b>	1
<b>Touch Technology</b>	Infrared
<b>Touch Points</b>	10-Point Touch
<b>Internal Speakers</b>	2W (x2)
<b>Eco Mode (Conserve)</b>	11W
<b>Eco Mode (optimized)</b>	13W
<b>Consumption (typical)</b>	15W
<b>Consumption (max)</b>	19W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1,2,3,4,5,6 (Power)
<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%

<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	24 ~ 82 KHz
<b>Frequency Vertical</b>	50 ~ 75 Hz
<b>Tilt (Forward/Back)</b>	22° / 38°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, MX-CoC, Mexico Energy
<b>Net (lbs)</b>	9.9
<b>Net Without Stand (lbs)</b>	8.6
<b>Gross (lbs)</b>	13.2
<b>Net (kg)</b>	4.5
<b>Net Without Stand (kg)</b>	3.9
<b>Gross (kg)</b>	6.0
<b>Packaging (in.)</b>	22.8 x 15.9 x 6.5
<b>Physical (in.)</b>	20.5 x 13.1 x 4.0
<b>Physical Without Stand (in.)</b>	20.5 x 12.5 x 2.4
<b>Packaging (mm)</b>	580.0 x 405.0 x 164.0
<b>Physical (mm)</b>	521.0 x 334.0 x 101.0
<b>Physical Without Stand (mm)</b>	521.0 x 318.0 x 61.0
<b>Package Contents</b>	TD2223 Display, Power Cable, USB Type B Uplink Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907008647



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)