





VIEWSONIC 27" 1080P ERGONOMIC 40-DEGREE TILT IPS MONITOR WITH HDMI, DP, AND VGA | VG2748A

Key Features


- Versatile Monitor: 27 Inch Full HD (1920x1080p) IPS monitor with thin bezels and 60Hz refresh rate
- Ergonomic Stand: Advanced ergonomics (40-degree tilt, swivel, rotate and height) for all-day comfort
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Versatile Stand: Easy-to-install quick release stand with carrying handle and client mount
- Smart Packaging: Eco friendly easy-open box for streamlined monitor setup
- Flexible Connectivity: The VG2748a supports laptops, PCs, Macs and more with HDMI, USB, DisplayPort, VGA inputs



27
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description

Designed for the modern day office, the ViewSonic® VG2748a monitor delivers an efficient end-to-end enterprise experience. Featuring SuperClear® IPS panel technology and 1080p resolution, this 27" monitor delivers crisp and clear images from nearly any viewing angle. The 3-sided thin bezel design provides a seamless viewing experience for multi-monitor setups. For enhanced productivity, an advanced ergonomic design offers a wide range of customizable adjustments for maximum comfort including pivot, swivel, height adjustment, and tilt. With the ability to tilt an impressive 40-degrees, the VG2748a is ideal for users who prefer to work while standing up, as well as for those who like to use their screen for group discussions. Versatile connectivity options include HDMI, DisplayPort, VGA, and USB. This monitor is also shipped in eco-friendly biodegradable packaging, along with an easy-to-install quick release stand that makes for simple out-of-the box setup. The quick release stand also includes an integrated client mount and cable management features, making this monitor perfect for deployment in cloud-based environments.

Specifications

More Information	
UPC	766907014709
Screen Size	27
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1

Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	6 bit + A-FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920x1080
USB Type A	4
USB Type B	1
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	20.5W
Eco Mode (optimized)	22.5W
Consumption (typical)	25.5W
Consumption (max)	58W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (eye), Key 2, Key 3, Key 4, Key 5, Key 6 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
Frequency Horizontal	HDMI (v1.4): 24 ~ 82KHz, DisplayPort: 15 ~ 82KHz
Frequency Vertical	HDMI (v1.4): 50 ~ 75KHz, DisplayPort: 50 ~ 75KHz
Height Adjust	130 mm / 5.1 in
Swivel	120º
Pivot (Right/Left)	90º / 90º
Tilt (Forward/Back)	5º / 40º

Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy
Net (lbs)	16.2
Net Without Stand (lbs)	10.9
Gross (lbs)	23.1
Net (kg)	7.3
Net Without Stand (kg)	4.9
Gross (kg)	10.5
Packaging (in.)	27.2 x 16.9 x 8.6
Physical (in.)	24.1 x 15.79~21.07 x 8.0
Physical Without Stand (in.)	24.1 x 14.6 x 2.0
Packaging (mm)	692.0 x 430.0 x 218.0
Physical (mm)	612.0 x 401.2~533.2 x 202.0
Physical Without Stand (mm)	612.0 x 362.0 x 52.0
Package Contents	VG2748a Display, Power Cable, DisplayPort Cable, USB A/B Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
UPC: 766907014709	



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com