


XG272-2K-OLED - 27" 1440P OLED 0.01MS 240HZ GAMING MONITOR WITH FREESYNC PREMIUM, RGB, HDMI 2.1, USB-C (WHITE)

## Key Features


---



27"  
DISPLAY



OLED  
PANEL



2560 x 1440  
RESOLUTION



## Product Description

---

Ascend to the apex of the gaming world with the 27" XG272-2K-OLED monitor. Featuring a 240Hz refresh rate with a .01ms pixel response time, this ultra-responsive gaming monitor delivers ridiculously smooth visuals while giving gamers the edge they need to win the day. A luminous white body with integrated RGB lighting and an integrated remote control helps users create an outstanding gaming setup that plays as well as it looks. Enjoy playing for longer with greater comfort thanks to an advanced ergonomic design. And with versatile connectivity options including HDMI 2.1, DisplayPort, USB-C and a built-in USB A hub, gamers can effortlessly connect their favorite devices. NVIDIA® G-SYNC™ Compatibility and AMD FreeSync™ Premium technology help create a pristine gaming experience with no lag or stuttering. Take gaming to the next level with the XG272-2K-OLED monitor today.



# Specifications

---

|                                    | More Information               |
|------------------------------------|--------------------------------|
| <b>UPC</b>                         | 766907028850                   |
| <b>Screen Size</b>                 | 27"                            |
| <b>Viewable Area (in.)</b>         | 26.5                           |
| <b>Panel Type</b>                  | OLED                           |
| <b>Display Resolution</b>          | 2560 x 1440                    |
| <b>Display Resolution</b>          | QHD (2560x1440)                |
| <b>Static Contrast Ratio</b>       | 150,000:1                      |
| <b>Brightness</b>                  | 450 cd/m2                      |
| <b>Colors</b>                      | 1.07B                          |
| <b>Color Space Support</b>         | 10 bits                        |
| <b>Aspect Ratio</b>                | 16:9                           |
| <b>Response Time (Typical GTG)</b> | 0.02ms                         |
| <b>Response Time (MPRT)</b>        | 0.01ms                         |
| <b>Viewing Angles</b>              | 178° horizontal, 178° vertical |
| <b>Panel Surface</b>               | Anti-Glare type, Haze 35%      |
| <b>Refresh Rate</b>                | 240Hz                          |
| <b>PC Resolution (max)</b>         | 2560 x 1440                    |
| <b>Mac® Resolution (max)</b>       | 2560 x 1440                    |
| <b>USB Type A</b>                  | 3                              |
| <b>USB Type B</b>                  | 1                              |
| <b>USB Type C</b>                  | 1                              |
| <b>3.5mm Audio Out</b>             | 1                              |
| <b>HDMI 2.1 In</b>                 | 2                              |
| <b>DisplayPort</b>                 | 2                              |
| <b>Internal Speakers</b>           | 3W (x2)                        |
| <b>Eco Mode (Conserve)</b>         | 32w                            |
| <b>Eco Mode (optimized)</b>        | 36w                            |
| <b>Consumption (typical)</b>       | 44w                            |
| <b>Consumption (max)</b>           | 60w                            |
| <b>Voltage</b>                     | 100-240 VAC, 50-60Hz           |
| <b>Stand-by</b>                    | 0.5w                           |
| <b>Power Supply</b>                | External                       |
| <b>Cable Organization</b>          | No                             |

|                                     |  |
|-------------------------------------|--|
| <b>Kensington Lock Slot</b>         | 1  |
| <b>Physical Controls</b>            | Joystick key: Up, Right, Down, Left, Center; Quick Access; Power, Game Modes                       |
| <b>On Screen Display</b>            | Modes, Gaming, Display, Input Select, Setup Menu   |
| <b>Temperature</b>                  | 32-104° F (0 - 40° C)  |
| <b>Humidity (non-condensing)</b>    | 20-90%   |
| <b>VESA Compatible</b>              | 100 x 100 mm   |
| <b>Frequency Horizontal</b>         | HDMI: 30 ~ 160 KHz / DP: 15 ~ 255 KHz  |
| <b>Frequency Vertical</b>           | HDMI: 30 ~ 160 KHz / DP: 48 ~ 240 Hz   |
| <b>Height Adjust</b>                | 120 mm / 4.7 in  |
| <b>Swivel</b>                       | -20 ~ 20   |
| <b>Pivot (Right/Left)</b>           | 90° / 90°  |
| <b>Tilt (Forward/Back)</b>          | 5° / 20°   |
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy  |
| <b>Net (lbs)</b>                    | 15.3   |
| <b>Net Without Stand (lbs)</b>      | 10.6   |
| <b>Gross (lbs)</b>                  | 22.9   |
| <b>Net (kg)</b>                     | 7  |
| <b>Net Without Stand (kg)</b>       | 4.8  |
| <b>Gross (kg)</b>                   | 10.4   |
| <b>Packaging (in.)</b>              | 36.5 " (W) x 19.9 " (H) x 6.7 " (D)  |
| <b>Physical (in.)</b>               | 23.8 " (W) x 17.6~22.3 " (H) x 8.5 " (D)   |
| <b>Physical Without Stand (in.)</b> | 23.8 " (W) x 14.35 " (H) x 2.5 " (D)   |
| <b>Packaging (mm)</b>               | 928 mm (W) x 506 mm (H) x 170 mm (D)   |
| <b>Physical (mm)</b>                | 604.4 mm (W) x 447.8~566.6 mm (H) x 216.9 mm (D)   |
| <b>Physical Without Stand (mm)</b>  | 604.4 mm (W) x 364.6 mm (H) x 62.22 mm (D)   |
| <b>Package Contents</b>             | LCD Display, Power Cable, DisplayPort Cable, USB A/B Cable, Remote Control, Quick Start Guide      |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                                 |
| <b>Warranty</b>                     | *Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor. |

UPC: 766907028850



**Contact Sales**  
[ViewSonic.com](https://www.viewsonic.com)

888.881.8781  
 email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)