





VX2418C - 24" CURVED 1080P 1MS 180HZ GAMING MONITOR WITH FREESYNC PREMIUM


Key Features



24"
DISPLAY



MVA
PANEL



1920 x 1080
RESOLUTION



Product Description

With an immersive 1500R curved screen and Full HD 1080p resolution, the ViewSonic® VX2418C monitor provides an incredible viewing experience for work or play. With features including a high 180Hz refresh rate, 1ms (MPRT) response time and AMD FreeSync Premium technology, this monitor virtually eliminates screen tearing and stuttering for a fluid gaming experience. The VX2418C also comes equipped with ViewSonic exclusive ViewMode™ presets, which offer optimized screen performance for different home entertainment applications such as watching movies, editing files, or playing video games. Two HDMI (v2.0) inputs, and one DisplayPort (v1.2) input offers flexible connectivity for both general use and entertainment.

Specifications

	More Information
UPC	766907020106
Screen Size	24"
Viewable Area (in.)	23.6
Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	3,000:1
Dynamic Contrast Ratio	80M:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare
Curvature	1500R
Refresh Rate	180Hz
Adaptive Sync	AMD FreeSync™ Premium
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio Out	1
HDMI In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	25 W
Eco Mode (optimized)	17 W
Consumption (typical)	21 W
Consumption (max)	30 W
Voltage	12V
Stand-by	0.3 W
Power Supply	External
Cable Organization	No

Headphone Hook	No
Kensington Lock Slot	1
Physical Controls	Up, Right, Down, Left, Enter (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI (v1.4) 30 ~ 160 KHz DisplayPort (v1.2) 30 ~ 160 KHz
Frequency Vertical	HDMI (v1.4) 48 ~ 144 Hz DisplayPort (v1.2) 48 ~ 165 Hz
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy, CB, RoHS
Net (lbs)	6.8
Net Without Stand (lbs)	5.7
Gross (lbs)	9.7
Net (kg)	3.1
Net Without Stand (kg)	2.6
Gross (kg)	4.4
Packaging (in.)	23.8 (W) x 15.8 (H) x 5.4 (D)
Physical (in.)	21.3 (W) x 16.3 (H) x 8.2 (D)
Physical Without Stand (in.)	21.3 (W) x 12.7 (H) x 2.9 (D)
Packaging (mm)	605 mm (W) x 402 mm (H) x 136 mm (D)
Physical (mm)	540 mm (W) x 413 mm (H) x 209 mm (D)
Physical Without Stand (mm)	540 mm (W) x 322 mm (H) x 74 mm (D)
Package Contents	VX2418C x1, 3-pin Plug (IEC C13 / CEE22) x1, DisplayPort Cable (v1.2; Male-Male) x1, AC/DC Adapter x1, Quick Start Guide x1,
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.

UPC: 766907020106



GREAT VISUALS
For home entertainment and gaming



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)

888.881.8781
email:
salesinfo@viewsonic.com