



VP16-OLED - 15.6" 1080P OLED PORTABLE MONITOR WITH 40W USB-C, STAND, PROTECTIVE COVER, PANTONE VALIDATED

## Key Features


---



16"  
**DISPLAY**



OLED  
**PANEL**



1920x1080  
**RESOLUTION**



## Product Description

---


The ViewSonic® ColorPro® VP16-OLED is a 15.6" portable monitor with native Full HD 1080p resolution and advanced OLED technology for incredible visual performance on the go. The VP16-OLED is Pantone Validated and factory calibrated to deliver richer color uniformity and enhanced details, ensuring that it meets the demands of professional content creators. A flexible and foldable ergonomic stand delivers easy height adjustment for the perfect viewing angle in a variety of environments. A convenient tripod mount is integrated into the stand so that the display can be used as a high-quality photo or video preview screen for fine adjustments in the field, while a protective screen cover also doubles as a shading hood for a "dark room" effect. In addition, versatile connectivity options include two USB-C ports for 2-way charging, as well as micro HDMI and a headphone jack.

# Specifications

	More Information
<b>UPC</b>	766907021196
<b>Screen Size</b>	16"
<b>Viewable Area (in.)</b>	15.6
<b>Panel Type</b>	OLED
<b>Display Resolution</b>	1920 x 1080
<b>Display Resolution</b>	Full HD (1920x1080)
<b>Static Contrast Ratio</b>	100,000:1 (typ)
<b>Dynamic Contrast Ratio</b>	20M:1
<b>Brightness</b>	400
<b>Colors</b>	1.07B
<b>Color Space Support</b>	10 bit (8 bit + FRC)
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	1ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Panel Surface</b>	Glossy
<b>Refresh Rate</b>	60Hz
<b>PC Resolution (max)</b>	1920x1080
<b>Mac® Resolution (max)</b>	1920x1080
<b>USB Type C</b>	40W x 2
<b>3.5mm Audio Out</b>	1
<b>Micro HDMI</b>	1
<b>Internal Speakers</b>	1W (x2)
<b>Eco Mode (Conserve)</b>	5.5
<b>Eco Mode (optimized)</b>	6.6
<b>Consumption (typical)</b>	7.6
<b>Consumption (max)</b>	17
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5
<b>Power Supply</b>	External
<b>Cable Organization</b>	No
<b>Physical Controls</b>	Up, Down, Left/Return, Right/Confirmed, Power
<b>On Screen Display</b>	Input Select, Color Mode, ViewMode, Audio Adjust, Setup Menu
<b>Temperature</b>	32-104° F (0 - 40° C)

<b>Humidity (non-condensing)</b>	20-90%
<b>Frequency Horizontal</b>	Micro HDMI 1.4: 24 ~ 83 KHz   USB Type C: 24 ~ 83 KHz
<b>Frequency Vertical</b>	Micro HDMI 1.4: 50 ~ 61 Hz   USB Type C: 50 ~ 61 Hz
<b>Height Adjust</b>	76 mm
<b>Tilt (Forward/Back)</b>	60° / 20°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NRCan, NOM, Mexico Energy
<b>Net (lbs)</b>	2.2
<b>Gross (lbs)</b>	4.8
<b>Net (kg)</b>	0.98
<b>Gross (kg)</b>	2.2
<b>Packaging (in.)</b>	16.3 " (W) x 12.3 " (H) x 3.5 " (D)
<b>Physical (in.)</b>	14.1 " (W) x 8.92~12.38 " (H) x 0.8 " (D)
<b>Physical Without Stand (in.)</b>	14.1 " (W) x 8.9 " (H) x 0.2 " (D)
<b>Packaging (mm)</b>	415 mm (W) x 312 mm (H) x 90 mm (D)
<b>Physical (mm)</b>	359 mm (W) x 226.682~314.48 mm (H) x 19 mm (D)
<b>Physical Without Stand (mm)</b>	359 mm (W) x 227 mm (H) x 6 mm (D)
<b>Package Contents</b>	LCD Display, Power Adaptor, micro HDMI Cable, USB type-C to type-C cable, USB type-C to type-A cable, Cover/hood, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
<b>Portability</b>	Portable

UPC: 766907021196



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
 888.881.8781  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)