



## VIEWSONIC 27" COLORPRO 1440P 120HZ IPS MONITOR WITH 90W USB-C, SRGB, AND PANTONE VALIDATED | VP2756A-2K

### Key Features

---

- **PANTONE VALIDATED DISPLAY:** This display has been verified by Pantone to be capable of delivering Pantone Matching System (PMS) colors.
- **USB-C SINGLE-CABLE CONNECTIVITY:** Enjoy video, audio, data and 90W of power from a single USB-C cable.
- **PRECISION COLOR ACCURACY:** Factory calibration produces an amazing Delta E < 2 value and includes a detailed calibration report for sRGB, EBU, and SMPTE-C color spaces.
- **SCREEN UNIFORMITY:** View and edit images with accuracy thanks to integrated color uniformity.
- **vDISPLAY MANAGER:** Control your monitor more easily with an On-Screen Display (OSD) menu and create more accessible content with a color sensitivity feature.
- **ERGONOMIC DESIGN:** Swivel, pivot, height adjust or tilt the monitor to your preferred setting so you can enjoy working for longer with less strain.



27"  
**DISPLAY**



IPS  
**PANEL**



2560x1440  
**RESOLUTION**



### Product Description

---



Designed for creators who demand precision, the ViewSonic® ColorPro™ 27" VP2756A-2K QHD monitor brings your ideas to life with stunning color accuracy and a sleek, 3-sided frameless design that's perfect for immersive, multi-monitor setups. This monitor is Pantone Validated to deliver pinpoint color accuracy and has been validated by Pantone to accurately recreate Pantone Matching System (PMS) colors. Its SuperClear® IPS panel delivers vivid, true-to-life visuals, while factory calibration to Delta E < 2 and 100% sRGB ensures your work looks exactly as intended. With USB-C single cable connectivity providing video, audio, and up to 90W of power delivery, plus an integrated USB hub featuring a 15W USB-C quick charge port, this monitor streamlines your workspace and powers your creative flow. Experience enhanced productivity with vDisplayManager's On-Screen Display menu that lets you control the content directly on the screen as well as color sensitivity mode that empowers content creators to envision what their content would look like for people with visual disabilities. And with advanced ergonomic features including swivel, pivot, height adjust, and tilt, this monitor lets you work for longer with less strain.

# Specifications

|                             | More Information                             |
|-----------------------------|----------------------------------------------|
| UPC                         | 766907034028                                 |
| Screen Size                 | 27"                                          |
| Viewable Area (in.)         | 27                                           |
| Panel Type                  | IPS                                          |
| Display Resolution          | 2560 x 1440                                  |
| Display Resolution          | QHD (2560x1440)                              |
| Static Contrast Ratio       | 1,500:1                                      |
| Dynamic Contrast Ratio      | 20,000,000:1                                 |
| Light Source                | LED                                          |
| Brightness                  | 350 cd/m2                                    |
| Colors                      | 16.7M                                        |
| Color Space Support         | 8 bit true                                   |
| Aspect Ratio                | 16:9                                         |
| Response Time (Typical GTG) | 5ms                                          |
| Viewing Angles              | 178º horizontal, 178º vertical               |
| Backlight Life (Hours)      | 30,000                                       |
| Panel Surface               | Anti-Glare type, Hard-coating (3H), Haze 25% |
| Refresh Rate                | 120Hz                                        |
| PC Resolution (max)         | 2560x1440                                    |
| Mac® Resolution (max)       | 2560x1440                                    |
| USB Type A                  | 3                                            |
| USB Type C                  | 90W x 1, 15W x 1                             |
| HDMI 2.0 In                 | 1                                            |
| DisplayPort                 | 1                                            |
| Internal Speakers           | 2W (x2)                                      |
| Eco Mode (Conserve)         | 180W                                         |
| Eco Mode (optimized)        | 183W                                         |
| Consumption (typical)       | 186W                                         |
| Consumption (max)           | 200W                                         |
| Voltage                     | AC 100-240V (universal), 50-60Hz             |
| Stand-by                    | 0.3W                                         |
| Power Supply                | Internal                                     |
| Cable Organization          | No                                           |

|                                     |                                                                                                     |
|-------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Kensington Lock Slot</b>         | 1                                                                                                   |
| <b>Physical Controls</b>            | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu                 |
| <b>On Screen Display</b>            | Key 1, Key 2, Key 3, Key 4, Key 5, Key 6 (power)                                                    |
| <b>Temperature</b>                  | 32-104º F (0 - 40º C)                                                                               |
| <b>Humidity (non-condensing)</b>    | 20-90%                                                                                              |
| <b>VESA Compatible</b>              | 100 x 100 mm                                                                                        |
| <b>Frequency Horizontal</b>         | HDMI, DisplayPort, USB Type C: 15 ~ 200 KHz                                                         |
| <b>Frequency Vertical</b>           | HDMI, DisplayPort, USB Type C: 50 ~ 120 Hz                                                          |
| <b>Height Adjust</b>                | 130 mm / 5.1 in                                                                                     |
| <b>Swivel</b>                       | 120º                                                                                                |
| <b>Pivot (Right/Left)</b>           | 90º / 90º                                                                                           |
| <b>Tilt (Forward/Back)</b>          | 5º / 21º                                                                                            |
| <b>Regulations</b>                  | cTUVus, FCC-B ICES003, Energy Star, EPEAT, CEC                                                      |
| <b>Packaging (in.)</b>              | 29.1 x 18.3 x 8.9                                                                                   |
| <b>Physical (in.)</b>               | 24.15 x 16.15 ~ 21.27 x 8.46                                                                        |
| <b>Physical Without Stand (in.)</b> | 24.15 x 14.28 x 2.10                                                                                |
| <b>Packaging (mm)</b>               | 740.0 x 465.0 x 225.0                                                                               |
| <b>Physical (mm)</b>                | 613.0 x 410.0 ~ 540.0 x 215.0                                                                       |
| <b>Physical Without Stand (mm)</b>  | 613.0 x 362.7 x 53.3                                                                                |
| <b>Package Contents</b>             | VP2756A-2K x1 3-pin Plug x1 HDMI Cable x1 USB Type-C Cable x1 USB A/B Cable x1 Quick Start Guide x1 |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                                  |
| <b>Warranty</b>                     | Three-year limited warranty on parts, labor and backlight                                           |

UPC: 766907034028



## Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)