



34" UWQHD 21:9 IPS CURVED ULTRAWIDE MONITOR WITH 96W USB-C | VG3409C


Key Features



34"
DISPLAY



VA
PANEL



3440 × 1440
RESOLUTION



Product Description

The ViewSonic VG3409C is a 34" ultrawide curved monitor perfect to replace dual-monitor setups with a single, immersive UWQHD 21:9 screen. Its expansive field of view is perfect for multitasking—whether you are editing video, gaming, or managing multiple windows side-by-side. It features a USB-C connection transmits video and data while delivering 96W of power to your high-performance laptops, omitting the need for a separate power cable for your laptop.

Specifications

[More Information](#)

UPC

766907041705

Screen Size	34"
Viewable Area (in.)	34
Panel Type	VA
Display Resolution	3440 x 1440
Display Resolution	UWQHD (3440x1440)
Static Contrast Ratio	3,000:1
Dynamic Contrast Ratio	80M:1
Light Source	LED
Brightness	300 cd/m2
Colors	16.7M
Color Space Support	8-bit true
Aspect Ratio	21:9
Response Time (Typical GTG)	3.5ms
Response Time (MPRT)	1ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Curvature	1500R
Refresh Rate	120Hz
PC Resolution (max)	3440 × 1440
Mac® Resolution (max)	3440 × 1440
USB Type A	3
USB Type B	1
USB Type C	96W × 1
3.5mm Audio Out	1
HDMI 2.0 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	33 W
Eco Mode (optimized)	41 W
Consumption (typical)	47 W
Consumption (max)	48 W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5
Power Supply	Internal
Cable Organization	Yes

Kensington Lock Slot	1
Physical Controls	U, R, D, L, EN (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI 2.0: 30-151 kHz / DisplayPort & USB Type C: 30-183 kHz
Frequency Vertical	HDMI 2.0: 48-100 Hz / DisplayPort & USB Type C: 48-120 Hz
Height Adjust	130 mm / 5.1 in
Swivel	-45 ~ 45
Tilt (Forward/Back)	5° / 20°
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT
Net (lbs)	18.5
Net Without Stand (lbs)	13.1
Gross (lbs)	27.6
Net (kg)	8.4
Net Without Stand (kg)	6
Gross (kg)	12.5
Packaging (in.)	39.3 × 20.4 × 6.7
Physical (in.)	31.81 × 16.9~22 × 11.03
Physical Without Stand (in.)	31.81 × 14.33 × 4.66
Packaging (mm)	998 × 517 × 170
Physical (mm)	808 × 429.3~558.9 × 280.1
Physical Without Stand (mm)	808.0 × 363.92 × 118.29
Package Contents	VG3409C x1, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v2.0; Male-Male) x1, USB Type-C Cable (Male-Male) x1, USB A/B Cable (v3.2; Male-Male) x1, Quick Start Guide x1
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907041705



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)

888.881.8781
 email:
salesinfo@viewsonic.com