





VA2447-MH - 24" 1080P 100HZ MONITOR WITH FREESYNC, HDMI AND VGA


Key Features



24
DISPLAY



MVA
PANEL



1920x1080@100Hz
RESOLUTION



Product Description

With flexible connectivity, wide-angle viewing, and amazing screen performance, the ViewSonic® VA2447-MH delivers solid multimedia features and a sleek design at a great value. Featuring frameless MVA panel technology, the VA2447-MH delivers stunning brightness and contrast at nearly any viewing angle. A minimalistic design, edge-to-edge screen, and frameless bezel make this an ideal monitor for nearly seamless multi-screen setups. Whether for working at the office, or enjoying entertainment at home, the VA2447-MH features an HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. A three-year limited warranty, along with one of the industry's best pixel performance policies, makes the VA2447-MH a great overall value choice.

Specifications

	More Information
UPC	766907013474
Screen Size	24
Viewable Area (in.)	23.8
Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	3,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms

Backlight Life (Hours)	30,000
Panel Surface	Anti-glare
PC Resolution (max)	1920x1080@100Hz
Mac® Resolution (max)	1920x1080@100Hz
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	15W
Eco Mode (optimized)	18W
Consumption (typical)	23W
Consumption (max)	27W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.3W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI (v1.4): 24 ~ 86 KHz
Frequency Vertical	HDMI (v1.4): 48 ~ 100 Hz
Regulations	cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy, CB, RoHS
Net (lbs)	7.3
Net Without Stand (lbs)	6.4
Gross (lbs)	10.1
Net (kg)	3.3
Net Without Stand (kg)	2.9
Gross (kg)	4.6
Packaging (in.)	23.6 x 16.3 x 5.2
Physical (in.)	21.2 x 15.9 x 8.1
Physical Without Stand (in.)	21.2 x 12.7 x 1.9
Packaging (mm)	600.0 x 414.0 x 131.0

Physical (mm)	540.0 x 403.0 x 206.0
Physical Without Stand (mm)	540.0 x 323.0 x 48.0
Package Contents	VA2447-MH, 3-pin Plug (IEC C13 / CEE22), HDMI Cable (v1.4; Male-Male), Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
UPC: 766907013474	



Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 