



## VX2452MH - 24" 1080P 2MS MONITOR WITH HDMI, VGA AND DVI


### Key Features

---


- 24 Inch Full HD (1920x1080p) monitor with thin bezels
- An arsenal of pre-set customizable visual modes keeps you ready for any FPS, RTS, or MOBA games
- MEGA Dynamic Contrast Ratio delivers sharp, crisp images
- The VX2452MH supports laptops, PCs, and Macs with HDMI, DVI-D, and VGA inputs




What's in the box.



24"  
**DISPLAY**



TN  
**PANEL**



1920 x 1080  
**RESOLUTION**



Power Cable\*



Audio Cable



VGA Cable



QuickStart Guide &  
ViewSonic Wizard CD



DVI-D Cable

\*Power Cable varies by region

### Product Description

---

ViewSonic's VX2452mh is a 24" (23.6" viewable) Full HD, glossy-finish display that offers the ultimate visual experience for gaming and multimedia entertainment. The VX2452mh features ClearMotivII technology that delivers 2ms ultra-fast response time for blur-free images during extreme gaming, and an ultra-high 20M:1 MEGA Dynamic Contrast Ratio for sharp, crisp color performance for enjoying movies. Integrated D-sub, DVI and HDMI inputs provide flexible connectivity for high-definition multimedia devices and gaming consoles, and dual built-in 2-watt stereo speakers complete the package for multimedia enjoyment. With a VESA-mountable design, the VX2452mh offers flexible mounting options for any of your gaming and video entertainment needs. A 3-year limited warranty and the industry's best pixel performance policy make the VX2452mh a great long-term investment

### Specifications

---

---

[More Information](#)

|                                    |                                                                                                                                                                                              |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>UPC</b>                         | 766907734416                                                                                                                                                                                 |
| <b>Screen Size</b>                 | 24"                                                                                                                                                                                          |
| <b>Viewable Area (in.)</b>         | 23.6                                                                                                                                                                                         |
| <b>Panel Type</b>                  | TN                                                                                                                                                                                           |
| <b>Display Resolution</b>          | 1920 x 1080                                                                                                                                                                                  |
| <b>Static Contrast Ratio</b>       | 1,000:1                                                                                                                                                                                      |
| <b>Dynamic Contrast Ratio</b>      | 20M:1                                                                                                                                                                                        |
| <b>Light Source</b>                | LED                                                                                                                                                                                          |
| <b>Brightness</b>                  | 300 cd/m2                                                                                                                                                                                    |
| <b>Response Time (Typical GTG)</b> | 2ms                                                                                                                                                                                          |
| <b>Viewing Angles</b>              | 170° horizontal, 160° vertical                                                                                                                                                               |
| <b>Backlight Life (Hours)</b>      | 40,000                                                                                                                                                                                       |
| <b>Panel Surface</b>               | 3H Anti-glare, hard-coating                                                                                                                                                                  |
| <b>PC Resolution (max)</b>         | 1920 x 1080                                                                                                                                                                                  |
| <b>Mac® Resolution (max)</b>       | 1920 x 1080                                                                                                                                                                                  |
| <b>3.5mm Audio In</b>              | 1                                                                                                                                                                                            |
| <b>3.5mm Audio Out</b>             | 1                                                                                                                                                                                            |
| <b>HDMI In</b>                     | 1                                                                                                                                                                                            |
| <b>VGA</b>                         | 1                                                                                                                                                                                            |
| <b>DVI-D</b>                       | 1                                                                                                                                                                                            |
| <b>Internal Speakers</b>           | 2-watt (x2)                                                                                                                                                                                  |
| <b>Eco Mode (Conserve)</b>         | 16W                                                                                                                                                                                          |
| <b>Eco Mode (optimized)</b>        | 19W                                                                                                                                                                                          |
| <b>Consumption (typical)</b>       | 21.5W                                                                                                                                                                                        |
| <b>Voltage</b>                     | AC 100-240V (universal), 50-60Hz                                                                                                                                                             |
| <b>Cable Organization</b>          | No                                                                                                                                                                                           |
| <b>Kensington Lock Slot</b>        | 1                                                                                                                                                                                            |
| <b>Physical Controls</b>           | 1, 2, Down, Up, Power                                                                                                                                                                        |
| <b>On Screen Display</b>           | Auto Image Adjust, Contrast/Brightness, Input Select, ColorAdjust, Audio Adjust, Information, Manual Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality) |
| <b>Humidity (non-condensing)</b>   | 20-90%                                                                                                                                                                                       |
| <b>VESA Compatible</b>             | 100 x 100 mm                                                                                                                                                                                 |
| <b>Frequency Horizontal</b>        | 24~82kHz                                                                                                                                                                                     |
| <b>Frequency Vertical</b>          | 50~75Hz                                                                                                                                                                                      |
| <b>Analog Sync</b>                 | Separate Sync                                                                                                                                                                                |
| <b>Tilt (Forward/Back)</b>         | 0° / 20°                                                                                                                                                                                     |

|                                     |                                                                                                                                                                 |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Regulations</b>                  | cULus, FCC-B, ICES003, Energy Star, Mexico Energy, CE EMC, CB, RoHS Green BOM List & RoHS DoC, ErP, REACH SVHC List& DoC, WEEE, Custom Union, UkrSEPRO+DoC, EAC |
| <b>Net (lbs)</b>                    | 8.3                                                                                                                                                             |
| <b>Net Without Stand (lbs)</b>      | 7.6                                                                                                                                                             |
| <b>Gross (lbs)</b>                  | 11.9                                                                                                                                                            |
| <b>Net (kg)</b>                     | 3.8                                                                                                                                                             |
| <b>Net Without Stand (kg)</b>       | 3.5                                                                                                                                                             |
| <b>Gross (kg)</b>                   | 5.4                                                                                                                                                             |
| <b>Packaging (in.)</b>              | 24.4 x 18.5 x 5.2                                                                                                                                               |
| <b>Physical (in.)</b>               | 22.0 x 17.0 x 8.8                                                                                                                                               |
| <b>Physical Without Stand (in.)</b> | 22.0 x 14.0 x 2.1                                                                                                                                               |
| <b>Packaging (mm)</b>               | 619.0 x 470.0 x 132.0                                                                                                                                           |
| <b>Physical (mm)</b>                | 559.2 x 431.7 x 222.5                                                                                                                                           |
| <b>Physical Without Stand (mm)</b>  | 559.2 x 356.7 x 53.0                                                                                                                                            |
| <b>Package Contents</b>             | VX2452mh display, power cable, VGA cable, DVI cable, audio cable, Quick Start Guide,ViewSonic Wizard CD                                                         |
| <b>Power Management</b>             | ENERGY STAR® standards                                                                                                                                          |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                                                                                              |
| <b>Warranty</b>                     | Three-year limited warranty on parts, labor and backlight                                                                                                       |


UPC: 766907734416

**GREAT VISUALS**  
FOR HOME ENTERTAINMENT AND GAMING



2ms  
Response  
Time

Full HD 1080p Resolution



Flexible, future-proof connectivity options



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)