



VIEWSONIC 27" 1440P IPS ERGONOMIC MONITOR WITH 100W USB-C, RJ45, DAISY CHAIN | VG2758-2K

Key Features

- Versatile Monitor: 27 Inch Full HD (2560x1440p) IPS docking monitor with thin bezels and 100Hz refresh rate
- Single-Cable Daisy Chain: Streamline your multi-monitor setup with USB-C connectivity for fast data, audio and video transfer, 100W charging over one cable
- Ergonomic Stand: Advanced ergonomics (tilt, swivel, rotate and height) for all-day comfort
- Versatile Stand: Easy-to-install quick release stand with carrying handle and client mount
- Flexible Connectivity: The VG2758-2K supports PC, Mac and more with USB-C, RJ45, HDMI, DisplayPort (Daisy Chain), USB inputs
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue

**27
DISPLAY****IPS
PANEL****2560 x 1440p
RESOLUTION**

Product Description

Add next-generation productivity, clarity and connectivity to your setup with the 27" VG2758-2K USB-C docking monitor.

This stunning 2K monitor streamlines your workspace by eliminating the need for a separate docking station or extra cables. This empowers users to enjoy a lower overall total cost of ownership (TCO) compared to more traditional configurations. The VG2758-2K monitor's built-in docking station includes 100W USB-C connectivity, an RJ45 Ethernet port, USB-C daisy-chaining and a five-port USB hub. With advanced daisy-chain technology, this next-generation docking monitor lets users create a streamlined multi-monitor setup via a single USB-C daisy chain cable. Enjoy razor sharp resolution and fast refresh rates with no additional cables required. The VG2758-2K monitor's future-proof USB hub features three USB-A ports and two USB-C ports (with 15W power delivery). For easier access, users can plug their devices into the 1x USB-C port and 2x USB-A ports located on the front bezel of the monitor. Plus, with an advanced ergonomic design, the VG2758-2K lets you work for longer with less strain.

Specifications

More Information

UPC	766907027952
Screen Size	27
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	QHD (2560x1440)
Static Contrast Ratio	1,500:1

Light Source	LED
Brightness	350 cd/m2
Colors	16.7M
Color Space Support	8 bit true
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	100Hz
PC Resolution (max)	2560 x 1440p
Mac® Resolution (max)	2560 x 1440p
USB 3.2 Gen 2 Type A	3
USB Type C (Upstream)	1 (DP Alt mode; 100W)
USB Type C (Downstream)	2 (15W)
USB Type C (Out)	1 (DP Alt mode)
3.5mm Audio Out	1
Ethernet LAN (RJ45)	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	138
Eco Mode (optimized)	143
Consumption (typical)	149
Consumption (max)	242
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5
Power Supply	Internal
Cable Organization	Yes
Kensington Lock Slot	1
Physical Controls	Joystick key: Up, Right, Down, Left, Center; Power
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	30 ~ 151 KHz

Frequency Vertical	50 ~ 100 Hz
Height Adjust	150 mm / 5.9 in
Swivel	90°
Pivot (Right/Left)	90° / 90°
Tilt (Forward/Back)	5° / 30°
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, CEC
Net (lbs)	16.4
Net Without Stand (lbs)	11
Gross (lbs)	22.4
Net (kg)	7.4
Net Without Stand (kg)	5
Gross (kg)	10.2
Packaging (in.)	27.6W x 16.7H x 6.5D
Physical (in.)	24.12 W x 15.84 ~ 20.69H x 8.6D
Physical Without Stand (in.)	24.12 W x 14.16H x 1.76D
Packaging (mm)	702W x 425H x 166D
Physical (mm)	612.6W x 402.32~525.64H x 218.47D
Physical Without Stand (mm)	612.6 W x 359.77H x 44.75D
Package Contents	LCD Display, Power Cable, DisplayPort Cable, USB Type-C Cable (with USB Type A adaptor), Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907027952



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com