





VIEWSONIC 24" 1080P CURVED MONITOR WITH 100HZ, VARIABLE REFRESH RATE, HDMI AND DISPLAYPORT | VA2416C

Key Features


- Versatile Monitor: 24 Inch Full HD (1920x1080p) curved LED monitor with a 100Hz refresh rate
- Frameless Design: Featuring a frameless edge-to-edge screen that delivers an immersive viewing experience and easy multi-screen setups
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Optimized View Settings: Offers "Game," "Movie," "Web," "Text," and "Mono" presets
- Flexible Connectivity: The VA2416C supports laptops, PCs, Macs and more with HDMI and DisplayPort inputs



24"
DISPLAY



MVA
PANEL



1920x1080
RESOLUTION



FRAMELESS DESIGN
Enjoy seamless multi-monitor visuals

Product Description


Change the way you see work and play with the ViewSonic® VA2416C monitor. Featuring a 1500R curved screen and 1080p Full HD resolution, the VA2416C delivers better clarity and a more immersive viewing experience. Exclusive ViewSonic ViewMode™ presets offer optimized screen performance for home entertainment applications such as watching movies, editing files and playing video games. Flicker-Free technology and a Blue Light filter help minimize eye strain and enhance visual comfort during extended viewing periods. Enjoy flexible connectivity options with both HDMI and DisplayPort inputs.

Specifications

[More Information](#)

UPC	766907029857
Screen Size	24"
Viewable Area (in.)	23.6
Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	3,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bit true
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Curvature	1500R
Refresh Rate	100Hz
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
3.5mm Audio Out	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	16W
Eco Mode (optimized)	20W
Consumption (typical)	23W
Consumption (max)	25W
Voltage	100-240 VAC
Stand-by	3W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	U, R, D, L, EN (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu

Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI, DisplayPort: 30 ~ 125 KHz
Frequency Vertical	HDMI, DisplayPort: 48 ~ 100 Hz
Tilt (Forward/Back)	5º / 20º
Regulations	cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy, RoHS, WEEE
Net (lbs)	6.2
Net Without Stand (lbs)	5.5
Gross (lbs)	8.8
Net (kg)	2.8
Net Without Stand (kg)	2.5
Gross (kg)	4.0
Packaging (in.)	23.8 x 15.8 x 5.4
Physical (in.)	21.3 x 16.4 x 8.2
Physical Without Stand (in.)	21.3 x 12.7 x 2.7
Packaging (mm)	605.0 x 402.0 x 136.0
Physical (mm)	540.3 x 415.5 x 210.0
Physical Without Stand (mm)	540.3 x 322.3 x 69.7
Package Contents	VA2416C Display, HDMI Cable, AC/DC Adapter, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
UPC: 766907029857	



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email: salesinfo@viewsonic.com