

# VIEWSONIC 34" UWQHD CURVED VIDEO CONFERENCING MONITOR WITH WINDOWS HELLO COMPATIBLE IR WEBCAM, 100W USB-C, RJ45 | VG3457CV

## Key Features


- Versatile Monitor: 34 Inch 21:9 UWQHD (3440x1440p) curved monitor with thin bezels and 100Hz refresh rate
- Feature-Packed Camera: Ergonomic 5MP pop-up camera that is Zoom and Windows Hello certified
- Video Conferencing Monitor: Built-in microphone, front-firing 5W speakers, and a 1080p camera
- Ditch The Dock: Ethernet RJ45 and USB-C connectivity for fast data, audio and video transfer, 100W charging over one cable
- Ergonomic Stand: Advanced ergonomics (40-degree tilt, swivel, and height) for all-day comfort
- Flexible Connectivity: The VG3457CV supports PC, Mac and more with USB-C, RJ45, HDMI 20, DisplayPort In, and USB



34"  
DISPLAY



MVA  
PANEL



3440 X 1440  
RESOLUTION

## Product Description

ViewSonic VG3457CV video conferencing monitor is an ultrawide docking monitor with premium features such as a Zoom certified pop-up webcam that will help maintain productive meetings whether in the office or working from home. Premium webcam features to improve visual and audio aspects of video calls such as built in LED lighting, and powerful speakers. The IR camera allows for secure and easy sign-on with Windows Hello. The 21:9 aspect ratio provides extra screen space, while the 1500R curved screen offers an immersive viewing experience. Reliable network connectivity is ensured with an integrated Ethernet port, and the latest USB Type-C connectivity provides up to 100W power delivery to your laptop. Additionally, the integrated USB hub allows for easy connecting and charging of peripherals and accessories.

## Specifications

### More Information

<b>UPC</b>	766907026078
<b>Screen Size</b>	34"
<b>Viewable Area (in.)</b>	34
<b>Panel Type</b>	MVA
<b>Display Resolution</b>	3440 x 1440
<b>Display Resolution</b>	UWQHD (3440x1440)
<b>Static Contrast Ratio</b>	3,000:1
<b>Dynamic Contrast Ratio</b>	80,000,000:1

<b>Brightness</b>	350 cd/m2
<b>Colors</b>	1.07B
<b>Color Space Support</b>	10 bit (8 bit + FRC)
<b>Aspect Ratio</b>	21:9
<b>Response Time (Typical GTG)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Backlight Life (Hours)</b>	30,000
<b>Panel Surface</b>	Anti-Glare type, Hard-coating (3H), Haze 25%
<b>Curvature</b>	1500R
<b>Refresh Rate</b>	100Hz
<b>PC Resolution (max)</b>	3440 X 1440
<b>Mac® Resolution (max)</b>	3440 X 1440
<b>USB Type A</b>	4
<b>USB Type C</b>	100W x 1, 15W x 1
<b>3.5mm Audio Out</b>	1
<b>Ethernet LAN (RJ45)</b>	1
<b>HDMI 2.0 In</b>	2
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	5W (x2)
<b>Eco Mode (Conserve)</b>	35W
<b>Eco Mode (optimized)</b>	40W
<b>Consumption (typical)</b>	45W
<b>Consumption (max)</b>	210W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	HDMI 2.0, DisplayPort, USB Type C: 30 ~ 150 KHz
<b>Frequency Vertical</b>	HDMI 2.0, DisplayPort, USB Type C: 48 ~ 100 Hz
<b>Height Adjust</b>	110 mm / 4.3 in
<b>Swivel</b>	120°
<b>Tilt (Forward/Back)</b>	5° / 40°

<b>Regulations</b>	cTUVus, FCC-B ICES003, Energy Star, EPEAT, CEC, NOM, Mexico Energy
<b>Net (lbs)</b>	20.9
<b>Net Without Stand (lbs)</b>	15.4
<b>Gross (lbs)</b>	34.2
<b>Net (kg)</b>	9.5
<b>Net Without Stand (kg)</b>	7.0
<b>Gross (kg)</b>	15.5
<b>Packaging (in.)</b>	39 x 19.5 x 9.4
<b>Physical (in.)</b>	31.81 x 16.68~21.01 x 9.3
<b>Physical Without Stand (in.)</b>	31.81 x 15.4 x 4.53
<b>Packaging (mm)</b>	990.0 x 495.0 x 238.0
<b>Physical (mm)</b>	808.0 x 423.7~533.7 x 236.2
<b>Physical Without Stand (mm)</b>	808.0 x 31.3 x 4.53
<b>Package Contents</b>	VG3457CV Display, Power Cable, HDMI to HDMI Cable, USB Type-C Cable (with USB Type A adaptor), Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	Three-year limited warranty on parts, labor and backlight

UPC: 766907026078



### Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)