




VIEWSONIC 22" 1080P THIN-BEZEL IPS MONITOR WITH HDMI, DISPLAYPORT, AND VGA | VX2276-SMHD

Key Features


- Versatile Monitor: 22 Inch Full HD (1920x1080p) IPS monitor with thin bezels and 75Hz refresh rate
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Optimized View Settings: Offers "Game," "Movie," "Web," "Text," and "Mono" presets
- Flexible Connectivity: The VX2276-SMHD supports laptops, PCs, and Macs with HDMI, DisplayPort, and VGA inputs
- This monitor is not VESA compatible



22"
DISPLAY



IPS
PANEL



Up to 1920x1080 non-interlaced
RESOLUTION



WHAT'S IN THE BOX
*Power Cable varies by region



Product Description



The ViewSonic® VX2276-smhd is a sleek 22" (21.5" viewable) Full HD monitor with a modern and minimalist style perfect for home use. With SuperClear® IPS Panel technology, this monitor offers best-in-class screen performance with ultra-wide viewing angles. A premium ID includes an ultra-slim profile, unique desktop stand, and a sleek edge-to-edge frameless design, that when combined with vivid 1920x1080 resolution and dual speakers, deliver an immersive viewing experience for home entertainment and multimedia applications. HDMI, DisplayPort, and VGA inputs offer flexible connectivity options for both computing and gaming environments, while ViewSonic's exclusive ViewMode™ feature provides intuitive presets for optimized screen performance in different applications. In addition, Flicker-Free technology and a Blue Light Filter help to minimize eye strain from extended viewing periods. With ViewSonic's industry-leading 3-year limited warranty, this monitor is a solid long-term investment that combines style and high performance for the home.

Specifications

	More Information
UPC	766907834321
Screen Size	22"
Viewable Area (in.)	21.5
Panel Type	IPS
Display Resolution	1920 x 1080
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Response Time (Typical GTG)	5ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, hard-coating (3H)
Refresh Rate	100Hz
PC Resolution (max)	Up to 1920x1080 non-interlaced
Mac® Resolution (max)	Up to 1920x1080
3.5mm Audio In	1
3.5mm Audio Out	1
HDMI In	1
VGA	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	15W
Eco Mode (optimized)	17W
Consumption (typical)	19W
Consumption (max)	22W
Voltage	AC 100-240V (universal), 50-60Hz
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (Favorite), Key 2, Key 3, Key 4, Key 5 (Power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)

Humidity (non-condensing)	20-90%
VESA Compatible	75 x 75 mm
Frequency Horizontal	24~83KHz
Frequency Vertical	50~75Hz
Analog Sync	Separate Sync,TMDS, PCI-E
Tilt (Forward/Back)	5° / 15°
Regulations	cTULus, FCC-B, ICES003, Energy Star, CEC, NOM, Mexico Energy
Net (lbs)	5.5
Gross (lbs)	7.9
Net (kg)	2.5
Gross (kg)	3.6
Packaging (in.)	22.1 x 15.4 x 4.6
Physical (in.)	19.4 x 14.6 x 7.1
Packaging (mm)	561 x 390 x 118
Physical (mm)	492 x 372 x 180
Package Contents	VX2276-SMHD, HDMI Cable, AC/DC Adapter, QuickStart Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907834321



FULL HD (1920X1080P) RESOLUTION



FUTURE-PROOF INPUTS FOR FLEXIBLE CONNECTIVITY OPTIONS

Contact Sales
ViewSonic.com
888.881.8781
email: salesinfo@viewsonic.com