


VX3216-SCMH-W-2 - 32" CURVED FRAMELESS 1080P MONITOR WITH HDMI, DVI AND VGA

Key Features


- Immersive Curved Screen Design
- Full HD 1080p resolution
- Versatile connectivity
- Optimized View Settings



32
DISPLAY



MVA
PANEL



1920 x 1080
RESOLUTION



Product Description

With a large 32" (31.5" viewable) curved screen design and stunning Full HD 1080p resolution, the ViewSonic® VX3216-SCMH-W monitor provides an incredibly immersive home entertainment experience. Designed with an 1800R curved screen featuring 88% NTSC wide gamut color coverage, as well as dual stereo speakers, this monitor delivers a perfect balance of comfort, color, and sound for complete viewer engagement. A sleek edge-to-edge frameless bezel and slick curves are great for multi-monitor setups, while a range of flexible connectivity options include HDMI, DVI, and VGA. The monitor also comes equipped with ViewSonic exclusive ViewMode™ presets, which offer optimized screen performance for home entertainment, work, surfing the web, and more.

Specifications

More Information

UPC	766907858013
Screen Size	32
Viewable Area (in.)	31.5
Panel Type	MVA
Display Resolution	1920 x 1080
Static Contrast Ratio	3,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	WLED
Brightness	280 cd/m2

Colors	16.7M
Color Space Support	8-Bit
Aspect Ratio	16:9
Response Time (Typical GTG)	14ms
Response Time (GTG w/OD)	5ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Curvature	1800R
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
DVI-D	1
HDMI 1.4 In	1
Internal Speakers	3W (x2)
Eco Mode (Conserve)	19.5
Eco Mode (optimized)	25.3
Consumption (typical)	33.8
Consumption (max)	40
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Joy Stick Key Definition
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
Frequency Horizontal	HDMI & DVI: 24 ~ 82KHz
Frequency Vertical	HDMI & DVI: 50 ~ 75Hz
Digital Sync	TMDS
Tilt (Forward/Back)	5° / 10°
Regulations	cTUVus, FCC-B, ICES003, NRCAN, Mexico CoC, Mexico Energy


Net (lbs)	13.7
Net Without Stand (lbs)	11.0
Gross (lbs)	20.3
Net (kg)	6.2
Net Without Stand (kg)	5.0
Gross (kg)	20.3
Packaging (in.)	30.6 x 22.4 x 6.6
Physical (in.)	28.0 x 19.8 x 6.9
Physical Without Stand (in.)	28.0 x 16.5 x 3.1
Packaging (mm)	776.0 x 569.0 x 167.0
Physical (mm)	711.2 x 503.3 x 173.9
Physical Without Stand (mm)	711.2 x 418.1 x 79.6
Package Contents	VX3216-SCMH-W Display, 60W AC/DC Adapter, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Classification	Discontinued

UPC: 766907858013



Contact Sales

ViewSonic.com

888.881.8781 

email: salesinfo@viewsonic.com 