





XG2705 - 27" OMNI 1080P 1MS 144HZ IPS GAMING MONITOR WITH FREESYNC PREMIUM, HDMI, AND DP

Key Features


- 144Hz Refresh Rate
- Ultra-Fast Response Time
- AMD FreeSync™ Premium Pro
- SuperClear IPS Panel Technology
- Frameless Design



27
DISPLAY



IPS
PANEL



1920 X 1080
RESOLUTION



Product Description

The ViewSonic® XG2705 is a 27" Full HD IPS monitor built with the speed and performance that gamers need. Featuring a 144Hz refresh rate and AMD FreeSync™ Premium technology, this monitor virtually eliminates screen tearing and stuttering for fluid game play during fast-paced action scenes. An ultra-fast 1ms (MPRT) response time also provides smooth screen performance free from blurring or ghosting. For multi-display setups, a three-sided borderless design maximizes viewing size while minimizing frame distractions. Flexible connectivity options such as DisplayPort and HDMI allow you to connect to your PC and gaming console.

Specifications

More Information	
UPC	766907005042
Screen Size	27
Viewable Area (in.)	27
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED

Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bit (6 bit + Hi-FRC)
Aspect Ratio	16:9
Response Time (Typical GTG)	2ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	144Hz
Adaptive Sync	AMD FreeSync™ Premium
PC Resolution (max)	1920 X 1080
Mac® Resolution (max)	1920 X 1080
3.5mm Audio Out	1
HDMI 1.4 In	2
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	21W
Eco Mode (optimized)	26W
Consumption (typical)	29W
Consumption (max)	36W
Voltage	100-240 VAC, 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	30 ~ 180 KHz
Frequency Vertical	48 ~ 144 Hz
Digital Sync	TMDS for HDMI (v1.4), PCI-E for DisplayPort (v1.2)
Height Adjust	120 mm / 4.7 in
Swivel	45º

Pivot (Right/Left)	90° / 0°
Tilt (Forward/Back)	5° / 20°
Regulations	cTUVus, FCC-B, ICES003, Energy Star 8.0, MX-CoC, Mexico Energy
Net (lbs)	16.5
Net Without Stand (lbs)	9.4
Gross (lbs)	20.5
Net (kg)	7.5
Net Without Stand (kg)	4.3
Gross (kg)	9.3
Packaging (in.)	29.1 x 17.6 x 7.5
Physical (in.)	24.1 x 17.08~21.35 x 9.4
Physical Without Stand (in.)	24.1 x 14.4 x 1.9
Packaging (mm)	738.0 x 448.0 x 191.0
Physical (mm)	612.0 x 433.9~542.32 x 239.0
Physical Without Stand (mm)	612.0 x 367.0 x 49.0
Package Contents	XG2705, 1 x Power Cable, 1 x HDMI Cable, 1 x Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907005042



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email: salesinfo@viewsonic.com