


VP3481A - 34" COLORPRO™ 21:9 CURVED UWQHD MONITOR WITH 100HZ, FREESYNC, 90W USB C, RJ45 AND SRGB

Key Features


- 34 Inch ultrawide 21:9 UWQHD+ (3440x1440p) 1800R curved monitor with MVA, thin bezels and HDR10
- Ethernet RJ45 and USB-C connectivity for fast data, audio and video transfer, 90W charging over one cable
- FreeSync with 100Hz refresh rate for smooth, tear-free playback ideal for video editors and game developers
- Advanced ergonomics (tilt, swivel, and height) for all-day comfort
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- 100% sRGB, EBU, SMPTE-C, Rec. 709, and DICOM-SIM color spaces and Delta E<2 accuracy
- Hardware calibrated to ensure that the color displayed perfectly matches the original file
- The VP3481a supports laptops, PCs, Macs and more with USB-C, HDMI, USB and DisplayPort inputs



34
DISPLAY



MVA
PANEL



3440 x 1440
RESOLUTION



Product Description

With an immersive curved screen and stunning WQHD+ 3440x1440 resolution, the ViewSonic VP3481a monitor elevates your viewing experience from flat to panoramic. Delivering incredible detail and vivid colors across wide viewing angles, this monitor is engineered to provide precise color accuracy, while HDR10 compatibility delivers a wider dynamic range of vivid colors and richer contrast. Thanks to an expansive 34" frameless screen, ultra-wide 21:9 aspect ratio, and integrated speakers, this monitor is ideal for video editing, content development, and other color-critical applications. Featuring an incredible 100Hz refresh rate and AMD FreeSync™ technology, this monitor delivers smooth, tear-free playback ideal for video editors and game developers. With a sleek and modern design, the VP3481a features a future-proof USB Type-C port with 90W charging, as well as DisplayPort technology, and HDMI. What's more, HDCP 2.2 content protection is standard across all ports to provide secure 4K content playback, streaming and gaming. The VP3481a provides an amazing Delta E<2 value and 99%* sRGB color accuracy for incredible and precise color accuracy. An integrated color uniformity function ensures consistent chromaticity across the screen, while a 14-bit 3D look-up table generates a stunningly smooth palette of 4.39 trillion colors. Hardware calibration is also available with the optional ViewSonic Colorbration Kit, which allows you to quickly and easily calibrate the monitor for photography, graphic design, and other professional applications.

Specifications

More Information

UPC	766907009569
Screen Size	34
Viewable Area (in.)	34
Panel Type	MVA

Display Resolution	3440 x 1440
Display Resolution	WQHD (3440x1440)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	400 cd/m2
Colors	16.7M
Color Space Support	8 bits
Aspect Ratio	21:9
Response Time (Typical GTG)	5ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-glare, Hard coating (3H)
Curvature	1800R
PC Resolution (max)	3440 x 1440
Mac® Resolution (max)	3440 x 1440
USB Type A	2
USB Type B	1
USB Type C	90W x 1
Ethernet LAN (RJ45)	1
HDMI 2.0 In	2
DisplayPort	1
Internal Speakers	5W (x2)
Eco Mode (Conserve)	53.5W
Eco Mode (optimized)	62.5W
Consumption (typical)	74.5W
Consumption (max)	79.5W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	1,2,3,4,5,6 (Power)
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
Temperature	32-104° F (0 - 40° C)

Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	15 ~ 135 KHz
Frequency Vertical	24 ~ 100 Hz
Height Adjust	130 mm / 5.1 in
Swivel	60°
Tilt (Forward/Back)	6° / 21°
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, MX-CoC, Mexico Energy
Net (lbs)	26.7
Net Without Stand (lbs)	16.2
Gross (lbs)	37.9
Net (kg)	12.1
Net Without Stand (kg)	7.4
Gross (kg)	17.2
Packaging (in.)	38.0 x 14.6 x 23.2
Physical (in.)	31.9 x 18.9 x 11.8
Physical Without Stand (in.)	31.9 x 14.4 x 4.1
Packaging (mm)	965.0 x 370.0 x 590.0
Physical (mm)	809.0 x 480.0 x 299.0
Physical Without Stand (mm)	809.0 x 366.0 x 105.0
Package Contents	VP3481a Display, Power cable, HDMI cable, DP to DP cable, USB Type C cable, USB Type B Uplink cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907009569



Contact Sales

ViewSonic.com

888.881.8781

email: salesinfo@viewsonic.com