

VIEWSONIC 24" 1080P ERGONOMIC 40-DEGREE TILT MONITOR WITH HDMI, DP, AND VGA | VG2440

Key Features

- Versatile Monitor: 24 Inch Full HD (1920x1080p) LED monitor with 60Hz refresh rate
- Ergonomic Stand: Advanced ergonomics (40-degree tilt, swivel, rotate and height) for all-day comfort
- Enhanced Viewing Comfort: Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Flexible Connectivity: The VG2440 supports laptops, PCs, Macs and more with HDMI, USB, DisplayPort, VGA inputs




Flexible Connectivity Options



24"
DISPLAY



MVA
PANEL



1920x1080
RESOLUTION



- x1 VESA Compatible Wall Mount (100 x 100mm)
- x1 HDMI 1.4
- x1 DisplayPort
- x3 USB Type-A
- x1 USB Type-B
- x1 VGA
- x2 Audio (In/Out)
- x2 2W Speakers

Product Description



The ViewSonic® VG2440 is a 24" (23.6" viewable) Full HD monitor that includes a full-range of connectivity and ergonomic functionality ideal for your workstation at the office and at home. With SuperClear® MVA panel technology for wide-angle viewing, and an 8-bit panel with the ability to reproduce 16.7M colors, this monitor delivers incredibly sharp images. Integrated with HDMI, DisplayPort, VGA and 3 USB ports, the VG2440 allows flexible connection to PC systems, laptops and other peripheral devices and accessories. ViewSonic's exclusive vDisplayManager software provides intuitive presets that deliver optimized screen performance in different applications. In addition, Flicker-Free and Blue Light Filter technology help to eliminate eye strain from extended viewing periods.

Specifications

	More Information
UPC	766907010329
Screen Size	24"
Viewable Area (in.)	23.6
Panel Type	MVA
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	3,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	8 bits
Aspect Ratio	16:9
Response Time (Typical GTG)	5ms
Viewing Angles	178° horizontal, 178° vertical
Panel Surface	Anti-glare, Hard coating (3H)
PC Resolution (max)	1920x1080
Mac® Resolution (max)	1920x1080
USB Type A	1
USB Type B	3
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
DisplayPort	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	11.8W
Eco Mode (optimized)	13.1W
Consumption (typical)	14.8W
Consumption (max)	16.2W
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W
Power Supply	Internal
Cable Organization	No

Kensington Lock Slot	1
Physical Controls	1,2,3,4,5,6 (Power)
On Screen Display	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI (v1.4): 15 ~ 90 KHz, DisplayPort: 15 ~ 90 KHz
Frequency Vertical	HDMI (v1.4): 49 ~ 75 Hz, DisplayPort: 49 ~ 75 Hz
Digital Sync	TMDS for HDMI (v1.4), PCI-E for DisplayPort
Height Adjust	130 mm / 5.1 in
Swivel	120°
Pivot (Right/Left)	90° / 90°
Tilt (Forward/Back)	5° / 40°
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, MX-CoC, Mexico Energy
Net (lbs)	12.9
Net Without Stand (lbs)	8.5
Gross (lbs)	18.7
Net (kg)	5.8
Net Without Stand (kg)	3.4
Gross (kg)	8.5
Packaging (in.)	24.0 x 15.9 x 8.3
Physical (in.)	21.6 x 15.1~20.2 x 8.1
Physical Without Stand (in.)	21.6 x 12.9 x 2.0
Packaging (mm)	609.0 x 405.0 x 210.0
Physical (mm)	549.0 x 384.0~513.0 x 206.0
Physical Without Stand (mm)	549.0 x 329.0 x 50.0
Package Contents	VG2440 Display, Power Cable, HDMI Cable, USB Type, B Uplink Cable, 3.5mm Audio Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907010329



Contact Sales
ViewSonic.com
 888.881.8781
 email: salesinfo@viewsonic.com