





# VIEWSONIC 27" 1080P ERGONOMIC 100HZ MONITOR WITH FREESYNC, HDMI AND VGA | VA2747-MHJ

## Key Features


- 27 Inch Full HD (1920x1080p) LED monitor with thin bezels and 100Hz refresh rate
- Advanced ergonomics (tilt, swivel, rotate and height) for all-day comfort
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- AMD FreeSync technology enables fluid and tear-free gameplay
- Optimized view settings offer “Game,” “Movie,” “Web,” “Text,” and “Mono” presets
- The VA2747-MHJ supports laptops, PCs, Macs and more with HDMI and VGA inputs



27  
DISPLAY



MVA  
PANEL



1920x1080@100Hz  
RESOLUTION



## Product Description

With flexible connectivity, wide-angle viewing, and amazing screen performance, the ViewSonic® VA2747-MHJ delivers solid multimedia features and a sleek design at a great value. Featuring frameless MVA panel technology, the VA2747-MHJ delivers stunning brightness and contrast at nearly any viewing angle. A minimalistic design, edge-to-edge screen, and frameless bezel make this an ideal monitor for nearly seamless multi-screen setups. Whether for working at the office, or enjoying entertainment at home, the VA2747-MHJ features an HDMI port and an included HDMI cable for flexible connectivity to PCs, laptops and gaming consoles. A three-year limited warranty, along with one of the industry’s best pixel performance policies, makes the VA2747-MHJ a great overall value choice.

## Specifications

| More Information       |                     |
|------------------------|---------------------|
| UPC                    | 766907010985        |
| Screen Size            | 27                  |
| Viewable Area (in.)    | 27                  |
| Panel Type             | MVA                 |
| Display Resolution     | 1920 x 1080         |
| Display Resolution     | Full HD (1920x1080) |
| Static Contrast Ratio  | 4,000:1             |
| Dynamic Contrast Ratio | 50,000,000:1        |

|                                    |                                                                                                      |
|------------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Light Source</b>                | LED                                                                                                  |
| <b>Brightness</b>                  | 250 cd/m2                                                                                            |
| <b>Colors</b>                      | 16.7M                                                                                                |
| <b>Aspect Ratio</b>                | 16:9                                                                                                 |
| <b>Response Time (Typical GTG)</b> | 5ms                                                                                                  |
| <b>Viewing Angles</b>              | 178º horizontal, 178º vertical                                                                       |
| <b>Panel Surface</b>               | Anti-glare                                                                                           |
| <b>PC Resolution (max)</b>         | 1920x1080@100Hz                                                                                      |
| <b>Mac® Resolution (max)</b>       | 1920x1080@100Hz                                                                                      |
| <b>3.5mm Audio In</b>              | 1                                                                                                    |
| <b>3.5mm Audio Out</b>             | 1                                                                                                    |
| <b>VGA</b>                         | 1                                                                                                    |
| <b>HDMI 1.4 In</b>                 | 1                                                                                                    |
| <b>Internal Speakers</b>           | 2W (x2)                                                                                              |
| <b>Consumption (typical)</b>       | 26W                                                                                                  |
| <b>Voltage</b>                     | 100-240 VAC, 50-60Hz                                                                                 |
| <b>Stand-by</b>                    | 0.3W                                                                                                 |
| <b>Power Supply</b>                | Internal                                                                                             |
| <b>Cable Organization</b>          | No                                                                                                   |
| <b>Kensington Lock Slot</b>        | 1                                                                                                    |
| <b>Physical Controls</b>           | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)                                                 |
| <b>On Screen Display</b>           | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu                  |
| <b>Temperature</b>                 | 32-104º F (0 - 40º C)                                                                                |
| <b>Humidity (non-condensing)</b>   | 20-90%                                                                                               |
| <b>VESA Compatible</b>             | 100 x 100 mm                                                                                         |
| <b>Frequency Horizontal</b>        | HDMI (v1.4): 24 ~ 115 KHz                                                                            |
| <b>Frequency Vertical</b>          | HDMI (v1.4): 48 ~ 100 Hz                                                                             |
| <b>Height Adjust</b>               | 130 mm / 5.1 in                                                                                      |
| <b>Swivel</b>                      | 360º                                                                                                 |
| <b>Pivot (Right/Left)</b>          | 90º / 90º                                                                                            |
| <b>Tilt (Forward/Back)</b>         | 2º / 26º                                                                                             |
| <b>Regulations</b>                 | cTUVus, FCC-B, ICES003, Energy Star Certified, EPEAT Certified, CEC, MX-CoC, Mexico Energy, CB, RoHS |
| <b>Net (lbs)</b>                   | 12.8                                                                                                 |
| <b>Net Without Stand (lbs)</b>     | 8.2                                                                                                  |
| <b>Gross (lbs)</b>                 | 25.4                                                                                                 |
| <b>Net (kg)</b>                    | 5.8                                                                                                  |

|                                     |                                                                                           |
|-------------------------------------|-------------------------------------------------------------------------------------------|
| <b>Net Without Stand (kg)</b>       | 3.7                                                                                       |
| <b>Gross (kg)</b>                   | 11.5                                                                                      |
| <b>Packaging (in.)</b>              | 28.6 x 17.7 x 7.7                                                                         |
| <b>Physical (in.)</b>               | 24.2 x 15.67~20.75 x 8.8                                                                  |
| <b>Physical Without Stand (in.)</b> | 24.2 x 14.5 x 1.9                                                                         |
| <b>Packaging (mm)</b>               | 726.0 x 450.0 x 196.0                                                                     |
| <b>Physical (mm)</b>                | 614.0 x 398.03~527.06 x 223.0                                                             |
| <b>Physical Without Stand (mm)</b>  | 614.0 x 368.0 x 47.0                                                                      |
| <b>Package Contents</b>             | VA2747-MHJ, 3-pin Plug (IEC C13 / CEE22), HDMI Cable (v1.4; Male-Male), Quick Start Guide |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                        |
| <b>Warranty</b>                     | Three-year limited warranty on parts, labor and backlight                                 |

UPC: 766907010985



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)