


LD216-251 - 216" DISPLAY, 1920 X 1080 RESOLUTION, 600-NIT BRIGHTNESS, 24/7


## Key Features

---


- All-in-One Solution
  - Powerful Embedded SoC Platform
  - Multi-Panel Modular Design for Easy Installation
  - Vivid Colors and Stunning Images
  - AV Control System Compatible
  - Free Viewboard® Cast Content Sharing Software
- 



216  
**DISPLAY**



**PANEL**



1920x1080  
**RESOLUTION**



## Product Description

---

The ViewSonic® LD216-251 is a premium all-in-one direct view LED commercial display. With a huge 216" screen size, the LD216-251 is built to impress as a centerpiece in any conference room, boardroom, or lobby. Along with its immense screen size, this display delivers stunning visuals with Full HD resolution, 2.5mm fine pixel pitch, 600-nit high brightness, 4,440Hz ultra-fast refresh rate, and 120% Rec.709 wide color gamut.

Integrated ViewBoard® Cast screen sharing software\* (along with optional ViewSonic vCastSender app), enables both on-site and online attendees to participate in video conferences and simultaneously share content. Equipped with twin dual-core processors, 4GB RAM, and 32GB of internal memory, the LD216-251 can play multimedia from internal storage or a USB flash drive 24 hours a day, seven days a week. And with remote configuration and content management system support, the ViewSonic LD216-251 is also suitable for a wide array of diverse signage applications.

\*Chrome, Android, Windows, Mac OS, and iOS compliant

## Specifications

---

| More Information         |                       |
|--------------------------|-----------------------|
| <b>UPC</b>               | 766907010442          |
| <b>OS</b>                | Android 8.0           |
| <b>Media Player Type</b> | Yes                   |
| <b>GPU</b>               | Mult-core MaliG51 MP2 |
| <b>CPU</b>               | Hi3751 V811           |
| <b>Memory</b>            | 4GB DDR4              |

|                                       |                                                                                                                            |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| <b>Storage</b>                        | 32GB (26GB available)                                                                                                      |
| <b>Internal Speakers</b>              | 5W (x2)                                                                                                                    |
| <b>PC Resolution (max)</b>            | 1920x1080                                                                                                                  |
| <b>Mac® Resolution (max)</b>          | 1920x1080                                                                                                                  |
| <b>HDMI 1.4 In</b>                    | 1                                                                                                                          |
| <b>HDMI 1.4 (with HDCP 1.4)</b>       | 1                                                                                                                          |
| <b>HDMI 1.4 Out (with HDCP 1.4)</b>   | 1                                                                                                                          |
| <b>HDMI 1.4 Out</b>                   | 1                                                                                                                          |
| <b>3.5mm Audio Out</b>                | 1                                                                                                                          |
| <b>USB 3.0</b>                        | 1                                                                                                                          |
| <b>USB 2.0</b>                        | 2                                                                                                                          |
| <b>USB 2.0 Type B</b>                 | 1                                                                                                                          |
| <b>RS232</b>                          | 1                                                                                                                          |
| <b>Ethernet LAN (RJ45)</b>            | 1                                                                                                                          |
| <b>IR in</b>                          | 1                                                                                                                          |
| <b>Voltage</b>                        | 100-240V+/- 10%, (100-120V/30A, 50/60Hz ; 220-240V/15A)                                                                    |
| <b>Consumption (max)</b>              | 4,900W                                                                                                                     |
| <b>Consumption (typical)</b>          | 3,430W                                                                                                                     |
| <b>Stand-by</b>                       | <0.5W                                                                                                                      |
| <b>Temperature</b>                    | 41-104º F (5 - 40º C)                                                                                                      |
| <b>Humidity (non-condensing)</b>      | 20-80%                                                                                                                     |
| <b>Net (lbs)</b>                      | 750.0                                                                                                                      |
| <b>Gross (lbs)</b>                    | 992.0                                                                                                                      |
| <b>Net (kg)</b>                       | 340.0                                                                                                                      |
| <b>Gross (kg)</b>                     | 450.0                                                                                                                      |
| <b>Packaging (in.)</b>                | 109.4 x 40.2 x 33.5                                                                                                        |
| <b>Physical (in.)</b>                 | 189.8 x110.9 x 1.38                                                                                                        |
| <b>Physical with Wall Mount (in.)</b> | 189.8 x 110.9 x 2.2                                                                                                        |
| <b>Packaging (mm)</b>                 | 2780.0 x 1020.0 x 850.0                                                                                                    |
| <b>Physical (mm)</b>                  | 4820.0 x 2818.0 x 35.0                                                                                                     |
| <b>Physical with Wall Mount (mm)</b>  | 4820.0 x 2818.0 x 56.0                                                                                                     |
| <b>Warranty</b>                       | 3-year limited warranty on parts and labor, on-site service                                                                |
| <b>Recycle/Disposal</b>               | Please dispose of in accordance with local, state or federal laws.                                                         |
| <b>Package Contents</b>               | Power Cord, Remote Control, QSG, Wall-mount, Maintenance Tool (LD-MK-001), USB Cable (A-to-B), Spart Modules (LED PCB x 2) |
| <b>Regulations</b>                    | cTUVus, FCC, RoHS, Mexico CoC, Mexico Energy                                                                               |

|                               |                                |
|-------------------------------|--------------------------------|
| <b>Battery Chemistry</b>      | Lithium                        |
| <b>Wifi</b>                   | 802.11ac (2.4GHz/5GHz)         |
| <b>Display Type</b>           | Direct View LED                |
| <b>Screen Size</b>            | 216                            |
| <b>Viewable Area (in.)</b>    | 216                            |
| <b>Light Source</b>           | Fine Pixel Pitch LED           |
| <b>LED Pitch Size (mm)</b>    | 2.5                            |
| <b>LED Grayscale</b>          | 14 bits                        |
| <b>Display Resolution</b>     | 1920 x 1080                    |
| <b>Refresh Rate</b>           | 4,440Hz                        |
| <b>Aspect Ratio</b>           | 16:9                           |
| <b>Static Contrast Ratio</b>  | 6,000:1                        |
| <b>Backlight Life (Hours)</b> | 100,000                        |
| <b>Brightness</b>             | 600-nit                        |
| <b>Viewing Angles</b>         | 160° horizontal, 160° vertical |
| <b>Operation Rating</b>       | 24/7                           |
| UPC: 766907010442             |                                |



**Contact Sales**

[ViewSonic.com](http://ViewSonic.com)  
888.881.8781   
email: [salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com) 