



## VX2716 - 27" 1080P 1MS 100HZ IPS GAMING MONITOR WITH FREESYNC

### Key Features

---


- 27 Inch Full HD (1920x1080p) IPS gaming monitor with thin bezels
- 100Hz refresh rate and 1ms (MPRT) response time for ultimate gaming experience
- AMD FreeSync technology enables fluid and tear-free gameplay
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- The VX2716 supports laptops, PCs, Macs and more with HDMI and DisplayPort inputs



27"  
**DISPLAY**



IPS  
**PANEL**



1920 x 1080  
**RESOLUTION**



**GREAT VISUALS**  
For home entertainment and gaming



### Product Description

---

The ViewSonic™ VX2716 is a 27" gaming monitor that delivers incredible graphics and smooth gameplay at a great price point—perfect for beginners and casual, everyday gamers. Featuring stunning Full HD resolution along with quick refresh rates and response times, the VX2716 is packed with all the features you need for an incredible gaming experience. In addition, dual-integrated speakers deliver immersive stereo sound, while HDMI and DisplayPort offer versatile connectivity, making the monitor a great option for both work and play.

### Specifications

---


More Information

UPC

766907016802

|                                    |                                                                                     |
|------------------------------------|-------------------------------------------------------------------------------------|
| <b>Monitor Series</b>              | OMNI Gaming                                                                         |
| <b>Screen Size</b>                 | 27"                                                                                 |
| <b>Viewable Area (in.)</b>         | 27                                                                                  |
| <b>Panel Type</b>                  | IPS                                                                                 |
| <b>Display Resolution</b>          | 1920 x 1080                                                                         |
| <b>Display Resolution</b>          | Full HD (1920x1080)                                                                 |
| <b>Static Contrast Ratio</b>       | 1,000:1                                                                             |
| <b>Dynamic Contrast Ratio</b>      | 80M:1                                                                               |
| <b>Light Source</b>                | LED                                                                                 |
| <b>Brightness</b>                  | 300 cd/m2                                                                           |
| <b>Colors</b>                      | 16.7M                                                                               |
| <b>Aspect Ratio</b>                | 16:9                                                                                |
| <b>Response Time (Typical GTG)</b> | 4ms                                                                                 |
| <b>Viewing Angles</b>              | 178º horizontal, 178º vertical                                                      |
| <b>Backlight Life (Hours)</b>      | 30,000                                                                              |
| <b>Panel Surface</b>               | Anti-glare                                                                          |
| <b>Refresh Rate</b>                | 100Hz                                                                               |
| <b>Adaptive Sync</b>               | AMD FreeSync™                                                                       |
| <b>PC Resolution (max)</b>         | 1920 x 1080                                                                         |
| <b>Mac® Resolution (max)</b>       | 1920 x 1080                                                                         |
| <b>3.5mm Audio Out</b>             | 1                                                                                   |
| <b>HDMI 1.4 In</b>                 | 1                                                                                   |
| <b>DisplayPort</b>                 | 1                                                                                   |
| <b>Internal Speakers</b>           | 2W (x2)                                                                             |
| <b>Eco Mode (Conserve)</b>         | 28 W                                                                                |
| <b>Eco Mode (optimized)</b>        | 17 W                                                                                |
| <b>Consumption (typical)</b>       | 18 W                                                                                |
| <b>Consumption (max)</b>           | 34 W                                                                                |
| <b>Voltage</b>                     | 100-240 VAC, 50-60Hz                                                                |
| <b>Stand-by</b>                    | 0.3 W                                                                               |
| <b>Power Supply</b>                | Internal                                                                            |
| <b>Cable Organization</b>          | No                                                                                  |
| <b>Headphone Hook</b>              | No                                                                                  |
| <b>Kensington Lock Slot</b>        | 1                                                                                   |
| <b>Physical Controls</b>           | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)                                |
| <b>On Screen Display</b>           | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |

|                                     |                                                                                                |
|-------------------------------------|------------------------------------------------------------------------------------------------|
| <b>Temperature</b>                  | 32-104º F (0 - 40º C)                                                                          |
| <b>Humidity (non-condensing)</b>    | 20-90%                                                                                         |
| <b>VESA Compatible</b>              | 100 x 100 mm                                                                                   |
| <b>Frequency Horizontal</b>         | 24 ~ 115 KHz                                                                                   |
| <b>Frequency Vertical</b>           | 48 ~ 100 Hz                                                                                    |
| <b>Regulations</b>                  | cTUVus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexico Energy, CB, RoHS       |
| <b>Net (lbs)</b>                    | 10.6                                                                                           |
| <b>Net Without Stand (lbs)</b>      | 9.0                                                                                            |
| <b>Gross (lbs)</b>                  | 14.1                                                                                           |
| <b>Net (kg)</b>                     | 4.6                                                                                            |
| <b>Net Without Stand (kg)</b>       | 4.1                                                                                            |
| <b>Gross (kg)</b>                   | 6.4                                                                                            |
| <b>Packaging (in.)</b>              | 26.8 x 17.3 x 5.6                                                                              |
| <b>Physical (in.)</b>               | 24.1 x 17.0 x 9.3                                                                              |
| <b>Physical Without Stand (in.)</b> | 24.1 x 14.3 x 1.9                                                                              |
| <b>Packaging (mm)</b>               | 680.0 x 440.0 x 143.0                                                                          |
| <b>Physical (mm)</b>                | 612.0 x 432.0 x 237.0                                                                          |
| <b>Physical Without Stand (mm)</b>  | 612.0 x 364.0 x 49.0                                                                           |
| <b>Package Contents</b>             | VX2716, 3-pin Plug (IEC C13 / CEE22) x1, HDMI Cable (v1.4; Male-Male) x1, Quick Start Guide x1 |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.                             |
| <b>Warranty</b>                     | Three-year limited warranty on parts, labor and backlight                                      |
| UPC: 766907016802                   |                                                                                                |



## Contact Sales [ViewSonic.com](https://www.viewsonic.com)

888.881.8781 📞

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)

