




X11-4K - 4K UHD PROJECTOR WITH 2400 LED LUMENS, USB-C, BLUETOOTH SPEAKERS AND WI-FI

Key Features



30 - 200 in. / 0.7 - 5.1 m
DISPLAY



VGA(640 x 480) to 4K(3840 x 2160)
RESOLUTION



EASIER SETUP
With auto focus and digital zoom

Product Description



Combining true 4K Ultra HD resolution with HDR/HLG support, advanced new generation LED technology, and smart capabilities within a portable design, the ViewSonic® X11-4K projector delivers an immersive cinematic experience from anywhere in your home. With an easy carry handle, this projector can be moved from room to room and even outdoors for backyard parties. Setup is effortless with instant auto focus, H/V keystone and 4-corner adjustments. In addition, a short throw lens can deliver images up to 100" when the projector is placed just a few feet away from a wall or screen. No matter where you watch, images remain vivid and clear thanks to 2,400 lumens of brightness, 125% Rec.709 compatibility, and stunning 4K Ultra HD 3840 x 2160 resolution, while custom Harman Kardon speakers deliver incredible sound. Smart connectivity features add even more fun, including wireless screen mirroring from your phone, Bluetooth connectivity for flexible audio options, and USB-C for single-cable connection to a Nintendo® Switch.

Specifications

	More Information
UPC	766907020687
Light Source	LED
Display Resolution	4K (3840x2160)
Display Resolution	3840 x 2160
Brightness (Lumens)	2,400 LED
Screen Size	30 - 200 in. / 0.7 - 5.1 m
Throw Distance	0.5m-3.5m (100"@1.77m)
Throw Ratio	0.8
Keystone	Vertical (+/- 40º) / Horizontal (+/- 40º)
Lens	Fixed Zoom
Light Source (watt)	RGBB LED
Light Source Life, Normal (hours)	30000
Color Depth	1.07 Billion Colors
Dynamic Contrast Ratio	3,000,000:1
Aspect Ratio	16:9
Input Lag	37ms
Frequency Horizontal	15K~135KHz
Frequency Vertical	23-120Hz
PC Resolution (max)	VGA(640 x 480) to 4K(3840 x 2160)
Mac® Resolution (max)	VGA(640 x 480) to 4K(3840 x 2160)
USB 2.0 Type A	2
USB Type C	1
Card Reader	Micro SD
Ethernet LAN (RJ45)	1
SPDIF	1
3.5mm Audio Out	1
3.5mm Audio In	1
Audio-out (HDMI ARC)	1
HDMI 2.0 In	1
HDMI 2.0 (with HDCP 2.2)	1
Wifi	5Gn
Bluetooth	Bluetooth 4.2
Bluetooth Audio-in	1 (BT4.2)

Bluetooth Audio-out	1 (BT4.2)
Internal Speakers	8W (x2)
Audio Description	8W Cube x2 (tweeter + woofer) x2
Voltage	100-240 VAC, 50-60Hz
Consumption (typical)	115W
Stand-by	Standby: <0.5W
Physical Controls	Keypad, Power key
On Screen Display	Display, Image, Power Management, Basic, Advanced, System, Information (See user guide for full OSD functionality)
Temperature	32-104° F (0 - 40° C)
Kensington Lock Slot	1
Net (lbs)	9.9lbs
Gross (lbs)	16.5lbs
Net (kg)	4.5kg
Gross (kg)	7.5kg
Packaging (in.)	15.8x14.6x11.6in
Physical (in.)	10.3x10.7x5.7in
Packaging (mm)	402x370x295mm
Physical (mm)	261x271x146mm
Regulations	cTUVus
Package Contents	Projector, power cable, remote control, Quick Start Guide,
Warranty	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.

UPC: 766907020687



Contact Sales
[ViewSonic.com](https://www.viewsonic.com)

888.881.8781
email:
salesinfo@viewsonic.com