


## 31" CONFIGURABLE ALL-IN-ONE LED DISPLAY | LDC031-150 - P1.5


### Key Features

---


- All-in-one design with configurable screen size and aspect ratio.
- LED cabinets featuring a 4:3 aspect ratio for easy portrait configurations and flexible layouts.
- Enhanced durability with Glue-on-board (GOB) surface treatment.
- Centralized and efficient management via LAN control.
- Detachable system control box for easy access and minimalist aesthetics.
- Ultra-slim design that seamlessly blends into any space.
- Hassle-free installation and maintenance.



31"  
**DISPLAY**



**PANEL**



VGA(640 x 480) to 4K(3840 x 2160@60hz)  
**RESOLUTION**



### Product Description

---

The ViewSonic® LDC series redefines what's possible in Direct View LED displays. By combining multiple LDC031 LED cabinets, you can create diverse video walls for engaging digital signage. Each cabinet features a native 4:3 aspect ratio for easy portrait configurations and flexible layouts. With Glue-on-Board (GOB) surface treatment, the IP54-rated modules are protected against collisions, dust, and moisture, making them suitable for public spaces like lobbies and shopping malls. At just 31mm thick, the display achieves a 99% screen-to-body ratio, offering an impressive viewing experience. Enhanced operational efficiency is facilitated through centralized management via LAN connectivity.



### Specifications

---

|                                     |                                                                    |
|-------------------------------------|--------------------------------------------------------------------|
| <b>UPC</b>                          | 766907026399                                                       |
| <b>OS</b>                           | Android 9.0                                                        |
| <b>CPU</b>                          | RK3399                                                             |
| <b>Memory</b>                       | DDR4 4GB                                                           |
| <b>Storage</b>                      | Total 32GB (26GB available storage) (26GB available storage)       |
| <b>Internal Speakers</b>            | 30W x 2                                                            |
| <b>PC Resolution (max)</b>          | VGA(640 x 480) to 4K(3840 x 2160@60hz)                             |
| <b>Mac® Resolution (max)</b>        | 480p, 576p, 720p, 1080p, 2160p                                     |
| <b>HDMI 2.0 (with HDCP 2.2)</b>     | 4                                                                  |
| <b>HDMI 1.4 Out (with HDCP 1.4)</b> | 1                                                                  |
| <b>Audio-out (HDMI ARC)</b>         | 2                                                                  |
| <b>USB Type A</b>                   | 2                                                                  |
| <b>USB 3.0</b>                      | 1                                                                  |
| <b>USB 2.0</b>                      | 2                                                                  |
| <b>USB Type C</b>                   | 1                                                                  |
| <b>RS232</b>                        | 1                                                                  |
| <b>Ethernet LAN (RJ45)</b>          | 3                                                                  |
| <b>RJ45 Input (Internet)</b>        | 1                                                                  |
| <b>RJ-45 LAN Port Output</b>        | 2                                                                  |
| <b>IR in</b>                        | 1                                                                  |
| <b>Voltage</b>                      | 100-120V/30A~ 50/60Hz or 220-240V/15A~ 50Hz(vary by country)       |
| <b>Consumption (max)</b>            | 105W                                                               |
| <b>Consumption (typical)</b>        | 35W                                                                |
| <b>Stand-by</b>                     | <0.5W                                                              |
| <b>On Screen Display</b>            | Yes                                                                |
| <b>Remote Control</b>               | Yes                                                                |
| <b>Temperature</b>                  | 32-104º F (0 - 40º C)                                              |
| <b>Humidity (non-condensing)</b>    | 20-80%                                                             |
| <b>Net (lbs)</b>                    | 11                                                                 |
| <b>Net (kg)</b>                     | 5                                                                  |
| <b>Physical (in.)</b>               | 23.62x13.29x1.2inches per cabinet                                  |
| <b>Physical (mm)</b>                | 600 x 337.5 x 31mm per cabinet                                     |
| <b>Warranty</b>                     | 3-year limited warranty on parts and labor, on-site service        |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws. |
| <b>Regulations</b>                  | cTUVus, FCC, RoHS                                                  |
| <b>Wifi</b>                         | 2.4G/5G Hz                                                         |

|                               |                                  |
|-------------------------------|----------------------------------|
| <b>Display Type</b>           | Direct View LED                  |
| <b>Screen Size</b>            | 31"                              |
| <b>Viewable Area (in.)</b>    | 25.2 (H) x 18.9(V)               |
| <b>LED Pitch Size (mm)</b>    | 1.538                            |
| <b>LED Grayscale</b>          | 13 bits                          |
| <b>Display Resolution</b>     | 416x312                          |
| <b>Refresh Rate</b>           | 3,840Hz                          |
| <b>Aspect Ratio</b>           | 16:9                             |
| <b>Static Contrast Ratio</b>  | 6,500:1                          |
| <b>Backlight Life (Hours)</b> | 100,000                          |
| <b>Brightness</b>             | 600 nits (100 levels adjustable) |
| <b>Viewing Angles</b>         | 170° horizontal, 170° vertical   |

UPC: 766907026399



## Contact Sales

[ViewSonic.com](http://ViewSonic.com)

888.881.8781

email:

[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)