VIEWSONIC 16" PORTABLE IPS MONITOR WITH BUILT-IN BATTERY AND WIRELESS CASTING CAPABILITIES | VG1656N

Key **Features**

• 16 Inch Full HD (1920x1200p) IPS wireless portable monitor with 60Hz refresh rate and smart cover

• With a weight of 3 lbs and a thickness of 0.4 in, this portable monitor slips easily into backpacks and purses

• This monitor features a built-in 4,000 mAh battery that provides up to 3 hours of battery life

• USB-C connectivity for fast data, audio and video transfer, and 2 way powered 60W USB C charging.

• Comes with a detachable magnetic screen cover and a built-in stand for orientation in both portrait and landscape modes

• Industry-leading 3-year warranty with access to our US-based customer service team

• The VG1656N supports laptops, PCs, and Apple/Mac operating systems and more with USB-C inputs



16"
DISPLAY

IPS
PANEL

1920 x 1200
RESOLUTION



PLUG-AND-PLAY WIRELESS CASTING

Product **Description**

VG1656N is a portable 16” 16:10 monitor designed for optimal productivity on the go. A built in battery and wifi casting ability streamline your productivity on the road for a truly wireless set-up, allowing you to extend or mirror your screen on the go. Weighing around 3lbs and about .4” thick, with an intuitive smart cover to both provide versatile viewing options and protect the screen in transit, this portable is optimized to take on the road. The two way power USB-C connectors provide a one-cable solution for multimedia transfer and 60W power charging, either receiving power from a laptop or power bank, or being able to pass through power to the connected device, when the portable is connected to a power source.**

**no two-way power from battery

Specifications

More Information	
UPC	766907026191
Screen Size	16"
Viewable Area (in.)	16"
Panel Type	IPS
Display Resolution	1920 x 1200
Display Resolution	WUXGA (1920x1200)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.2M
Color Space Support	8 bit (6 bit + FRC)
Aspect Ratio	16:10
Response Time (Typical GTG)	9.5ms
Viewing Angles	170º horizontal, 170º vertical
Backlight Life (Hours)	15,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	60Hz
PC Resolution (max)	1920 x 1200
Mac® Resolution (max)	1920 x 1200
USB Type C	60W x 2
Internal Speakers	2-watt (x2)
Consumption (typical)	9.1
Consumption (max)	12
Voltage	DC 5V/9V/12V/15V/20V
Stand-by	0.5
Power Supply	External
Cable Organization	No
Headphone Hook	No
Physical Controls	Up; Down, Power
On Screen Display	Input Select, Power Select, Contrast, Brightness, Volume, Audio Mode, Information, Memory Recall
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%

Frequency Horizontal	15 ~ 82 KHz
Frequency Vertical	50 ~ 75 Hz
Height Adjust	50mm (with smart cover)
Pivot (Right/Left)	0º / 90º (with smart cover)
Tilt (Forward/Back)	20º - 70º (with smart cover)
Regulations	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, NRCan, NOM, Mexico Energy
Net (lbs)	3.1
Net Without Stand (lbs)	1.9
Gross (lbs)	4.6
Net (kg)	1.4
Net Without Stand (kg)	0.8
Gross (kg)	2.1
Packaging (in.)	17.2 x 11.8 x 3.2
Physical (in.)	14.04 x 9.25 x 0.38
Physical Without Stand (in.)	14.04 x 9.25 x 0.38
Packaging (mm)	438 x 300 x 81
Physical (mm)	357 x 235 x 9.6
Physical Without Stand (mm)	357 x 235 x 9.6
Package Contents	LCD Display, USB-C Cable, Power Adaptor, WiFi Transmitter Dongle, Smart Cover, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight
Battery Chemistry	Lithium-ion

UPC: 766907026191







Contact Sales

ViewSonic.com
888.881.8781
email:
salesinfo@viewsonic.com