

# VIEWSONIC Projector Products

Information correct from July 2015

**ViewSonic®**  
See the difference™ 

## VALUE SERIES



**PJD5150**

LightStream™

Dot Texture



**PJD5153**

LightStream™

Matte Hairline



**PJD5155L**

LightStream™

Dot Texture



**PJD5155**

LightStream™

Matte Hairline



**PJD5250**

LightStream™

Matte Hairline



**PJD5253**

LightStream™

Matte Hairline



**PJD5255L**

LightStream™

Dot Texture

Chassis Texture	PJD5150 LightStream™ Dot Texture	PJD5153 LightStream™ Matte Hairline	PJD5155L LightStream™ Dot Texture	PJD5155 LightStream™ Matte Hairline	PJD5250 LightStream™ Matte Hairline	PJD5253 LightStream™ Matte Hairline	PJD5255L LightStream™ Dot Texture
<b>Specification</b>							
Resolution	SVGA(800x600)	SVGA(800x600)	SVGA(800x600)	SVGA(800x600)	XGA(1024x768)	XGA(1024x768)	XGA(1024x768)
Brightness Lumens	3,100	3,300	3,100	3,300	3,100	3,300	3,100
Contrast Ratio:1	18,000	20,000	18,000	20,000	18,000	20,000	18,000
Lamp hour (Normal/Eco)	4,500 / 10,000	5,000 / 10,000	4,500 / 10,000	5,000 / 10,000	5,000 / 10,000	5,000 / 10,000	4,500 / 10,000
Lamp Watt	200W	190W	200W	190W	190W	190W	200W
Throw ratio	1.95-2.15	1.86-2.04	1.95-2.15	1.86-2.04	1.86-2.04	1.86-2.04	1.95-2.15
3LCD Throw Distance	NA	NA	NA	NA	NA	NA	NA
Match Model							
Keystone Correction	+/- 40° (Vertical)	+/- 40° (Vertical)	+/- 40° (Vertical)	+/- 40° (Vertical)	+/- 40° (Vertical)	+/- 40° (Vertical)	+/- 40° (Vertical)
Optical Zoom	1.1x	1.1x	1.1x	1.1x	1.1x	1.1x	1.1x
Fan Noise (Normal/Eco)	32dB/28dB	32dB/27dB	32dB/28dB	32dB/27dB	32dB/27dB	32dB/27dB	32dB/28dB
Speaker	N/A	2W	2W	2W	N/A	2W	2W
<b>Input</b>							
VGA in (shared with component)	1	2	1	2	2	2	1
Composite	1	1	NA	1	NA	1	NA
S-video	NA	1	NA	1	NA	1	NA
Audio-in (3.5mm)	NA	1	NA	1	NA	1	NA
Audio in 2/Microphone in	NA	NA	NA	NA	NA	NA	NA
Mini USB	1	1	1	1	1	1	1
USB type A	NA	NA	NA	NA	NA	NA	NA
SD card	NA	NA	NA	NA	NA	NA	NA
HDMI (# MHL for optional WiFi dongles)	NA	NA	1 (0)	1 (0)	NA	NA	1 (0)
<b>Output</b>							
VGA	NA	1	NA	1	N/A	1	N/A
Audio out	NA	1	NA	1	NA	1	NA
<b>Control</b>							
RS232	1	1	1	1	1	1	1
RJ45	NA	NA	NA	NA	NA	NA	NA
Optional Wireless	NA	NA	NA	NA	NA	NA	NA
<b>Dimensions &amp; Weight</b>							
Dimensions (WxDxH)	362 x 231 x 109 mm	316 x 228 x 103.7 mm	362 x 231 x 109 mm	316 x 228 x 103.7 mm	316 x 228 x 103.7 mm	316 x 228 x 103.7 mm	362 x 231 x 109 mm
Net Weight	2.4kg	2.1kg	2.4kg	2.1kg	2.1kg	2.1kg	2.4kg
<b>Included Accessories</b>							
Power cord	1	1	1	1	1	1	1
Connection Cable	VGA	VGA	VGA	VGA	VGA	VGA	VGA
Remote Control	1	1	1	1	1	1	1
Carry Case	NA	NA	NA	NA	NA	NA	NA
Lens cover	NA	NA	NA	NA	NA	NA	NA
Rear Cable Cover	NA	NA	NA	NA	NA	NA	NA
<b>Optional Accessories</b>							
Carry Case	PJ-CASE-009	PJ-CASE-008	PJ-CASE-009	PJ-CASE-008	PJ-CASE-008	PJ-CASE-008	PJ-CASE-009
Rear Cable Cover	PJ-CM-003	PJ-CM-001	PJ-CM-004	PJ-CM-001	PJ-CM-001	PJ-CM-001	PJ-CM-004
Other	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)

# VIEWSONIC Projector Products

Information correct from July 2015

**ViewSonic**<sup>®</sup>  
See the difference™ 

## VALUE SERIES

## NETWORK

## SHORT THROW



**PJD5255**

LightStream™

Matte Hairline



**PJD5555W**

LightStream™

Matte Hairline



**PJD5555LW**

LightStream™

Dot Texture



**PJD6350**

LightStream™

Matte Hairline



**PJD6352**

LightStream™

Matte Hairline



**PJD6543W**

Gloss



**PJD5353LS**

LightStream™

Matte Hairline

Chassis Texture	PJD5255 LightStream™ Matte Hairline	PJD5555W LightStream™ Matte Hairline	PJD5555LW LightStream™ Dot Texture	PJD6350 LightStream™ Matte Hairline	PJD6352 LightStream™ Matte Hairline	PJD6543W Gloss	PJD5353LS LightStream™ Matte Hairline
<b>Specification</b>							
Resolution	XGA (1024x768)	WXGA (1280x800)	WXGA (1280x800)	XGA (1024x768)	XGA (1024x768)	WXGA (1280x800)	XGA (1024x768)
Brightness Lumens	3,300	3,300	3,100	3,300	3,500	3,000	3,000
Contrast Ratio:1	20,000	20,000	18,000	20,000	20,000	15,000	20,000
Lamp hour (Normal/Eco)	5,000 / 10,000	5,000 / 10,000	5,000 / 10,000	5,000 / 10,000	4,000 / 10,000	5,000 / 10,000	5,000 / 10,000
Lamp Watt	190W	190W	200W	190W	210W	190W	190W
Throw ratio	1.86~2.04	1.5~1.65	1.49~1.79	1.51~1.97	1.51~1.97	1.5~1.65	0.6
3LCD Throw Distance	NA	NA	Yes	Yes	Yes	NA	NA
Match Model							
Keystone Correction	+/- 40° (Vertical)	+/- 40° (Vertical)	+/- 40° (Vertical)	+/- 30° (Vertical & Horizontal)	+/- 30° (Vertical & Horizontal)	+/- 40° (Vertical)	+/- 40° (Vertical)
Optical Zoom	1.1x	1.1x	1.2x	1.3x	1.3x	1.1x	Fixed
Fan Noise (Normal/Eco)	32dB/27dB	32dB/27dB	32dB/28dB	32dB/27dB	32dB/27dB	32dB/29dB	32dB/27dB
Speaker	2W	2W	2W	10W	10W	2W	2W
<b>Input</b>							
VGA in (shared with component)	2	2	1	2	2	2	2
Composite	1	1	NA	1	1	1	1
S-video	1	1	NA	1	1	1	1
Audio-in (3.5mm)	1	1	NA	1	1	1	1
Audio in 2/Microphone in	NA	NA	NA	1	1	NA	NA
Mini USB	1	1	1	1	1	1	1
USB type A	NA	NA	NA	NA	NA	NA	NA
SD card	NA	NA	NA	NA	NA	NA	NA
HDMI (# MHL for optional WiFi dongles)	1 (0)	1 (0)	1 (0)	2 (1)	2 (1)	1	1 (0)
<b>Output</b>							
VGA	1	1	NA	1	1	1	1
Audio out	1	1	NA	1	1	1	1
<b>Control</b>							
RS232	1	1	1	1	1	1	1
RJ45	NA	NA	NA	1	1	1	NA
Optional Wireless	NA	NA	NA	Yes	Yes	NA	NA
<b>Dimensions &amp; Weight</b>							
Dimensions (WxDxH)	316 x 228 x 103.7 mm	316 x 228 x 103.7 mm	362 x 231 x 109 mm	316 x 228 x 103.7 mm	316 x 228 x 103.7 mm	268 x 221 x 84.4 mm	316 x 228 x 103.7 mm
Net Weight	2.1kg	2.2kg	2.4kg	2.23kg	2.3kg	2.1kg	2.5kg
<b>Included Accessories</b>							
Power cord	1	1	1	1	1	1	1
Connection Cable	VGA	VGA	VGA	VGA	VGA	VGA	VGA
Remote Control	1	1	1	1	1	1	1
Carry Case	NA	NA	NA	NA	NA	NA	NA
Lens cover	NA	NA	NA	NA	NA	NA	1
Rear Cable Cover	NA	NA	NA	Yes	Yes	NA	NA
<b>Optional Accessories</b>							
Carry Case	PJ-CASE-008	PJ-CASE-008	PJ-CASE-009	PJ-CASE-008	PJ-CASE-008	PJ-CASE-008	PJ-CASE-008
Rear Cable Cover	PJ-CM-001	PJ-CM-001	PJ-CM-004	NA	NA	NA	PJ-CM-002
Other	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-300 (HDMI-MHL Wi-Fi Dongle), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-300 (HDMI-MHL Wi-Fi Dongle), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)

# VIEWSONIC Projector Products

Information correct from July 2015

**ViewSonic®**  
See the difference™ 

## SHORT THROW



**PJD5550LWS**  
LightStream™  
Dot Texture



**PJD5553LWS**  
LightStream™  
Matte Hairline



**PJD6352LS**  
LightStream™  
Matte Hairline



**PJD6552LWS**  
LightStream™  
Matte Hairline

Chassis Texture	PJD5550LWS LightStream™ Dot Texture	PJD5553LWS LightStream™ Matte Hairline	PJD6352LS LightStream™ Matte Hairline	PJD6552LWS LightStream™ Matte Hairline
<b>Specification</b>				
Resolution	WXGA (1280x800)	WXGA (1280x800)	XGA (1024x768)	WXGA (1280x800)
Brightness Lumens	3,200	3,000	3,200	3,200
Contrast Ratio:1	20,000	20,000	22,000	22,000
Lamp hour (Normal/Eco)	4,000 / 10,000	5,000 / 10,000	4,000 / 10,000	4,000 / 10,000
Lamp Watt	210W	190W	210W	210W
Throw ratio	0.5	0.49	0.6	0.49
3LCD Throw Distance	NA	NA	NA	NA
Match Model				
Keystone Correction	+/- 40° (Vertical)	+/- 40° (Vertical)	+/- 30° (Vertical & Horizontal)	+/- 30° (Vertical & Horizontal)
Optical Zoom	Fixed	Fixed	Fixed	Fixed
Fan Noise (Normal/Eco)	32dB/28dB	32dB/27dB	32dB/27dB	32dB/27dB
Speaker	2W	2W	10W	10W
<b>Input</b>				
VGA in (shared with component)	1	2	2	2
Composite	NA	1	1	1
S-video	NA	1	1	1
Audio-in (3.5mm)	NA	1	1	1
Audio in 2/Microphone in	NA	NA	1	1
Mini USB	1	1	1	1
USB type A	NA	NA	NA	NA
SD card	NA	NA	NA	NA
HDMI (# MHL for optional WiFi dongles)	1 (0)	1 (0)	2 (1)	2 (1)
<b>Output</b>				
VGA	NA	1	1	1
Audio out	NA	1	1	1
<b>Control</b>				
RS232	1	1	1	1
RJ45	NA	NA	1	1
Optional Wireless	NA	NA	Yes	Yes
<b>Dimensions &amp; Weight</b>				
Dimensions (WxDxH)	362 x 248 x 116 mm	316 x 228 x 103.7 mm	316 x 228 x 103.7 mm	316 x 228 x 103.7 mm
Net Weight	2.5kg	2.5kg	2.6kg	2.6kg
<b>Included Accessories</b>				
Power cord	1	1	1	1
Connection Cable	VGA	VGA	VGA	VGA
Remote Control	1	1	1	1
Carry Case	NA	NA	NA	NA
Lens cover	1	1	1	1
Rear Cable Cover	NA	NA	Yes	Yes
<b>Optional Accessories</b>				
Carry Case	PJ-CASE-009	PJ-CASE-008	PJ-CASE-008	PJ-CASE-008
Rear Cable Cover	PJ-CM-004	PJ-CM-002	PJ-CM-002	PJ-CM-002
Other	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-300 (HDMI-MHL Wi-Fi Dongle), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-300 (HDMI-MHL Wi-Fi Dongle), WPG-370 (Wireless Presentation Hub)



Projector Product Specification

All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.

Join our dedicated channel partner portal: [www.finchclub.com](http://www.finchclub.com)

[www.viewsoniceurope.com](http://www.viewsoniceurope.com)

# VIEWSONIC Projector Products

Information correct from July 2015

**ViewSonic®**  
See the difference™ 

## ULTRA SHORT THROW



**PJD8633WS**



**PJD8653WS**



**PJD7533W**



**PJD7822HDL**



**PLED-W600**



**PLED-W800**

Chassis Texture	Matte Hairline	Gloss	Matte Hairline	Gloss	Dot Texture	Dot Texture
<b>Specification</b>						
Resolution	WXGA (1280x800)	WXGA (1280x800)	WXGA (1280x800)	Full HD 1080p (1920x1080)	WXGA (1280x800)	WXGA (1280x800)
Brightness Lumens	3,000	3,000	4,000	3,200	600	800
Contrast Ratio:1	15,000	15,000	10,000	15,000	120,000	120,000
Lamp hour (Normal/Eco)	3,500 / 7,000	3,500 / 7,000	2,500 / 3,500	5,000 / 8,000	30,000	30,000
Lamp Watt	240W	240W	330W	210W	RGB LED	RGB LED
Throw ratio	0.375	0.35	1.49~1.79	1.15~1.5	1.4	1.4
3LCD Throw Distance	NA	NA	Yes	NA	NA	NA
Match Model						
Keystone Correction	+/- 40° (Vertical)	+/- 20° (Vertical)	+/- 40° (Vertical)	+/- 40° (Vertical)	+/- 40° (Vertical)	+/- 40° (Vertical)
Optical Zoom	Fixed	Fixed	1.2x	1.3x	Fixed	Fixed
Fan Noise (Normal/Eco)	32dB/27dB	32dB/27dB	36dB/34dB	32dB/27dB	34dB/32dB	34dB/32dB
Speaker	16W	16W (8W x2)	16W	2W	2W	4W (2W x2)
<b>Input</b>						
VGA in (shared with component)	2	2	2	1	NA	1
Composite	1	1	1	1	NA	1
S-video	1	1	1	1	NA	1
Audio-in (3.5mm)	2	2	2	1	NA	NA
Audio in 2/Microphone in	1	1	1	NA	NA	NA
Mini USB	1 (USB Display)	1	1 (USB Display)	1	NA	NA
USB type A	1 (Wireless Dongle, USB Display)	NA	1 (Wireless Dongle, USB Display)	1	1	1
SD card	NA	NA	NA	NA	NA	1
HDMI (# MHL for optional WiFi dongles)	1	1	1	2 (0)	1 (1)	1 (1)
<b>Output</b>						
VGA	1	1	1	1	NA	NA
Audio out	1	1	1	1	1	1
<b>Control</b>						
RS232	1	1	1	1	NA	NA
RJ45	1	1	1	NA	NA	NA
Optional Wireless	Yes	NA	Yes	Yes (via powered USB)	Yes	Yes
<b>Dimensions &amp; Weight</b>						
Dimensions (WxDxH)	335 x 265 x 128.3 mm	357 x 367 x 231 mm	335 x 265 x 128.3 mm	268 x 221 x 84.4 mm	175 x 138 x 51.5 mm	175 x 138 x 51.5 mm
Net Weight	3.64kg	7.3kg	3.04kg	2.1kg	0.79kg	0.83kg
<b>Included Accessories</b>						
Power cord	1	1	1	1	1	1
Connection Cable	VGA	VGA	VGA	VGA	HDMI	HDMI
Remote Control	1	1	1	1	1	1
Carry Case	Yes	NA	Yes	NA	Yes	Yes
Lens cover	NA	NA	NA	NA	NA	NA
Rear Cable Cover	NA	NA	NA	NA	NA	NA
<b>Optional Accessories</b>						
Carry Case	NA	NA	NA	PJ-CASE-008	NA	NA
Rear Cable Cover	NA	NA	NA	NA	NA	NA
Other	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub), PJ-WPD-200 (USB WiFi dongle), PJ-WMK-401 (UST wall mount kit)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub), PJ-PEN-003 (2x interactive pens and infrared module), PJ-WMK-401 (UST wall mount kit)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub), PJ-WPD-200 (USB WiFi dongle)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-300 (HDMI-MHL Wi-Fi Dongle), WPG-370 (Wireless Presentation Hub)	PGD-350 (3D glasses x1), WPG-300 (HDMI-MHL Wi-Fi Dongle), WPG-370 (Wireless Presentation Hub)

# VIEWSONIC Projector Products

Information correct from July 2015

**ViewSonic**<sup>®</sup>  
See the difference™ 

## PRO



**Pro9000**



**Pro8200**



**Pro8400**



**Pro8600**



**Pro8520HD**

Chassis Texture	Matte Hairline	Matte Hairline	Matte Hairline	Matte Hairline	Matte Hairline
<b>Specification</b>					
Resolution	Full HD 1080p (1920x1080)	Full HD 1080p (1920x1080)	Full HD 1080p (1920x1080)	XGA (1024x768)	Full HD 1080p (1920x1080)
Brightness Lumens	1,600	2,000	4,000	6,000	5,000
Contrast Ratio:1	100,000	3,000	3,000	15,000	15,000
Lamp hour (Normal/Eco)	20,000	2,500 / 4,000	2,000 / 3,000	1,500 / 2,000	1,500 / 2,000
Lamp Watt	LED	230W	280W	350W	350W
Throw ratio	1.5~1.8	1.4~2.14	1.4~2.14	1.4~2.18	1.4~2.14
3LCD Throw Distance	Yes	Yes	Yes	Yes	Yes
Match Model					
Keystone Correction	+/- 15° (Vertical)	+/- 20° (Vertical)	+/- 20° (Vertical)	+/- 40° (Vertical)	+/- 20° (Vertical)
Optical Zoom	1.2x	1.5x	1.5x	1.5x	1.5x
Fan Noise (Normal/Eco)	33dB/25dB	31dB/27dB	34dB/29dB	36dB/34dB	34dB/32dB
Speaker	2W	20W (10W x2)	20W (10W x2)	20W (10W x2)	20W (10W x2)
<b>Input</b>					
VGA in (shared with component)	1	2	2	2	2
Composite	1	1	1	1	1
S-video	1	1	1	1	1
Audio-in (3.5mm)	1	2	2	2	2
Audio in 2/Microphone in	NA	1	1	1	1
Mini USB	NA	NA	1 (USB Display)	1 (USB Display)	1 (USB Display)
USB type A	NA	1	1 (Wireless Dongle, JPEG Show)	1 (Wireless Dongle, JPEG Show)	1 (Wireless Dongle, JPEG Show)
SD card	NA	NA	NA	NA	NA
HDMI (# MHL for optional WiFi dongles)	2	2 (0)	2 (0)	1 (0)	2 (0)
<b>Output</b>					
VGA	NA	1	1	1	1
Audio out	1	1	1	1	1
<b>Control</b>					
RS232	1	1	1	1	1
RJ45	NA	NA	1	1	1
Optional Wireless	NA	NA	Yes	Yes	Yes
<b>Dimensions &amp; Weight</b>					
Dimensions (WxDxH)	321 x 247.5 x 110.5 mm	333 x 263 x 122 mm	333 x 263 x 122 mm	333 x 263 x 122 mm	333 x 263 x 122 mm
Net Weight	4.26kg	3.86kg	3.86kg	3.86kg	3.86kg
<b>Included Accessories</b>					
Power cord	1	1	1	1	1
Connection Cable	VGA	HDMI & VGA	HDMI & VGA	VGA	HDMI
Remote Control	1	1	1	1	1
Carry Case	Yes	Yes	Yes	Yes	Yes
Lens cover	NA	Yes	Yes	Yes	Yes
Rear Cable Cover	NA	NA	NA	NA	NA
<b>Optional Accessories</b>					
Carry Case	NA	NA	NA	NA	NA
Rear Cable Cover	NA	NA	NA	NA	NA
Other	WPG-370 (Wireless Presentation Hub)	WPG-370 (Wireless Presentation Hub)	WPG-370 (Wireless Presentation Hub), WPD-100 (USB WiFi dongle)	PGD-350 (3D glasses x1), WPG-370 (Wireless Presentation Hub), WPD-100 (USB WiFi dongle)	WPG-370 (Wireless Presentation Hub), WPD-100 (USB WiFi dongle)



All rights reserved by ViewSonic Corporation. All other Corporate names and trademarks are the property of their respective companies. E&EO. All prices and specifications are subject to change without written notice. Images are for illustrative purpose only. Terms & Conditions Apply.

Projector Product Specification

Join our dedicated channel partner portal: [www.finchclub.com](http://www.finchclub.com)

[www.viewsoniceurope.com](http://www.viewsoniceurope.com)