



VX2729 - 27" 1080P 200HZ 1MS GAMING MONITOR WITH AMD FREESYNC PREMIUM

Key Features


- SuperClear® IPS Panel with 200Hz refresh rate and 1ms (MPRT) response time
- AMD FreeSync™ Premium technology eliminates image tearing
- Stunning Full HD resolution for crisp visuals and immersive gameplay
- Connect your favorite devices with dual HDMI ports and one DisplayPort input



27"
DISPLAY



IPS
PANEL



1920x1080
RESOLUTION



Product Description

Level up the way you watch shows and play games with the 27" ViewSonic® VX2729 Full HD IPS monitor. Featuring a rapid-fire 200Hz refresh rate, 1ms (MPRT) response time and AMD FreeSync™ Premium technology, this 27" monitor virtually eliminates screen tearing and stuttering for a next-level gaming experience. Plus, with a sleek 3-sided frameless design and SuperClear® IPS technology, the VX2729 is ideal for multi-monitor configurations. Two HDMI (v2.0) inputs, and one DisplayPort (v1.4) ensure versatile connectivity to all your essential entertainment devices.

Specifications

More Information

UPC

766907032697

| | |
|------------------------------------|-------------------------------------------------------------------------------------|
| Screen Size | 27" |
| Viewable Area (in.) | 27 |
| Panel Type | IPS |
| Display Resolution | 1920 x 1080 |
| Display Resolution | Full HD (1920x1080) |
| Static Contrast Ratio | 1,000:1 |
| Dynamic Contrast Ratio | 80,000,000:1 |
| Light Source | LED |
| Brightness | 250 cd/m2 |
| Colors | 16.7M |
| Color Space Support | 6 bit + FRC |
| Aspect Ratio | 16:9 |
| Response Time (Typical GTG) | 2ms |
| Response Time (MPRT) | 1ms |
| Viewing Angles | 178° horizontal, 178° vertical |
| Backlight Life (Hours) | 30,000 |
| Panel Surface | Anti-Glare type, Hard-coating (3H), Haze 25% |
| Refresh Rate | 200Hz |
| PC Resolution (max) | 1920x1080 |
| Mac® Resolution (max) | 1920x1080 |
| 3.5mm Audio Out | 1 |
| HDMI 2.0 In | 2 |
| DisplayPort | 1 |
| Internal Speakers | 2W (x2) |
| Eco Mode (Conserve) | 17W |
| Eco Mode (optimized) | 19W |
| Consumption (typical) | 21W |
| Consumption (max) | 25W |
| Voltage | AC 100-240V (universal), 50-60Hz |
| Stand-by | 0.5W |
| Power Supply | Internal |
| Cable Organization | No |
| Kensington Lock Slot | 1 |
| Physical Controls | Joystick key: Up, Right, Down, Left, Center; Shortcut, Power |
| On Screen Display | Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| Temperature | 32-104° F (0 - 40° C) |

| | |
|-------------------------------------|--------------------------------------------------------------------|
| Humidity (non-condensing) | 20-90% |
| VESA Compatible | 100 x 100 mm |
| Frequency Horizontal | 30 ~ 230 KHz |
| Frequency Vertical | 48 ~ 200 Hz |
| Tilt (Forward/Back) | 3° / 21° |
| Regulations | CSGSus, FCC-B, ICES003, CEC, NOM, Mexico Energy |
| Net (lbs) | 8.3 |
| Net Without Stand (lbs) | 7.6 |
| Gross (lbs) | 11.9 |
| Net (kg) | 3.8 |
| Net Without Stand (kg) | 3.5 |
| Gross (kg) | 5.4 |
| Packaging (in.) | 27.2 x 18.3 x 5.5 |
| Physical (in.) | 24.1 x 17.2 x 8.4 |
| Physical Without Stand (in.) | 24.1 x 14.1 x 1.9 |
| Packaging (mm) | 690 x 465 x 140 |
| Physical (mm) | 612.2 x 436.6 x 213.2 |
| Physical Without Stand (mm) | 612.2 x 357.2 x 48.1 |
| Package Contents | VX2729 Display, Power Cable, HDMI Cable, Quick Start Guide |
| Recycle/Disposal | Please dispose of in accordance with local, state or federal laws. |
| Warranty | Three-year limited warranty on parts, labor and backlight |

UPC: 766907032697



Contact Sales
ViewSonic.com
 888.881.8781
 email:
salesinfo@viewsonic.com