



VIEWSONIC 24" 1080P 120 HZ MONITOR WITH VARIABLE REFRESH RATE, HDMI, VGA, AND USB-C | VA2448-MHU

Key Features


- **USB-C single-cable connectivity** delivers video, audio, data, and up to 15W of power
- **120 Hz refresh rate with IPS technology** delivers vibrant color and smooth performance
- **Frameless 24" IPS display** offers crisp visuals and wide viewing angles, ideal for seamless multi-monitor setups
- **HDMI and VGA inputs** provide versatile connectivity for multiple devices
- **Variable Refresh Rate technology** supports fluid, tear-free gameplay




24"
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description


The ViewSonic® VA2448-MHU makes it easy to shift between work, school, and play. A single USB-C cable helps reduce cable clutter and streamline your setup by combining video, audio, data, and up to 15W of power into one connection. Enjoy vibrant colors, crisp detail and wide viewing angles on a frameless 24" IPS screen. A minimalistic design, edge-to-edge screen, and frameless bezel make this an ideal monitor for nearly seamless multi-screen setups. Stay connected with HDMI and VGA ports, and enjoy the convenience of an included HDMI cable. When it's time to game, Variable Refresh Rate technology and a 120 hz refresh rate helps keep action smooth and immersive by syncing the monitor with your graphics card. A three-year warranty and an industry-leading pixel policy make the VA2448-MHU a smart, dependable, and budget-friendly choice.

Specifications

	More Information
UPC	766907034158
Screen Size	24"
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,500:1
Dynamic Contrast Ratio	50,000,000:1
Light Source	LED
Brightness	300 cd/m2
Colors	16.7M
Color Space Support	6 bit + FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	4ms
Response Time (MPRT)	1ms
Viewing Angles	178° horizontal, 178° vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	120Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
USB Type C	15W x 1
3.5mm Audio In	1
3.5mm Audio Out	1
VGA	1
HDMI 1.4 In	1
Internal Speakers	2W (x2)
Eco Mode (Conserve)	15w
Eco Mode (optimized)	17w
Consumption (typical)	21w
Consumption (max)	32w
Voltage	AC 100-240V (universal), 50-60Hz
Stand-by	0.5W

Power Supply	Internal
Cable Organization	No
Kensington Lock Slot	1
Physical Controls	U, R, D, L, EN (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104° F (0 - 40° C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI 1.4 & USB-C = 30 ~ 135 KHz / VGA = 30 ~ 86 KHz
Frequency Vertical	HDMI 1.4 & USB-C = 48 ~ 120 Hz / VGA = 48 ~ 75 Hz
Tilt (Forward/Back)	3° / 20°
Regulations	cSGSus, FCC-B, ICES003, Energy Star 8.0, EPEAT Silver, CEC, NOM, Mexcio Energy
Net (lbs)	6.8
Net Without Stand (lbs)	6.2
Gross (lbs)	9.9
Net (kg)	3.1
Net Without Stand (kg)	2.8
Gross (kg)	4.5
Packaging (in.)	23.6" (W) x 16.5" (H) x 5.5" (D)
Physical (in.)	21.26" (W) x 16.95" (H) x 7.6" (D)
Physical Without Stand (in.)	21.26" (W) x 12.46" (H) x 1.81" (D)
Packaging (mm)	600mm (W) x 420mm (H) x 140mm (D)
Physical (mm)	540.13mm (W) x 430.59mm (H) x 192.92mm (D)
Physical Without Stand (mm)	540.13mm (W) x 316.37mm (H) x 46mm (D)
Package Contents	LCD Display, Power Cable, HDMI Cable, Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907034158



Contact Sales
ViewSonic.com

888.881.8781
 email:
salesinfo@viewsonic.com