



## VA220A-H - 22" 1080P VA 120HZ MONITOR WITH HDMI, VGA

### Key Features

---


- 22 Inch Full HD (1920x1080p) VA monitor with 120Hz refresh rate
- Flicker-Free technology and Blue Light Filter for reduced eye fatigue
- Variable Refresh Rate technology enables fluid and tear-free gameplay
- Optimized view settings offer "Game," "Movie," "Web," "Text," and "Mono" presets
- The VA220A-H supports laptops, PCs, Macs and more with HDMI and VGA inputs



22"  
**DISPLAY**



VA  
**PANEL**



1920x1080  
**RESOLUTION**



### Product Description

---

Experience flexible connectivity, stunning visuals, and wide viewing angles at an incredible value with the ViewSonic® VA220A-H monitor . This 22-inch monitor (with a 21.5-inch viewable area) features a three-sided frameless design and delivers impressive brightness and contrast thanks to its VA panel technology. Enjoy seamless connections to your PC, laptop, or gaming console with the included HDMI cable. Plus, experience smoother gaming with built-in variable refresh rate technology. Get the perfect blend of performance and affordability with the ViewSonic VA220A-H monitor.

### Specifications

---

More Information

UPC

766907035735

|                                    |                                                                       |
|------------------------------------|-----------------------------------------------------------------------|
| <b>Screen Size</b>                 | 22"                                                                   |
| <b>Viewable Area (in.)</b>         | 21.5                                                                  |
| <b>Panel Type</b>                  | VA                                                                    |
| <b>Display Resolution</b>          | 1920 x 1080                                                           |
| <b>Display Resolution</b>          | Full HD (1920x1080)                                                   |
| <b>Static Contrast Ratio</b>       | 4,000:1                                                               |
| <b>Dynamic Contrast Ratio</b>      | 50,000,000:1                                                          |
| <b>Light Source</b>                | LED                                                                   |
| <b>Brightness</b>                  | 250 cd/m2                                                             |
| <b>Colors</b>                      | 16.7M                                                                 |
| <b>Color Space Support</b>         | 8 bit true                                                            |
| <b>Aspect Ratio</b>                | 16:9                                                                  |
| <b>Response Time (Typical GTG)</b> | 4ms                                                                   |
| <b>Response Time (MPRT)</b>        | 1ms                                                                   |
| <b>Viewing Angles</b>              | 178º horizontal, 178º vertical                                        |
| <b>Backlight Life (Hours)</b>      | 30,000                                                                |
| <b>Panel Surface</b>               | Anti-Glare type, Hard-coating (3H), Haze 25%                          |
| <b>Refresh Rate</b>                | 120Hz                                                                 |
| <b>PC Resolution (max)</b>         | 1920x1080                                                             |
| <b>Mac® Resolution (max)</b>       | 1920x1080                                                             |
| <b>VGA</b>                         | 1                                                                     |
| <b>HDMI 1.4 In</b>                 | 1                                                                     |
| <b>Eco Mode (Conserve)</b>         | 15W                                                                   |
| <b>Eco Mode (optimized)</b>        | 18W                                                                   |
| <b>Consumption (typical)</b>       | 21W                                                                   |
| <b>Consumption (max)</b>           | 23W                                                                   |
| <b>Voltage</b>                     | AC 100-240V (universal), 50-60Hz                                      |
| <b>Stand-by</b>                    | 0.3W                                                                  |
| <b>Power Supply</b>                | External                                                              |
| <b>Cable Organization</b>          | No                                                                    |
| <b>Kensington Lock Slot</b>        | 1                                                                     |
| <b>Physical Controls</b>           | Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)                  |
| <b>On Screen Display</b>           | Input Select, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu |
| <b>Temperature</b>                 | 32-104º F (0 - 40º C)                                                 |
| <b>Humidity (non-condensing)</b>   | 20-90%                                                                |
| <b>VESA Compatible</b>             | 75 x 75 mm                                                            |

|                                     |                                                                             |
|-------------------------------------|-----------------------------------------------------------------------------|
| <b>Frequency Horizontal</b>         | HDMI: 30 ~ 182 KHz, VGA: 24 ~ 86 KHz                                        |
| <b>Frequency Vertical</b>           | HDMI: 48 ~ 120 Hz, VGA: 48 ~ 75 Hz                                          |
| <b>Tilt (Forward/Back)</b>          | 3° / 15°                                                                    |
| <b>Regulations</b>                  | cTUVus. FCC-B, ICES003, CEC, NOM, Mexico Energy                             |
| <b>Net (lbs)</b>                    | 5.5                                                                         |
| <b>Net Without Stand (lbs)</b>      | 4.6                                                                         |
| <b>Gross (lbs)</b>                  | 7.3                                                                         |
| <b>Net (kg)</b>                     | 2.5                                                                         |
| <b>Net Without Stand (kg)</b>       | 2.1                                                                         |
| <b>Gross (kg)</b>                   | 3.3                                                                         |
| <b>Packaging (in.)</b>              | 21.7 x 15.0 x 4.2                                                           |
| <b>Physical (in.)</b>               | 19.49 x 15.04 x 7.44                                                        |
| <b>Physical Without Stand (in.)</b> | 19.49 x 11.3 x 2.0                                                          |
| <b>Packaging (mm)</b>               | 550.0 x 382.0 x 106.0                                                       |
| <b>Physical (mm)</b>                | 495.01 x 381.94 x 188.97                                                    |
| <b>Physical Without Stand (mm)</b>  | 495.01 x 286.98 x 50.68                                                     |
| <b>Package Contents</b>             | VA220A-H Display, Power Cable, AC/DC Adapter, HDMI Cable, Quick Start Guide |
| <b>Recycle/Disposal</b>             | Please dispose of in accordance with local, state or federal laws.          |

UPC: 766907035735



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
888.881.8781  
email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)