





24" 1080P 240HZ 1MS GAMING MONITOR WITH AMD FREESYNC AND NVIDIA G-SYNC COMPATIBILITY | VX2479

Key Features


- **REACT FASTER AT 240HZ:** A blazing 240Hz refresh rate and 1ms (MPRT) response time keep gameplay fluid and your reactions instant.
- **TEAR-FREE GAMEPLAY:** AMD FreeSync™ and NVIDIA G-SYNC® Compatibility synchronize your GPU and display to eliminate screen tearing and stutter.
- **SHARP, DETAILED FULL HD VISUALS:** Full HD 1080p resolution delivers crisp, detailed visuals across every scene and frame.
- **CONNECT YOUR WHOLE SETUP:** Two HDMI ports, one DisplayPort and audio out give you flexible connectivity for every device in your rig.
- **PLAY FOR LONGER WITH LESS STRAIN:** Flicker-Free technology and a blue light filter reduce eye fatigue so you can stay in the game longer.



24"
DISPLAY



IPS
PANEL



1920 x 1080
RESOLUTION



Product Description

The 24" VX2479 gaming monitor gives gamers the speed they need to stay one step ahead of the competition. A 240Hz refresh rate and 1ms (MPRT) response time mean fast-action scenes stay sharp and responsive when the pressure is on. AMD FreeSync™ and NVIDIA G-SYNC® Compatibility build on that speed by wiping out tearing and stutter, keeping your focus exactly where it belongs. HDR10 takes it further still, pulling richer contrast and deeper color out of every scene. The frameless 3-sided design makes multi-monitor configurations look as sharp as they perform, with two HDMI ports and one DisplayPort ready for every device in your setup.

Specifications

	More Information
UPC	766907041064
Screen Size	24"
Viewable Area (in.)	23.8
Panel Type	IPS
Display Resolution	1920 x 1080
Display Resolution	Full HD (1920x1080)
Static Contrast Ratio	1,000:1
Dynamic Contrast Ratio	80,000,000:1
Light Source	LED
Brightness	250 cd/m2
Colors	16.7M
Color Space Support	6 bit + FRC
Aspect Ratio	16:9
Response Time (Typical GTG)	2ms
Response Time (MPRT)	1ms
Viewing Angles	178º horizontal, 178º vertical
Backlight Life (Hours)	30,000
Panel Surface	Anti-Glare type, Hard-coating (3H), Haze 25%
Refresh Rate	240Hz
PC Resolution (max)	1920 x 1080
Mac® Resolution (max)	1920 x 1080
3.5mm Audio Out	1
HDMI 1.4 In	2
DisplayPort	1
Eco Mode (Conserve)	19W
Eco Mode (optimized)	22W
Consumption (typical)	26W
Consumption (max)	28W
Voltage	12V
Stand-by	0.5W
Power Supply	External
Cable Organization	No
Kensington Lock Slot	1

Physical Controls	Key 1 (favorite), Key 2, Key 3, Key 4, Key 5 (power)
On Screen Display	Input Select, Audio Adjust, ViewMode, Color Adjust, Manual Image Adjust, Setup Menu
Temperature	32-104º F (0 - 40º C)
Humidity (non-condensing)	20-90%
VESA Compatible	100 x 100 mm
Frequency Horizontal	HDMI/DisplayPort: 30 ~ 268 KHz
Frequency Vertical	HDMI/DisplayPort: 48 ~ 240 Hz
Tilt (Forward/Back)	5º / 20º
Regulations	cTUVus, FCC-B, ICES003, NRCAN, NOM, Mexico Energy
Net (lbs)	7.1
Net Without Stand (lbs)	6.1
Gross (lbs)	9.3
Net (kg)	3.2
Net Without Stand (kg)	2.8
Gross (kg)	4.2
Packaging (in.)	23.8 x 15.7 x 4.7
Physical (in.)	21.33 x 16.2 x 7.09
Physical Without Stand (in.)	21.33 x 12.72 x 1.71
Packaging (mm)	605.0 x 400.0 x 120.0
Physical (mm)	541.86 x 411.6 x 180.0
Physical Without Stand (mm)	541.86 x 323 x 43.5
Package Contents	LCD Display Power Cable AC/DC Adapter DisplayPort Cable Quick Start Guide
Recycle/Disposal	Please dispose of in accordance with local, state or federal laws.
Warranty	Three-year limited warranty on parts, labor and backlight

UPC: 766907041064



Contact Sales

[ViewSonic.com](https://www.viewsonic.com)

888.881.8781

email:

salesinfo@viewsonic.com