


## VG2440 - 24" 1080P ERGONOMIC 40-DEGREE TILT MONITOR WITH HDMI, DP, AND VGA

### Key **Features**

---



24"  
**DISPLAY**



MVA  
**PANEL**



1920x1080  
**RESOLUTION**



\*Power Cable varies by region

What's in the box.



### Product **Description**

---

The ViewSonic® VG2440 is a 24" (23.6" viewable) Full HD monitor that includes a full-range of connectivity and ergonomic functionality ideal for your workstation at the office and at home. With SuperClear® MVA panel technology for wide-angle viewing, and an 8-bit panel with the ability to reproduce 16.7M colors, this monitor delivers incredibly sharp images. Integrated with HDMI, DisplayPort, VGA and 3 USB ports, the VG2440 allows flexible connection to PC systems, laptops and other peripheral devices and accessories. ViewSonic's exclusive vDisplayManager software provides intuitive presets that deliver optimized screen performance in different applications. In addition, Flicker-Free and Blue Light Filter technology help to eliminate eye strain from extended viewing periods.


### Specifications

---

<b>UPC</b>	766907014907
<b>Screen Size</b>	24"
<b>Viewable Area (in.)</b>	23.6
<b>Panel Type</b>	MVA
<b>Display Resolution</b>	1920 x 1080
<b>Display Resolution</b>	Full HD (1920x1080)
<b>Static Contrast Ratio</b>	3,000:1
<b>Light Source</b>	LED
<b>Brightness</b>	250 cd/m2
<b>Colors</b>	16.7M
<b>Color Space Support</b>	8 bits
<b>Aspect Ratio</b>	16:9
<b>Response Time (Typical GTG)</b>	5ms
<b>Viewing Angles</b>	178° horizontal, 178° vertical
<b>Panel Surface</b>	Anti-glare, Hard coating (3H)
<b>PC Resolution (max)</b>	1920x1080
<b>Mac® Resolution (max)</b>	1920x1080
<b>USB Type A</b>	1
<b>USB Type B</b>	3
<b>3.5mm Audio In</b>	1
<b>3.5mm Audio Out</b>	1
<b>VGA</b>	1
<b>HDMI 1.4 In</b>	1
<b>DisplayPort</b>	1
<b>Internal Speakers</b>	2W (x2)
<b>Eco Mode (Conserve)</b>	11.8W
<b>Eco Mode (optimized)</b>	13.1W
<b>Consumption (typical)</b>	14.8W
<b>Consumption (max)</b>	16.2W
<b>Voltage</b>	AC 100-240V (universal), 50-60Hz
<b>Stand-by</b>	0.5W
<b>Power Supply</b>	Internal
<b>Cable Organization</b>	No
<b>Kensington Lock Slot</b>	1
<b>Physical Controls</b>	1,2,3,4,5,6 (Power)

<b>On Screen Display</b>	Auto Image Adjust, Contrast/Brightness, Input Select, Audio Adjust, Color Adjust, Information, Manual Image Adjust, Advanced Image Adjust, Setup Menu, Memory Recall (See user guide for complete OSD functionality)
<b>Temperature</b>	32-104° F (0 - 40° C)
<b>Humidity (non-condensing)</b>	20-90%
<b>VESA Compatible</b>	100 x 100 mm
<b>Frequency Horizontal</b>	HDMI (v1.4): 15 ~ 90 KHz, DisplayPort: 15 ~ 90 KHz
<b>Frequency Vertical</b>	HDMI (v1.4): 49 ~ 75 Hz, DisplayPort: 49 ~ 75 Hz
<b>Digital Sync</b>	TMDS for HDMI (v1.4), PCI-E for DisplayPort
<b>Height Adjust</b>	130 mm / 5.1 in
<b>Swivel</b>	120°
<b>Pivot (Right/Left)</b>	90° / 90°
<b>Tilt (Forward/Back)</b>	5° / 40°
<b>Regulations</b>	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, MX-CoC, Mexico Energy
<b>Net (lbs)</b>	12.9
<b>Net Without Stand (lbs)</b>	8.5
<b>Gross (lbs)</b>	18.7
<b>Net (kg)</b>	5.8
<b>Net Without Stand (kg)</b>	3.4
<b>Gross (kg)</b>	8.5
<b>Packaging (in.)</b>	24.0 x 15.9 x 8.3
<b>Physical (in.)</b>	21.6 x 15.1~20.2 x 8.1
<b>Physical Without Stand (in.)</b>	21.6 x 12.9 x 2.0
<b>Packaging (mm)</b>	609.0 x 405.0 x 210.0
<b>Physical (mm)</b>	549.0 x 384.0~513.0 x 206.0
<b>Physical Without Stand (mm)</b>	549.0 x 329.0 x 50.0
<b>Package Contents</b>	VG2440 Display, Power Cable, HDMI Cable, USB Type, B Uplink Cable, 3.5mm Audio Cable, Quick Start Guide
<b>Recycle/Disposal</b>	Please dispose of in accordance with local, state or federal laws.
<b>Warranty</b>	*Refurbished. 30-day DOA policy for full refund, with a 90-day repair warranty on parts and labor.

UPC: 766907014907



**Contact Sales**  
[ViewSonic.com](http://ViewSonic.com)  
 888.881.8781  
 email:  
[salesinfo@viewsonic.com](mailto:salesinfo@viewsonic.com)